

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|---|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が50万 | 0.364 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.733 | 0.733 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.719 | 0.719 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.705 | 0.705 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.691 | 0.691 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.677 | 0.677 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.663 | 0.663 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.649 | 0.649 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.636 | 0.636 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.622 | 0.622 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.608 | 0.608 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.594 | 0.594 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.580 | 0.580 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.566 | 0.566 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.553 | 0.553 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.539 | 0.539 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.525 | 0.525 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.511 | 0.511 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.497 | 0.497 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.483 | 0.483 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.469 | 0.469 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.456 | 0.456 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.442 | 0.442 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.428 | 0.428 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.414 | 0.414 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.400 | 0.400 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.386 | 0.386 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.372 | 0.372 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.359 | 0.359 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.345 | 0.345 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.331 | 0.331 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.317 | 0.317 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.303 | 0.303 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.289 | 0.289 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.275 | 0.275 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.262 | 0.262 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.248 | 0.248 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.234 | 0.234 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.220 | 0.220 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.206 | 0.206 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.192 | 0.192 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.182 | 0.182 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|-----------------|---|------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が100万円 | 0.106 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≧ * | 4.025 | 0.213 | 0.213 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.209 | 0.209 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.205 | 0.205 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.201 | 0.201 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.197 | 0.197 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.193 | 0.193 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.189 | 0.189 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.185 | 0.185 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.181 | 0.181 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.177 | 0.177 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.173 | 0.173 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.169 | 0.169 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.165 | 0.165 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.161 | 0.161 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.157 | 0.157 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.153 | 0.153 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.149 | 0.149 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.145 | 0.145 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.141 | 0.141 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.137 | 0.137 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.133 | 0.133 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.129 | 0.129 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.125 | 0.125 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.121 | 0.121 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.117 | 0.117 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.112 | 0.112 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.108 | 0.108 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.104 | 0.104 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.100 | 0.100 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.096 | 0.096 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.092 | 0.092 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.088 | 0.088 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.084 | 0.084 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.080 | 0.080 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.076 | 0.076 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.072 | 0.072 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.068 | 0.068 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.064 | 0.064 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.060 | 0.060 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.056 | 0.056 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.053 | 0.053 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|-----------------|--|------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が50万 | 0.004 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≧ * | 4.025 | 0.008 | 0.008 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.008 | 0.008 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.008 | 0.008 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.008 | 0.008 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.007 | 0.007 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.007 | 0.007 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.007 | 0.007 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.007 | 0.007 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.007 | 0.007 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.007 | 0.007 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.007 | 0.007 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.006 | 0.006 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.006 | 0.006 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.006 | 0.006 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.006 | 0.006 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.006 | 0.006 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.006 | 0.006 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.005 | 0.005 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.005 | 0.005 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.005 | 0.005 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.005 | 0.005 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.005 | 0.005 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.005 | 0.005 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.005 | 0.005 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.004 | 0.004 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.004 | 0.004 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.004 | 0.004 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.004 | 0.004 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.004 | 0.004 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.004 | 0.004 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.003 | 0.003 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.003 | 0.003 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.003 | 0.003 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.003 | 0.003 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.003 | 0.003 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.003 | 0.003 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.003 | 0.003 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.002 | 0.002 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.002 | 0.002 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.002 | 0.002 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.002 | 0.002 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|--|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が100万円 | 0.002 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.004 | 0.004 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.004 | 0.004 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.004 | 0.004 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.004 | 0.004 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.004 | 0.004 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.004 | 0.004 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.004 | 0.004 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.003 | 0.003 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.003 | 0.003 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.003 | 0.003 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.003 | 0.003 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.003 | 0.003 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.003 | 0.003 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.003 | 0.003 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.003 | 0.003 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.003 | 0.003 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.003 | 0.003 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.003 | 0.003 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.003 | 0.003 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.003 | 0.003 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.003 | 0.003 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.002 | 0.002 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.002 | 0.002 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.002 | 0.002 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.002 | 0.002 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.002 | 0.002 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.002 | 0.002 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.002 | 0.002 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.002 | 0.002 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.002 | 0.002 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.002 | 0.002 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.002 | 0.002 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.002 | 0.002 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.002 | 0.002 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.001 | 0.001 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.001 | 0.001 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.001 | 0.001 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.001 | 0.001 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.001 | 0.001 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.001 | 0.001 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.001 | 0.001 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|---|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有一般//小損害不填補の金額が50万 | 0.314 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * < | 4.025 | 0.632 | 0.632 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.620 | 0.620 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.608 | 0.608 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.596 | 0.596 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.584 | 0.584 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.572 | 0.572 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.560 | 0.560 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.548 | 0.548 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.536 | 0.536 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.524 | 0.524 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.512 | 0.512 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.501 | 0.501 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.489 | 0.489 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.477 | 0.477 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.465 | 0.465 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.453 | 0.453 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.441 | 0.441 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.429 | 0.429 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.417 | 0.417 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.405 | 0.405 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.393 | 0.393 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.381 | 0.381 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.369 | 0.369 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.357 | 0.357 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.345 | 0.345 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.333 | 0.333 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.321 | 0.321 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.309 | 0.309 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.297 | 0.297 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.285 | 0.285 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.273 | 0.273 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.262 | 0.262 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.250 | 0.250 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.238 | 0.238 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.226 | 0.226 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.214 | 0.214 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.202 | 0.202 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.190 | 0.190 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.178 | 0.178 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.166 | 0.166 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.157 | 0.157 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|---|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有一般//小損害不填補の金額が100万円 | 0.091 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.183 | 0.183 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.180 | 0.180 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.176 | 0.176 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.173 | 0.173 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.169 | 0.169 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.166 | 0.166 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.162 | 0.162 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.159 | 0.159 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.155 | 0.155 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.152 | 0.152 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.149 | 0.149 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.145 | 0.145 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.142 | 0.142 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.138 | 0.138 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.135 | 0.135 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.131 | 0.131 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.128 | 0.128 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.124 | 0.124 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.121 | 0.121 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.117 | 0.117 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.114 | 0.114 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.110 | 0.110 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.107 | 0.107 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.104 | 0.104 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.100 | 0.100 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.097 | 0.097 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.093 | 0.093 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.090 | 0.090 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.086 | 0.086 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.083 | 0.083 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.079 | 0.079 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.076 | 0.076 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.072 | 0.072 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.069 | 0.069 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.065 | 0.065 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.062 | 0.062 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.058 | 0.058 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.055 | 0.055 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.052 | 0.052 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.048 | 0.048 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.046 | 0.046 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|-----------------|---|------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有事故除外//小損害不填補の金額が50万 | 0.202 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≧ * | 4.025 | 0.407 | 0.407 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.399 | 0.399 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.391 | 0.391 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.383 | 0.383 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.376 | 0.376 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.368 | 0.368 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.360 | 0.360 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.353 | 0.353 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.345 | 0.345 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.337 | 0.337 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.330 | 0.330 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.322 | 0.322 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.314 | 0.314 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.307 | 0.307 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.299 | 0.299 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.291 | 0.291 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.284 | 0.284 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.276 | 0.276 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.268 | 0.268 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.260 | 0.260 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.253 | 0.253 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.245 | 0.245 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.237 | 0.237 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.230 | 0.230 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.222 | 0.222 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.214 | 0.214 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.207 | 0.207 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.199 | 0.199 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.191 | 0.191 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.184 | 0.184 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.176 | 0.176 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.168 | 0.168 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.161 | 0.161 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.153 | 0.153 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.145 | 0.145 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.138 | 0.138 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.130 | 0.130 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.122 | 0.122 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.114 | 0.114 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.107 | 0.107 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.101 | 0.101 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|---|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有事故除外//小損害不填補の金額が100万円 | 0.059 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * < 197.5 | 4.025 | 0.119 | 0.119 |
| 19 | 192.5 ≧ * < 192.5 | 3.949 | 0.116 | 0.116 |
| 18 | 187.5 ≧ * < 187.5 | 3.873 | 0.114 | 0.114 |
| 17 | 182.5 ≧ * < 182.5 | 3.797 | 0.112 | 0.112 |
| 16 | 177.5 ≧ * < 177.5 | 3.721 | 0.110 | 0.110 |
| 15 | 172.5 ≧ * < 172.5 | 3.645 | 0.108 | 0.108 |
| 14 | 167.5 ≧ * < 167.5 | 3.568 | 0.105 | 0.105 |
| 13 | 162.5 ≧ * < 162.5 | 3.492 | 0.103 | 0.103 |
| 12 | 157.5 ≧ * < 157.5 | 3.416 | 0.101 | 0.101 |
| 11 | 152.5 ≧ * < 152.5 | 3.34 | 0.099 | 0.099 |
| 10 | 147.5 ≧ * < 147.5 | 3.264 | 0.096 | 0.096 |
| 9 | 142.5 ≧ * < 142.5 | 3.188 | 0.094 | 0.094 |
| 8 | 137.5 ≧ * < 137.5 | 3.112 | 0.092 | 0.092 |
| 7 | 132.5 ≧ * < 132.5 | 3.036 | 0.090 | 0.090 |
| 6 | 127.5 ≧ * < 127.5 | 2.96 | 0.087 | 0.087 |
| 5 | 122.5 ≧ * < 122.5 | 2.884 | 0.085 | 0.085 |
| 4 | 117.5 ≧ * < 117.5 | 2.807 | 0.083 | 0.083 |
| 3 | 112.5 ≧ * < 112.5 | 2.731 | 0.081 | 0.081 |
| 2 | 107.5 ≧ * < 107.5 | 2.655 | 0.078 | 0.078 |
| 1 | 102.5 ≧ * < 102.5 | 2.579 | 0.076 | 0.076 |
| 0 | 97.5 ≧ * < 97.5 | 2.503 | 0.074 | 0.074 |
| -1 | 92.5 ≧ * < 92.5 | 2.427 | 0.072 | 0.072 |
| -2 | 87.5 ≧ * < 87.5 | 2.351 | 0.069 | 0.069 |
| -3 | 82.5 ≧ * < 82.5 | 2.275 | 0.067 | 0.067 |
| -4 | 77.5 ≧ * < 77.5 | 2.199 | 0.065 | 0.065 |
| -5 | 72.5 ≧ * < 72.5 | 2.123 | 0.063 | 0.063 |
| -6 | 67.5 ≧ * < 67.5 | 2.046 | 0.060 | 0.060 |
| -7 | 62.5 ≧ * < 62.5 | 1.97 | 0.058 | 0.058 |
| -8 | 57.5 ≧ * < 57.5 | 1.894 | 0.056 | 0.056 |
| -9 | 52.5 ≧ * < 52.5 | 1.818 | 0.054 | 0.054 |
| -10 | 47.5 ≧ * < 47.5 | 1.742 | 0.051 | 0.051 |
| -11 | 42.5 ≧ * < 42.5 | 1.666 | 0.049 | 0.049 |
| -12 | 37.5 ≧ * < 37.5 | 1.59 | 0.047 | 0.047 |
| -13 | 32.5 ≧ * < 32.5 | 1.514 | 0.045 | 0.045 |
| -14 | 27.5 ≧ * < 27.5 | 1.438 | 0.042 | 0.042 |
| -15 | 22.5 ≧ * < 22.5 | 1.361 | 0.040 | 0.040 |
| -16 | 17.5 ≧ * < 17.5 | 1.285 | 0.038 | 0.038 |
| -17 | 12.5 ≧ * < 12.5 | 1.209 | 0.036 | 0.036 |
| -18 | 7.5 ≧ * < 7.5 | 1.133 | 0.033 | 0.033 |
| -19 | 2.5 ≧ * < 2.5 | 1.057 | 0.031 | 0.031 |
| -20 | 0 ≧ * < 0 | 1 | 0.030 | 0.030 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|--|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害不填補の金額が50万 | 0.085 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.171 | 0.171 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.168 | 0.168 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.165 | 0.165 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.161 | 0.161 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.158 | 0.158 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.155 | 0.155 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.152 | 0.152 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.148 | 0.148 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.145 | 0.145 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.142 | 0.142 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.139 | 0.139 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.135 | 0.135 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.132 | 0.132 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.129 | 0.129 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.126 | 0.126 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.123 | 0.123 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.119 | 0.119 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.116 | 0.116 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.113 | 0.113 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.110 | 0.110 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.106 | 0.106 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.103 | 0.103 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.100 | 0.100 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.097 | 0.097 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.093 | 0.093 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.090 | 0.090 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.087 | 0.087 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.084 | 0.084 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.081 | 0.081 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.077 | 0.077 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.074 | 0.074 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.071 | 0.071 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.068 | 0.068 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.064 | 0.064 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.061 | 0.061 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.058 | 0.058 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.055 | 0.055 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.051 | 0.051 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.048 | 0.048 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.045 | 0.045 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.043 | 0.043 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|--|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害不填補の金額が100万円 | 0.025 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.050 | 0.050 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.049 | 0.049 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.048 | 0.048 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.047 | 0.047 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.047 | 0.047 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.046 | 0.046 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.045 | 0.045 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.044 | 0.044 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.043 | 0.043 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.042 | 0.042 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.041 | 0.041 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.040 | 0.040 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.039 | 0.039 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.038 | 0.038 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.037 | 0.037 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.036 | 0.036 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.035 | 0.035 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.034 | 0.034 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.033 | 0.033 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.032 | 0.032 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.031 | 0.031 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.030 | 0.030 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.029 | 0.029 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.028 | 0.028 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.027 | 0.027 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.027 | 0.027 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.026 | 0.026 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.025 | 0.025 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.024 | 0.024 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.023 | 0.023 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.022 | 0.022 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.021 | 0.021 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.020 | 0.020 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.019 | 0.019 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.018 | 0.018 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.017 | 0.017 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.016 | 0.016 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.015 | 0.015 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.014 | 0.014 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.013 | 0.013 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.013 | 0.013 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|---|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額に係るもの/未被覆期間/小損害不填補の金額が50万 | 0.003 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.006 | 0.006 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.006 | 0.006 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.006 | 0.006 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.006 | 0.006 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.006 | 0.006 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.005 | 0.005 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.005 | 0.005 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.005 | 0.005 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.005 | 0.005 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.005 | 0.005 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.005 | 0.005 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.005 | 0.005 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.005 | 0.005 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.005 | 0.005 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.004 | 0.004 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.004 | 0.004 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.004 | 0.004 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.004 | 0.004 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.004 | 0.004 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.004 | 0.004 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.004 | 0.004 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.004 | 0.004 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.004 | 0.004 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.003 | 0.003 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.003 | 0.003 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.003 | 0.003 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.003 | 0.003 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.003 | 0.003 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.003 | 0.003 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.003 | 0.003 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.003 | 0.003 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.002 | 0.002 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.002 | 0.002 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.002 | 0.002 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.002 | 0.002 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.002 | 0.002 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.002 | 0.002 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.002 | 0.002 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.002 | 0.002 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.002 | 0.002 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.002 | 0.002 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|---|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額に係るもの/未被覆期間/小損害不填補の金額が100万円 | 0.002 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.004 | 0.004 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.004 | 0.004 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.004 | 0.004 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.004 | 0.004 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.004 | 0.004 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.004 | 0.004 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.004 | 0.004 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.003 | 0.003 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.003 | 0.003 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.003 | 0.003 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.003 | 0.003 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.003 | 0.003 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.003 | 0.003 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.003 | 0.003 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.003 | 0.003 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.003 | 0.003 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.003 | 0.003 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.003 | 0.003 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.003 | 0.003 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.003 | 0.003 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.003 | 0.003 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.002 | 0.002 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.002 | 0.002 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.002 | 0.002 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.002 | 0.002 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.002 | 0.002 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.002 | 0.002 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.002 | 0.002 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.002 | 0.002 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.002 | 0.002 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.002 | 0.002 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.002 | 0.002 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.002 | 0.002 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.002 | 0.002 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.001 | 0.001 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.001 | 0.001 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.001 | 0.001 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.001 | 0.001 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.001 | 0.001 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.001 | 0.001 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.001 | 0.001 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|--|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額に係るもの/被覆期間/小損害不填補の金額が50万 | 0.143 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.288 | 0.288 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.282 | 0.282 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.277 | 0.277 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.271 | 0.271 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.266 | 0.266 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.261 | 0.261 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.255 | 0.255 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.250 | 0.250 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.244 | 0.244 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.239 | 0.239 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.233 | 0.233 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.228 | 0.228 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.222 | 0.222 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.217 | 0.217 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.212 | 0.212 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.206 | 0.206 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.201 | 0.201 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.195 | 0.195 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.190 | 0.190 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.184 | 0.184 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.179 | 0.179 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.174 | 0.174 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.168 | 0.168 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.163 | 0.163 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.157 | 0.157 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.152 | 0.152 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.146 | 0.146 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.141 | 0.141 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.135 | 0.135 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.130 | 0.130 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.125 | 0.125 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.119 | 0.119 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.114 | 0.114 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.108 | 0.108 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.103 | 0.103 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.097 | 0.097 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.092 | 0.092 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.086 | 0.086 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.081 | 0.081 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.076 | 0.076 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.072 | 0.072 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|--|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額に係るもの/被覆期間/小損害不填補の金額が100万円 | 0.041 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.083 | 0.083 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.081 | 0.081 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.079 | 0.079 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.078 | 0.078 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.076 | 0.076 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.075 | 0.075 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.073 | 0.073 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.072 | 0.072 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.070 | 0.070 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.068 | 0.068 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.067 | 0.067 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.065 | 0.065 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.064 | 0.064 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.062 | 0.062 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.061 | 0.061 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.059 | 0.059 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.058 | 0.058 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.056 | 0.056 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.054 | 0.054 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.053 | 0.053 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.051 | 0.051 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.050 | 0.050 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.048 | 0.048 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.047 | 0.047 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.045 | 0.045 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.044 | 0.044 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.042 | 0.042 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.040 | 0.040 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.039 | 0.039 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.037 | 0.037 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.036 | 0.036 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.034 | 0.034 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.033 | 0.033 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.031 | 0.031 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.029 | 0.029 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.028 | 0.028 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.026 | 0.026 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.025 | 0.025 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.023 | 0.023 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.022 | 0.022 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.021 | 0.021 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|-----------------|---|-------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額に係るもの/未被覆期間/小損害不填補の金額が50万 | 0.002 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 4.025 | 0.004 | 0.004 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.004 | 0.004 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.004 | 0.004 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.004 | 0.004 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.004 | 0.004 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.004 | 0.004 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.004 | 0.004 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.003 | 0.003 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.003 | 0.003 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.003 | 0.003 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.003 | 0.003 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.003 | 0.003 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.003 | 0.003 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.003 | 0.003 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.003 | 0.003 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.003 | 0.003 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.003 | 0.003 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.003 | 0.003 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.003 | 0.003 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.003 | 0.003 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.003 | 0.003 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.002 | 0.002 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.002 | 0.002 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.002 | 0.002 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.002 | 0.002 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.002 | 0.002 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.002 | 0.002 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.002 | 0.002 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.002 | 0.002 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.002 | 0.002 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.002 | 0.002 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.002 | 0.002 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.002 | 0.002 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.002 | 0.002 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.001 | 0.001 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.001 | 0.001 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.001 | 0.001 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.001 | 0.001 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.001 | 0.001 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.001 | 0.001 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.001 | 0.001 |
| | | 平均値 | | |
| | | 2.00 | | |

【様式】

| | |
|-------|-------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南あわじ市 |
| 地域名 | |

補強施設割引+集団加入割引適用

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|-----------------|---|------------|
| プラスチックハウスⅡ類(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額に係るもの/未被覆期間/小損害不填補の金額が100万円 | 0.002 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≧ * | 4.025 | 0.004 | 0.004 |
| 19 | 192.5 ≧ * < 197.5 | 3.949 | 0.004 | 0.004 |
| 18 | 187.5 ≧ * < 192.5 | 3.873 | 0.004 | 0.004 |
| 17 | 182.5 ≧ * < 187.5 | 3.797 | 0.004 | 0.004 |
| 16 | 177.5 ≧ * < 182.5 | 3.721 | 0.004 | 0.004 |
| 15 | 172.5 ≧ * < 177.5 | 3.645 | 0.004 | 0.004 |
| 14 | 167.5 ≧ * < 172.5 | 3.568 | 0.004 | 0.004 |
| 13 | 162.5 ≧ * < 167.5 | 3.492 | 0.003 | 0.003 |
| 12 | 157.5 ≧ * < 162.5 | 3.416 | 0.003 | 0.003 |
| 11 | 152.5 ≧ * < 157.5 | 3.34 | 0.003 | 0.003 |
| 10 | 147.5 ≧ * < 152.5 | 3.264 | 0.003 | 0.003 |
| 9 | 142.5 ≧ * < 147.5 | 3.188 | 0.003 | 0.003 |
| 8 | 137.5 ≧ * < 142.5 | 3.112 | 0.003 | 0.003 |
| 7 | 132.5 ≧ * < 137.5 | 3.036 | 0.003 | 0.003 |
| 6 | 127.5 ≧ * < 132.5 | 2.96 | 0.003 | 0.003 |
| 5 | 122.5 ≧ * < 127.5 | 2.884 | 0.003 | 0.003 |
| 4 | 117.5 ≧ * < 122.5 | 2.807 | 0.003 | 0.003 |
| 3 | 112.5 ≧ * < 117.5 | 2.731 | 0.003 | 0.003 |
| 2 | 107.5 ≧ * < 112.5 | 2.655 | 0.003 | 0.003 |
| 1 | 102.5 ≧ * < 107.5 | 2.579 | 0.003 | 0.003 |
| 0 | 97.5 ≧ * < 102.5 | 2.503 | 0.003 | 0.003 |
| -1 | 92.5 ≧ * < 97.5 | 2.427 | 0.002 | 0.002 |
| -2 | 87.5 ≧ * < 92.5 | 2.351 | 0.002 | 0.002 |
| -3 | 82.5 ≧ * < 87.5 | 2.275 | 0.002 | 0.002 |
| -4 | 77.5 ≧ * < 82.5 | 2.199 | 0.002 | 0.002 |
| -5 | 72.5 ≧ * < 77.5 | 2.123 | 0.002 | 0.002 |
| -6 | 67.5 ≧ * < 72.5 | 2.046 | 0.002 | 0.002 |
| -7 | 62.5 ≧ * < 67.5 | 1.97 | 0.002 | 0.002 |
| -8 | 57.5 ≧ * < 62.5 | 1.894 | 0.002 | 0.002 |
| -9 | 52.5 ≧ * < 57.5 | 1.818 | 0.002 | 0.002 |
| -10 | 47.5 ≧ * < 52.5 | 1.742 | 0.002 | 0.002 |
| -11 | 42.5 ≧ * < 47.5 | 1.666 | 0.002 | 0.002 |
| -12 | 37.5 ≧ * < 42.5 | 1.59 | 0.002 | 0.002 |
| -13 | 32.5 ≧ * < 37.5 | 1.514 | 0.002 | 0.002 |
| -14 | 27.5 ≧ * < 32.5 | 1.438 | 0.001 | 0.001 |
| -15 | 22.5 ≧ * < 27.5 | 1.361 | 0.001 | 0.001 |
| -16 | 17.5 ≧ * < 22.5 | 1.285 | 0.001 | 0.001 |
| -17 | 12.5 ≧ * < 17.5 | 1.209 | 0.001 | 0.001 |
| -18 | 7.5 ≧ * < 12.5 | 1.133 | 0.001 | 0.001 |
| -19 | 2.5 ≧ * < 7.5 | 1.057 | 0.001 | 0.001 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.001 | 0.001 |
| | | 平均値 | | |
| | | 2.00 | | |