

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆A |         |                     |                   | 0.034   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 0.080               | 0.080             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.063               | 0.063             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.062               | 0.062             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.061               | 0.061             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.060               | 0.060             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.059               | 0.059             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.057               | 0.057             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.056               | 0.056             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.055               | 0.055             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.054               | 0.054             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.053               | 0.053             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.051               | 0.051             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.050               | 0.050             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.049               | 0.049             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.048               | 0.048             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.047               | 0.047             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.045               | 0.045             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.044               | 0.044             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.043               | 0.043             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.042               | 0.042             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.041               | 0.041             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.039               | 0.039             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.038               | 0.038             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.037               | 0.037             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.036               | 0.036             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.035               | 0.035             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.033               | 0.033             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.032               | 0.032             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.031               | 0.031             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.030               | 0.030             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.029               | 0.029             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.027               | 0.027             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.026               | 0.026             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.025               | 0.025             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.024               | 0.024             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.023               | 0.023             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.021               | 0.021             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.020               | 0.020             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.019               | 0.019             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.018               | 0.018             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.017               | 0.017             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯未被覆A集団     |           |           | 0.032         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 0.076               | 0.076             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 0.060               | 0.060             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 0.058               | 0.058             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 0.057               | 0.057             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 0.056               | 0.056             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.055               | 0.055             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.054               | 0.054             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.053               | 0.053             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.052               | 0.052             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.051               | 0.051             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.049               | 0.049             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.048               | 0.048             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.047               | 0.047             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.046               | 0.046             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.045               | 0.045             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.044               | 0.044             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.043               | 0.043             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.042               | 0.042             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.040               | 0.040             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.039               | 0.039             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.038               | 0.038             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.037               | 0.037             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.036               | 0.036             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.035               | 0.035             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.034               | 0.034             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.033               | 0.033             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.031               | 0.031             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.030               | 0.030             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.029               | 0.029             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.028               | 0.028             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.027               | 0.027             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.026               | 0.026             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.025               | 0.025             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.024               | 0.024             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.022               | 0.022             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.021               | 0.021             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.020               | 0.020             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.019               | 0.019             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.018               | 0.018             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.017               | 0.017             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.016               | 0.016             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯未被覆A補強     |           |           | 0.029         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 0.069               | 0.069             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 0.054               | 0.054             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 0.053               | 0.053             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 0.052               | 0.052             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 0.051               | 0.051             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.050               | 0.050             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.049               | 0.049             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.048               | 0.048             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.047               | 0.047             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.046               | 0.046             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.045               | 0.045             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.044               | 0.044             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.043               | 0.043             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.042               | 0.042             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.041               | 0.041             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.040               | 0.040             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.039               | 0.039             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.038               | 0.038             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.037               | 0.037             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.036               | 0.036             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.035               | 0.035             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.034               | 0.034             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.033               | 0.033             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.032               | 0.032             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.031               | 0.031             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.030               | 0.030             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.029               | 0.029             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.027               | 0.027             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.026               | 0.026             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.025               | 0.025             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.024               | 0.024             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.023               | 0.023             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.022               | 0.022             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.021               | 0.021             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.020               | 0.020             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.019               | 0.019             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.018               | 0.018             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.017               | 0.017             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.016               | 0.016             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.015               | 0.015             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.014               | 0.014             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                  |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                  | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                  |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                  | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分           |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆A補強集団 |         |                     |                   | 0.027   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数             |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前              | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704        | 4.73151 | 0.064               | 0.064             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000        | 3.72467 | 0.050               | 0.050             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000        | 3.65435 | 0.049               | 0.049             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000        | 3.58404 | 0.048               | 0.048             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000        | 3.51372 | 0.047               | 0.047             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000        | 3.44341 | 0.046               | 0.046             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000        | 3.37310 | 0.046               | 0.046             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000        | 3.30278 | 0.045               | 0.045             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000        | 3.23247 | 0.044               | 0.044             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000        | 3.16215 | 0.043               | 0.043             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000        | 3.09184 | 0.042               | 0.042             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000        | 3.02153 | 0.041               | 0.041             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000        | 2.95121 | 0.040               | 0.040             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000        | 2.88090 | 0.039               | 0.039             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000        | 2.81058 | 0.038               | 0.038             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000        | 2.74027 | 0.037               | 0.037             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000         | 2.66996 | 0.036               | 0.036             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000         | 2.59964 | 0.035               | 0.035             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000         | 2.52933 | 0.034               | 0.034             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000         | 2.45901 | 0.033               | 0.033             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000         | 2.38870 | 0.032               | 0.032             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000         | 2.31839 | 0.031               | 0.031             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000         | 2.24807 | 0.030               | 0.030             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000         | 2.17776 | 0.029               | 0.029             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000         | 2.10744 | 0.028               | 0.028             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000         | 2.03713 | 0.028               | 0.028             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000         | 1.96682 | 0.027               | 0.027             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000         | 1.89650 | 0.026               | 0.026             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000         | 1.82619 | 0.025               | 0.025             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000         | 1.75588 | 0.024               | 0.024             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000         | 1.68556 | 0.023               | 0.023             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000         | 1.61525 | 0.022               | 0.022             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000         | 1.54493 | 0.021               | 0.021             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000         | 1.47462 | 0.020               | 0.020             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000         | 1.40431 | 0.019               | 0.019             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000         | 1.33399 | 0.018               | 0.018             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000         | 1.26368 | 0.017               | 0.017             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000         | 1.19336 | 0.016               | 0.016             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000          | 1.12305 | 0.015               | 0.015             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000          | 1.05274 | 0.014               | 0.014             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000          | 1.00000 | 0.013               | 0.013             |         |  |
|                     |                    |           | 平均値              |         |                     |                   |         |  |
|                     |                    |           | 57.88778         | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |              |  |     |               |      |        |
|---------------------|--------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県          |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合    |  |     |               |      |        |
| 料率地域区分              | 000          |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分       |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯未被覆B |  |     | 0.019         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.045               | 0.045             |
| 19         | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.035               | 0.035             |
| 18         | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.035               | 0.035             |
| 17         | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.034               | 0.034             |
| 16         | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.033               | 0.033             |
| 15         | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.033               | 0.033             |
| 14         | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.032               | 0.032             |
| 13         | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.031               | 0.031             |
| 12         | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.031               | 0.031             |
| 11         | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.030               | 0.030             |
| 10         | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.029               | 0.029             |
| 09         | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.029               | 0.029             |
| 08         | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.028               | 0.028             |
| 07         | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.027               | 0.027             |
| 06         | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.027               | 0.027             |
| 05         | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.026               | 0.026             |
| 04         | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.025               | 0.025             |
| 03         | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.025               | 0.025             |
| 02         | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.024               | 0.024             |
| 01         | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.023               | 0.023             |
| 00         | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.023               | 0.023             |
| -01        | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.022               | 0.022             |
| -02        | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.021               | 0.021             |
| -03        | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.021               | 0.021             |
| -04        | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.020               | 0.020             |
| -05        | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.019               | 0.019             |
| -06        | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.019               | 0.019             |
| -07        | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.018               | 0.018             |
| -08        | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.017               | 0.017             |
| -09        | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.017               | 0.017             |
| -10        | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.016               | 0.016             |
| -11        | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.015               | 0.015             |
| -12        | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.015               | 0.015             |
| -13        | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.014               | 0.014             |
| -14        | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.013               | 0.013             |
| -15        | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.013               | 0.013             |
| -16        | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.012               | 0.012             |
| -17        | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.011               | 0.011             |
| -18        | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.011               | 0.011             |
| -19        | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.010               | 0.010             |
| -20        | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.009               | 0.009             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯未被覆B集団     |           |           | 0.018         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 0.043               | 0.043             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 0.034               | 0.034             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 0.033               | 0.033             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 0.032               | 0.032             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 0.032               | 0.032             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.031               | 0.031             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.030               | 0.030             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.030               | 0.030             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.029               | 0.029             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.028               | 0.028             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.028               | 0.028             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.027               | 0.027             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.027               | 0.027             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.026               | 0.026             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.025               | 0.025             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.025               | 0.025             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.024               | 0.024             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.023               | 0.023             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.023               | 0.023             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.022               | 0.022             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.021               | 0.021             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.021               | 0.021             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.020               | 0.020             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.020               | 0.020             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.019               | 0.019             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.018               | 0.018             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.018               | 0.018             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.017               | 0.017             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.016               | 0.016             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.016               | 0.016             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.015               | 0.015             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.015               | 0.015             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.014               | 0.014             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.013               | 0.013             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.013               | 0.013             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.012               | 0.012             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.011               | 0.011             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.011               | 0.011             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.010               | 0.010             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.009               | 0.009             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.009               | 0.009             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                |         |                     |                   |         |  |
|---------------------|--------------------|-----------|----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分         |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆B補強 |         |                     |                   | 0.016   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前            | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704      | 4.73151 | 0.038               | 0.038             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000      | 3.72467 | 0.030               | 0.030             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000      | 3.65435 | 0.029               | 0.029             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000      | 3.58404 | 0.029               | 0.029             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000      | 3.51372 | 0.028               | 0.028             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000      | 3.44341 | 0.028               | 0.028             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000      | 3.37310 | 0.027               | 0.027             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000      | 3.30278 | 0.026               | 0.026             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000      | 3.23247 | 0.026               | 0.026             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000      | 3.16215 | 0.025               | 0.025             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000      | 3.09184 | 0.025               | 0.025             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000      | 3.02153 | 0.024               | 0.024             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000      | 2.95121 | 0.024               | 0.024             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000      | 2.88090 | 0.023               | 0.023             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000      | 2.81058 | 0.022               | 0.022             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000      | 2.74027 | 0.022               | 0.022             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000       | 2.66996 | 0.021               | 0.021             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000       | 2.59964 | 0.021               | 0.021             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000       | 2.52933 | 0.020               | 0.020             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000       | 2.45901 | 0.020               | 0.020             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000       | 2.38870 | 0.019               | 0.019             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000       | 2.31839 | 0.019               | 0.019             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000       | 2.24807 | 0.018               | 0.018             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000       | 2.17776 | 0.017               | 0.017             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000       | 2.10744 | 0.017               | 0.017             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000       | 2.03713 | 0.016               | 0.016             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000       | 1.96682 | 0.016               | 0.016             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000       | 1.89650 | 0.015               | 0.015             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000       | 1.82619 | 0.015               | 0.015             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000       | 1.75588 | 0.014               | 0.014             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000       | 1.68556 | 0.013               | 0.013             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000       | 1.61525 | 0.013               | 0.013             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000       | 1.54493 | 0.012               | 0.012             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000       | 1.47462 | 0.012               | 0.012             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000       | 1.40431 | 0.011               | 0.011             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000       | 1.33399 | 0.011               | 0.011             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000       | 1.26368 | 0.010               | 0.010             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000       | 1.19336 | 0.010               | 0.010             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000        | 1.12305 | 0.009               | 0.009             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000        | 1.05274 | 0.008               | 0.008             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000        | 1.00000 | 0.008               | 0.008             |         |  |
|                     |                    |           | 平均値            |         |                     |                   |         |  |
|                     |                    |           | 57.88778       | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                  |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                  | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                  |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                  | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分           |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆B補強集団 |         |                     |                   | 0.015   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数             |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前              | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704        | 4.73151 | 0.035               | 0.035             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000        | 3.72467 | 0.028               | 0.028             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000        | 3.65435 | 0.027               | 0.027             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000        | 3.58404 | 0.027               | 0.027             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000        | 3.51372 | 0.026               | 0.026             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000        | 3.44341 | 0.026               | 0.026             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000        | 3.37310 | 0.025               | 0.025             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000        | 3.30278 | 0.025               | 0.025             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000        | 3.23247 | 0.024               | 0.024             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000        | 3.16215 | 0.024               | 0.024             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000        | 3.09184 | 0.023               | 0.023             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000        | 3.02153 | 0.023               | 0.023             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000        | 2.95121 | 0.022               | 0.022             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000        | 2.88090 | 0.022               | 0.022             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000        | 2.81058 | 0.021               | 0.021             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000        | 2.74027 | 0.021               | 0.021             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000         | 2.66996 | 0.020               | 0.020             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000         | 2.59964 | 0.019               | 0.019             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000         | 2.52933 | 0.019               | 0.019             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000         | 2.45901 | 0.018               | 0.018             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000         | 2.38870 | 0.018               | 0.018             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000         | 2.31839 | 0.017               | 0.017             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000         | 2.24807 | 0.017               | 0.017             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000         | 2.17776 | 0.016               | 0.016             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000         | 2.10744 | 0.016               | 0.016             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000         | 2.03713 | 0.015               | 0.015             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000         | 1.96682 | 0.015               | 0.015             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000         | 1.89650 | 0.014               | 0.014             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000         | 1.82619 | 0.014               | 0.014             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000         | 1.75588 | 0.013               | 0.013             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000         | 1.68556 | 0.013               | 0.013             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000         | 1.61525 | 0.012               | 0.012             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000         | 1.54493 | 0.012               | 0.012             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000         | 1.47462 | 0.011               | 0.011             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000         | 1.40431 | 0.011               | 0.011             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000         | 1.33399 | 0.010               | 0.010             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000         | 1.26368 | 0.009               | 0.009             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000         | 1.19336 | 0.009               | 0.009             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000          | 1.12305 | 0.008               | 0.008             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000          | 1.05274 | 0.008               | 0.008             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000          | 1.00000 | 0.007               | 0.007             |         |  |
|                     |                    |           | 平均値              |         |                     |                   |         |  |
|                     |                    |           | 57.88778         | 2.00000 |                     |                   |         |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆C |         |                     |                   | 0.012   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 0.028               | 0.028             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.022               | 0.022             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.022               | 0.022             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.022               | 0.022             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.021               | 0.021             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.021               | 0.021             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.020               | 0.020             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.020               | 0.020             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.019               | 0.019             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.019               | 0.019             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.019               | 0.019             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.018               | 0.018             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.018               | 0.018             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.017               | 0.017             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.017               | 0.017             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.016               | 0.016             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.016               | 0.016             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.016               | 0.016             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.015               | 0.015             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.015               | 0.015             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.014               | 0.014             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.014               | 0.014             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.013               | 0.013             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.013               | 0.013             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.013               | 0.013             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.012               | 0.012             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.012               | 0.012             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.011               | 0.011             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.011               | 0.011             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.011               | 0.011             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.010               | 0.010             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.010               | 0.010             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.009               | 0.009             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.009               | 0.009             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.008               | 0.008             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.008               | 0.008             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.008               | 0.008             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.007               | 0.007             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.007               | 0.007             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.006               | 0.006             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.006               | 0.006             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                |         |                     |                   |         |  |
|---------------------|--------------------|-----------|----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分         |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆C集団 |         |                     |                   | 0.011   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前            | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704      | 4.73151 | 0.026               | 0.026             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000      | 3.72467 | 0.020               | 0.020             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000      | 3.65435 | 0.020               | 0.020             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000      | 3.58404 | 0.020               | 0.020             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000      | 3.51372 | 0.019               | 0.019             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000      | 3.44341 | 0.019               | 0.019             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000      | 3.37310 | 0.019               | 0.019             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000      | 3.30278 | 0.018               | 0.018             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000      | 3.23247 | 0.018               | 0.018             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000      | 3.16215 | 0.017               | 0.017             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000      | 3.09184 | 0.017               | 0.017             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000      | 3.02153 | 0.017               | 0.017             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000      | 2.95121 | 0.016               | 0.016             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000      | 2.88090 | 0.016               | 0.016             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000      | 2.81058 | 0.015               | 0.015             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000      | 2.74027 | 0.015               | 0.015             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000       | 2.66996 | 0.015               | 0.015             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000       | 2.59964 | 0.014               | 0.014             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000       | 2.52933 | 0.014               | 0.014             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000       | 2.45901 | 0.014               | 0.014             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000       | 2.38870 | 0.013               | 0.013             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000       | 2.31839 | 0.013               | 0.013             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000       | 2.24807 | 0.012               | 0.012             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000       | 2.17776 | 0.012               | 0.012             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000       | 2.10744 | 0.012               | 0.012             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000       | 2.03713 | 0.011               | 0.011             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000       | 1.96682 | 0.011               | 0.011             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000       | 1.89650 | 0.010               | 0.010             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000       | 1.82619 | 0.010               | 0.010             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000       | 1.75588 | 0.010               | 0.010             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000       | 1.68556 | 0.009               | 0.009             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000       | 1.61525 | 0.009               | 0.009             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000       | 1.54493 | 0.008               | 0.008             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000       | 1.47462 | 0.008               | 0.008             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000       | 1.40431 | 0.008               | 0.008             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000       | 1.33399 | 0.007               | 0.007             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000       | 1.26368 | 0.007               | 0.007             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000       | 1.19336 | 0.007               | 0.007             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000        | 1.12305 | 0.006               | 0.006             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000        | 1.05274 | 0.006               | 0.006             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000        | 1.00000 | 0.005               | 0.005             |         |  |
|                     |                    |           | 平均値            |         |                     |                   |         |  |
|                     |                    |           | 57.88778       | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                |         |                     |                   |         |  |
|---------------------|--------------------|-----------|----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分         |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆C補強 |         |                     |                   | 0.010   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前            | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704      | 4.73151 | 0.024               | 0.024             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000      | 3.72467 | 0.019               | 0.019             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000      | 3.65435 | 0.018               | 0.018             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000      | 3.58404 | 0.018               | 0.018             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000      | 3.51372 | 0.018               | 0.018             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000      | 3.44341 | 0.017               | 0.017             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000      | 3.37310 | 0.017               | 0.017             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000      | 3.30278 | 0.017               | 0.017             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000      | 3.23247 | 0.016               | 0.016             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000      | 3.16215 | 0.016               | 0.016             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000      | 3.09184 | 0.015               | 0.015             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000      | 3.02153 | 0.015               | 0.015             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000      | 2.95121 | 0.015               | 0.015             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000      | 2.88090 | 0.014               | 0.014             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000      | 2.81058 | 0.014               | 0.014             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000      | 2.74027 | 0.014               | 0.014             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000       | 2.66996 | 0.013               | 0.013             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000       | 2.59964 | 0.013               | 0.013             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000       | 2.52933 | 0.013               | 0.013             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000       | 2.45901 | 0.012               | 0.012             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000       | 2.38870 | 0.012               | 0.012             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000       | 2.31839 | 0.012               | 0.012             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000       | 2.24807 | 0.011               | 0.011             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000       | 2.17776 | 0.011               | 0.011             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000       | 2.10744 | 0.011               | 0.011             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000       | 2.03713 | 0.010               | 0.010             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000       | 1.96682 | 0.010               | 0.010             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000       | 1.89650 | 0.009               | 0.009             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000       | 1.82619 | 0.009               | 0.009             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000       | 1.75588 | 0.009               | 0.009             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000       | 1.68556 | 0.008               | 0.008             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000       | 1.61525 | 0.008               | 0.008             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000       | 1.54493 | 0.008               | 0.008             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000       | 1.47462 | 0.007               | 0.007             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000       | 1.40431 | 0.007               | 0.007             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000       | 1.33399 | 0.007               | 0.007             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000       | 1.26368 | 0.006               | 0.006             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000       | 1.19336 | 0.006               | 0.006             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000        | 1.12305 | 0.006               | 0.006             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000        | 1.05274 | 0.005               | 0.005             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000        | 1.00000 | 0.005               | 0.005             |         |  |
|                     |                    |           | 平均値            |         |                     |                   |         |  |
|                     |                    |           | 57.88778       | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                  |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                  | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                  |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                  | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分           |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆C補強集団 |         |                     |                   | 0.010   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数             |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前              | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704        | 4.73151 | 0.024               | 0.024             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000        | 3.72467 | 0.019               | 0.019             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000        | 3.65435 | 0.018               | 0.018             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000        | 3.58404 | 0.018               | 0.018             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000        | 3.51372 | 0.018               | 0.018             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000        | 3.44341 | 0.017               | 0.017             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000        | 3.37310 | 0.017               | 0.017             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000        | 3.30278 | 0.017               | 0.017             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000        | 3.23247 | 0.016               | 0.016             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000        | 3.16215 | 0.016               | 0.016             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000        | 3.09184 | 0.015               | 0.015             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000        | 3.02153 | 0.015               | 0.015             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000        | 2.95121 | 0.015               | 0.015             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000        | 2.88090 | 0.014               | 0.014             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000        | 2.81058 | 0.014               | 0.014             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000        | 2.74027 | 0.014               | 0.014             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000         | 2.66996 | 0.013               | 0.013             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000         | 2.59964 | 0.013               | 0.013             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000         | 2.52933 | 0.013               | 0.013             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000         | 2.45901 | 0.012               | 0.012             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000         | 2.38870 | 0.012               | 0.012             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000         | 2.31839 | 0.012               | 0.012             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000         | 2.24807 | 0.011               | 0.011             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000         | 2.17776 | 0.011               | 0.011             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000         | 2.10744 | 0.011               | 0.011             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000         | 2.03713 | 0.010               | 0.010             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000         | 1.96682 | 0.010               | 0.010             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000         | 1.89650 | 0.009               | 0.009             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000         | 1.82619 | 0.009               | 0.009             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000         | 1.75588 | 0.009               | 0.009             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000         | 1.68556 | 0.008               | 0.008             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000         | 1.61525 | 0.008               | 0.008             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000         | 1.54493 | 0.008               | 0.008             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000         | 1.47462 | 0.007               | 0.007             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000         | 1.40431 | 0.007               | 0.007             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000         | 1.33399 | 0.007               | 0.007             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000         | 1.26368 | 0.006               | 0.006             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000         | 1.19336 | 0.006               | 0.006             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000          | 1.12305 | 0.006               | 0.006             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000          | 1.05274 | 0.005               | 0.005             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000          | 1.00000 | 0.005               | 0.005             |         |  |
|                     |                    |           | 平均値              |         |                     |                   |         |  |
|                     |                    |           | 57.88778         | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆D |         |                     |                   | 0.005   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 0.012               | 0.012             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.009               | 0.009             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.009               | 0.009             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.009               | 0.009             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.009               | 0.009             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.009               | 0.009             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.008               | 0.008             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.008               | 0.008             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.008               | 0.008             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.008               | 0.008             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.008               | 0.008             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.008               | 0.008             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.007               | 0.007             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.007               | 0.007             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.007               | 0.007             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.007               | 0.007             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.007               | 0.007             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.006               | 0.006             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.006               | 0.006             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.006               | 0.006             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.006               | 0.006             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.006               | 0.006             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.006               | 0.006             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.005               | 0.005             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.005               | 0.005             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.005               | 0.005             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.005               | 0.005             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.005               | 0.005             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.005               | 0.005             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.004               | 0.004             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.004               | 0.004             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.004               | 0.004             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.004               | 0.004             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.004               | 0.004             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.003               | 0.003             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.003               | 0.003             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.003               | 0.003             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                |         |                     |                   |         |  |
|---------------------|--------------------|-----------|----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分         |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆D集団 |         |                     |                   | 0.005   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前            | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704      | 4.73151 | 0.012               | 0.012             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000      | 3.72467 | 0.009               | 0.009             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000      | 3.65435 | 0.009               | 0.009             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000      | 3.58404 | 0.009               | 0.009             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000      | 3.51372 | 0.009               | 0.009             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000      | 3.44341 | 0.009               | 0.009             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000      | 3.37310 | 0.008               | 0.008             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000      | 3.30278 | 0.008               | 0.008             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000      | 3.23247 | 0.008               | 0.008             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000      | 3.16215 | 0.008               | 0.008             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000      | 3.09184 | 0.008               | 0.008             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000      | 3.02153 | 0.008               | 0.008             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000      | 2.95121 | 0.007               | 0.007             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000      | 2.88090 | 0.007               | 0.007             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000      | 2.81058 | 0.007               | 0.007             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000      | 2.74027 | 0.007               | 0.007             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000       | 2.66996 | 0.007               | 0.007             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000       | 2.59964 | 0.006               | 0.006             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000       | 2.52933 | 0.006               | 0.006             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000       | 2.45901 | 0.006               | 0.006             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000       | 2.38870 | 0.006               | 0.006             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000       | 2.31839 | 0.006               | 0.006             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000       | 2.24807 | 0.006               | 0.006             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000       | 2.17776 | 0.005               | 0.005             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000       | 2.10744 | 0.005               | 0.005             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000       | 2.03713 | 0.005               | 0.005             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000       | 1.96682 | 0.005               | 0.005             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000       | 1.89650 | 0.005               | 0.005             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000       | 1.82619 | 0.005               | 0.005             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000       | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000       | 1.68556 | 0.004               | 0.004             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000       | 1.61525 | 0.004               | 0.004             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000       | 1.54493 | 0.004               | 0.004             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000       | 1.47462 | 0.004               | 0.004             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000       | 1.40431 | 0.004               | 0.004             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000       | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000       | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000       | 1.19336 | 0.003               | 0.003             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000        | 1.12305 | 0.003               | 0.003             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000        | 1.05274 | 0.003               | 0.003             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000        | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値            |         |                     |                   |         |  |
|                     |                    |           | 57.88778       | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                |         |                     |                   |         |  |
|---------------------|--------------------|-----------|----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分         |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆D補強 |         |                     |                   | 0.004   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前            | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704      | 4.73151 | 0.009               | 0.009             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000      | 3.72467 | 0.007               | 0.007             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000      | 3.65435 | 0.007               | 0.007             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000      | 3.58404 | 0.007               | 0.007             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000      | 3.51372 | 0.007               | 0.007             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000      | 3.44341 | 0.007               | 0.007             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000      | 3.37310 | 0.007               | 0.007             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000      | 3.30278 | 0.007               | 0.007             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000      | 3.23247 | 0.006               | 0.006             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000      | 3.16215 | 0.006               | 0.006             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000      | 3.09184 | 0.006               | 0.006             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000      | 3.02153 | 0.006               | 0.006             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000      | 2.95121 | 0.006               | 0.006             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000      | 2.88090 | 0.006               | 0.006             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000      | 2.81058 | 0.006               | 0.006             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000      | 2.74027 | 0.005               | 0.005             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000       | 2.66996 | 0.005               | 0.005             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000       | 2.59964 | 0.005               | 0.005             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000       | 2.52933 | 0.005               | 0.005             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000       | 2.45901 | 0.005               | 0.005             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000       | 2.38870 | 0.005               | 0.005             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000       | 2.31839 | 0.005               | 0.005             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000       | 2.24807 | 0.004               | 0.004             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000       | 2.17776 | 0.004               | 0.004             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000       | 2.10744 | 0.004               | 0.004             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000       | 2.03713 | 0.004               | 0.004             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000       | 1.96682 | 0.004               | 0.004             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000       | 1.89650 | 0.004               | 0.004             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000       | 1.82619 | 0.004               | 0.004             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000       | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000       | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000       | 1.61525 | 0.003               | 0.003             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000       | 1.54493 | 0.003               | 0.003             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000       | 1.47462 | 0.003               | 0.003             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000       | 1.40431 | 0.003               | 0.003             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000       | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000       | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000       | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000        | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000        | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000        | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値            |         |                     |                   |         |  |
|                     |                    |           | 57.88778       | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                  |             |                     |                   |  |
|---------------------|--------------------|-----------|------------------|-------------|---------------------|-------------------|--|
| 都道府県名               |                    | 兵庫県       |                  | 共済事業 園芸施設共済 |                     |                   |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                  |             |                     |                   |  |
| 料率地域区分              |                    | 000       |                  | 地域名         | 00000 都道府県の区域       |                   |  |
| 施設区分                |                    |           | 共済掛金区分           |             |                     | 共済掛金標準率           |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆D補強集団 |             |                     | 0.004             |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数             |             | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                     |                    |           | 圧縮前              | 圧縮後         |                     |                   |  |
| 20                  | 197.5              | ≦*＜       | 213.27704        | 4.73151     | 0.009               | 0.009             |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000        | 3.72467     | 0.007               | 0.007             |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000        | 3.65435     | 0.007               | 0.007             |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000        | 3.58404     | 0.007               | 0.007             |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000        | 3.51372     | 0.007               | 0.007             |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000        | 3.44341     | 0.007               | 0.007             |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000        | 3.37310     | 0.007               | 0.007             |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000        | 3.30278     | 0.007               | 0.007             |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000        | 3.23247     | 0.006               | 0.006             |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000        | 3.16215     | 0.006               | 0.006             |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000        | 3.09184     | 0.006               | 0.006             |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000        | 3.02153     | 0.006               | 0.006             |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000        | 2.95121     | 0.006               | 0.006             |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000        | 2.88090     | 0.006               | 0.006             |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000        | 2.81058     | 0.006               | 0.006             |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000        | 2.74027     | 0.005               | 0.005             |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000         | 2.66996     | 0.005               | 0.005             |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000         | 2.59964     | 0.005               | 0.005             |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000         | 2.52933     | 0.005               | 0.005             |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000         | 2.45901     | 0.005               | 0.005             |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000         | 2.38870     | 0.005               | 0.005             |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000         | 2.31839     | 0.005               | 0.005             |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000         | 2.24807     | 0.004               | 0.004             |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000         | 2.17776     | 0.004               | 0.004             |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000         | 2.10744     | 0.004               | 0.004             |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000         | 2.03713     | 0.004               | 0.004             |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000         | 1.96682     | 0.004               | 0.004             |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000         | 1.89650     | 0.004               | 0.004             |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000         | 1.82619     | 0.004               | 0.004             |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000         | 1.75588     | 0.004               | 0.004             |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000         | 1.68556     | 0.003               | 0.003             |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000         | 1.61525     | 0.003               | 0.003             |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000         | 1.54493     | 0.003               | 0.003             |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000         | 1.47462     | 0.003               | 0.003             |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000         | 1.40431     | 0.003               | 0.003             |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000         | 1.33399     | 0.003               | 0.003             |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000         | 1.26368     | 0.003               | 0.003             |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000         | 1.19336     | 0.002               | 0.002             |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000          | 1.12305     | 0.002               | 0.002             |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000          | 1.05274     | 0.002               | 0.002             |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000          | 1.00000     | 0.002               | 0.002             |  |
|                     |                    |           | 平均値              |             |                     |                   |  |
|                     |                    |           | 57.88778         | 2.00000     |                     |                   |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆E |         |                     |                   | 0.003   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 0.007               | 0.007             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.006               | 0.006             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.005               | 0.005             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.005               | 0.005             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.005               | 0.005             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.005               | 0.005             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.005               | 0.005             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.005               | 0.005             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.005               | 0.005             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.005               | 0.005             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.005               | 0.005             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.005               | 0.005             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.004               | 0.004             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.004               | 0.004             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.004               | 0.004             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.004               | 0.004             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.004               | 0.004             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.004               | 0.004             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.004               | 0.004             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.004               | 0.004             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.004               | 0.004             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.003               | 0.003             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.003               | 0.003             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.003               | 0.003             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.003               | 0.003             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.003               | 0.003             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.003               | 0.003             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.003               | 0.003             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.003               | 0.003             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.003               | 0.003             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.002               | 0.002             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.002               | 0.002             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.002               | 0.002             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.002               | 0.002             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                |         |                     |                   |         |  |
|---------------------|--------------------|-----------|----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分         |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆E集団 |         |                     |                   | 0.003   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前            | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704      | 4.73151 | 0.007               | 0.007             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000      | 3.72467 | 0.006               | 0.006             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000      | 3.65435 | 0.005               | 0.005             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000      | 3.58404 | 0.005               | 0.005             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000      | 3.51372 | 0.005               | 0.005             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000      | 3.44341 | 0.005               | 0.005             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000      | 3.37310 | 0.005               | 0.005             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000      | 3.30278 | 0.005               | 0.005             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000      | 3.23247 | 0.005               | 0.005             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000      | 3.16215 | 0.005               | 0.005             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000      | 3.09184 | 0.005               | 0.005             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000      | 3.02153 | 0.005               | 0.005             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000      | 2.95121 | 0.004               | 0.004             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000      | 2.88090 | 0.004               | 0.004             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000      | 2.81058 | 0.004               | 0.004             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000      | 2.74027 | 0.004               | 0.004             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000       | 2.66996 | 0.004               | 0.004             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000       | 2.59964 | 0.004               | 0.004             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000       | 2.52933 | 0.004               | 0.004             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000       | 2.45901 | 0.004               | 0.004             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000       | 2.38870 | 0.004               | 0.004             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000       | 2.31839 | 0.003               | 0.003             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000       | 2.24807 | 0.003               | 0.003             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000       | 2.17776 | 0.003               | 0.003             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000       | 2.10744 | 0.003               | 0.003             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000       | 2.03713 | 0.003               | 0.003             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000       | 1.96682 | 0.003               | 0.003             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000       | 1.89650 | 0.003               | 0.003             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000       | 1.82619 | 0.003               | 0.003             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000       | 1.75588 | 0.003               | 0.003             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000       | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000       | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000       | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000       | 1.47462 | 0.002               | 0.002             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000       | 1.40431 | 0.002               | 0.002             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000       | 1.33399 | 0.002               | 0.002             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000       | 1.26368 | 0.002               | 0.002             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000       | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000        | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000        | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000        | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値            |         |                     |                   |         |  |
|                     |                    |           | 57.88778       | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                |         |                     |                   |         |  |
|---------------------|--------------------|-----------|----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分         |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆E補強 |         |                     |                   | 0.003   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前            | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704      | 4.73151 | 0.007               | 0.007             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000      | 3.72467 | 0.006               | 0.006             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000      | 3.65435 | 0.005               | 0.005             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000      | 3.58404 | 0.005               | 0.005             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000      | 3.51372 | 0.005               | 0.005             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000      | 3.44341 | 0.005               | 0.005             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000      | 3.37310 | 0.005               | 0.005             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000      | 3.30278 | 0.005               | 0.005             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000      | 3.23247 | 0.005               | 0.005             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000      | 3.16215 | 0.005               | 0.005             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000      | 3.09184 | 0.005               | 0.005             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000      | 3.02153 | 0.005               | 0.005             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000      | 2.95121 | 0.004               | 0.004             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000      | 2.88090 | 0.004               | 0.004             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000      | 2.81058 | 0.004               | 0.004             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000      | 2.74027 | 0.004               | 0.004             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000       | 2.66996 | 0.004               | 0.004             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000       | 2.59964 | 0.004               | 0.004             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000       | 2.52933 | 0.004               | 0.004             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000       | 2.45901 | 0.004               | 0.004             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000       | 2.38870 | 0.004               | 0.004             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000       | 2.31839 | 0.003               | 0.003             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000       | 2.24807 | 0.003               | 0.003             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000       | 2.17776 | 0.003               | 0.003             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000       | 2.10744 | 0.003               | 0.003             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000       | 2.03713 | 0.003               | 0.003             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000       | 1.96682 | 0.003               | 0.003             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000       | 1.89650 | 0.003               | 0.003             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000       | 1.82619 | 0.003               | 0.003             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000       | 1.75588 | 0.003               | 0.003             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000       | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000       | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000       | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000       | 1.47462 | 0.002               | 0.002             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000       | 1.40431 | 0.002               | 0.002             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000       | 1.33399 | 0.002               | 0.002             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000       | 1.26368 | 0.002               | 0.002             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000       | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000        | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000        | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000        | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値            |         |                     |                   |         |  |
|                     |                    |           | 57.88778       | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                  |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                  | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                  |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                  | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分           |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆E補強集団 |         |                     |                   | 0.002   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数             |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前              | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704        | 4.73151 | 0.005               | 0.005             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000        | 3.72467 | 0.004               | 0.004             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000        | 3.65435 | 0.004               | 0.004             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000        | 3.58404 | 0.004               | 0.004             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000        | 3.51372 | 0.004               | 0.004             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000        | 3.44341 | 0.003               | 0.003             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000        | 3.37310 | 0.003               | 0.003             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000        | 3.30278 | 0.003               | 0.003             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000        | 3.23247 | 0.003               | 0.003             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000        | 3.16215 | 0.003               | 0.003             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000        | 3.09184 | 0.003               | 0.003             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000        | 3.02153 | 0.003               | 0.003             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000        | 2.95121 | 0.003               | 0.003             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000        | 2.88090 | 0.003               | 0.003             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000        | 2.81058 | 0.003               | 0.003             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000        | 2.74027 | 0.003               | 0.003             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000         | 2.66996 | 0.003               | 0.003             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000         | 2.59964 | 0.003               | 0.003             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000         | 2.52933 | 0.003               | 0.003             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000         | 2.45901 | 0.002               | 0.002             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000         | 2.38870 | 0.002               | 0.002             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000         | 2.31839 | 0.002               | 0.002             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000         | 2.24807 | 0.002               | 0.002             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000         | 2.17776 | 0.002               | 0.002             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000         | 2.10744 | 0.002               | 0.002             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000         | 2.03713 | 0.002               | 0.002             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000         | 1.96682 | 0.002               | 0.002             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000         | 1.89650 | 0.002               | 0.002             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000         | 1.82619 | 0.002               | 0.002             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000         | 1.75588 | 0.002               | 0.002             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000         | 1.68556 | 0.002               | 0.002             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000         | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000         | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000         | 1.47462 | 0.001               | 0.001             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000         | 1.40431 | 0.001               | 0.001             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000         | 1.33399 | 0.001               | 0.001             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000         | 1.26368 | 0.001               | 0.001             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000         | 1.19336 | 0.001               | 0.001             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000          | 1.12305 | 0.001               | 0.001             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000          | 1.05274 | 0.001               | 0.001             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000          | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値              |         |                     |                   |         |  |
|                     |                    |           | 57.88778         | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆F |         |                     |                   | 0.035   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 0.083               | 0.083             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.065               | 0.065             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.064               | 0.064             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.063               | 0.063             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.061               | 0.061             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.060               | 0.060             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.059               | 0.059             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.058               | 0.058             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.057               | 0.057             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.055               | 0.055             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.054               | 0.054             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.053               | 0.053             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.052               | 0.052             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.050               | 0.050             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.049               | 0.049             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.048               | 0.048             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.047               | 0.047             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.045               | 0.045             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.044               | 0.044             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.043               | 0.043             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.042               | 0.042             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.041               | 0.041             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.039               | 0.039             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.038               | 0.038             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.037               | 0.037             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.036               | 0.036             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.034               | 0.034             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.033               | 0.033             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.032               | 0.032             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.031               | 0.031             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.029               | 0.029             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.028               | 0.028             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.027               | 0.027             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.026               | 0.026             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.025               | 0.025             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.023               | 0.023             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.022               | 0.022             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.021               | 0.021             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.020               | 0.020             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.018               | 0.018             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.017               | 0.017             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                |         |                     |                   |         |  |
|---------------------|--------------------|-----------|----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分         |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆F集団 |         |                     |                   | 0.033   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前            | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704      | 4.73151 | 0.078               | 0.078             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000      | 3.72467 | 0.061               | 0.061             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000      | 3.65435 | 0.060               | 0.060             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000      | 3.58404 | 0.059               | 0.059             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000      | 3.51372 | 0.058               | 0.058             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000      | 3.44341 | 0.057               | 0.057             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000      | 3.37310 | 0.056               | 0.056             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000      | 3.30278 | 0.054               | 0.054             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000      | 3.23247 | 0.053               | 0.053             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000      | 3.16215 | 0.052               | 0.052             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000      | 3.09184 | 0.051               | 0.051             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000      | 3.02153 | 0.050               | 0.050             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000      | 2.95121 | 0.049               | 0.049             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000      | 2.88090 | 0.048               | 0.048             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000      | 2.81058 | 0.046               | 0.046             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000      | 2.74027 | 0.045               | 0.045             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000       | 2.66996 | 0.044               | 0.044             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000       | 2.59964 | 0.043               | 0.043             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000       | 2.52933 | 0.042               | 0.042             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000       | 2.45901 | 0.041               | 0.041             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000       | 2.38870 | 0.039               | 0.039             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000       | 2.31839 | 0.038               | 0.038             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000       | 2.24807 | 0.037               | 0.037             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000       | 2.17776 | 0.036               | 0.036             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000       | 2.10744 | 0.035               | 0.035             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000       | 2.03713 | 0.034               | 0.034             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000       | 1.96682 | 0.032               | 0.032             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000       | 1.89650 | 0.031               | 0.031             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000       | 1.82619 | 0.030               | 0.030             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000       | 1.75588 | 0.029               | 0.029             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000       | 1.68556 | 0.028               | 0.028             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000       | 1.61525 | 0.027               | 0.027             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000       | 1.54493 | 0.025               | 0.025             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000       | 1.47462 | 0.024               | 0.024             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000       | 1.40431 | 0.023               | 0.023             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000       | 1.33399 | 0.022               | 0.022             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000       | 1.26368 | 0.021               | 0.021             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000       | 1.19336 | 0.020               | 0.020             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000        | 1.12305 | 0.019               | 0.019             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000        | 1.05274 | 0.017               | 0.017             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000        | 1.00000 | 0.016               | 0.016             |         |  |
|                     |                    |           | 平均値            |         |                     |                   |         |  |
|                     |                    |           | 57.88778       | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                |         |                     |                   |         |  |
|---------------------|--------------------|-----------|----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分         |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯未被覆F補強 |         |                     |                   | 0.030   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数           |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前            | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704      | 4.73151 | 0.071               | 0.071             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000      | 3.72467 | 0.056               | 0.056             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000      | 3.65435 | 0.055               | 0.055             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000      | 3.58404 | 0.054               | 0.054             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000      | 3.51372 | 0.053               | 0.053             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000      | 3.44341 | 0.052               | 0.052             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000      | 3.37310 | 0.051               | 0.051             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000      | 3.30278 | 0.050               | 0.050             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000      | 3.23247 | 0.048               | 0.048             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000      | 3.16215 | 0.047               | 0.047             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000      | 3.09184 | 0.046               | 0.046             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000      | 3.02153 | 0.045               | 0.045             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000      | 2.95121 | 0.044               | 0.044             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000      | 2.88090 | 0.043               | 0.043             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000      | 2.81058 | 0.042               | 0.042             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000      | 2.74027 | 0.041               | 0.041             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000       | 2.66996 | 0.040               | 0.040             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000       | 2.59964 | 0.039               | 0.039             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000       | 2.52933 | 0.038               | 0.038             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000       | 2.45901 | 0.037               | 0.037             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000       | 2.38870 | 0.036               | 0.036             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000       | 2.31839 | 0.035               | 0.035             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000       | 2.24807 | 0.034               | 0.034             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000       | 2.17776 | 0.033               | 0.033             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000       | 2.10744 | 0.032               | 0.032             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000       | 2.03713 | 0.031               | 0.031             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000       | 1.96682 | 0.030               | 0.030             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000       | 1.89650 | 0.028               | 0.028             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000       | 1.82619 | 0.027               | 0.027             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000       | 1.75588 | 0.026               | 0.026             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000       | 1.68556 | 0.025               | 0.025             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000       | 1.61525 | 0.024               | 0.024             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000       | 1.54493 | 0.023               | 0.023             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000       | 1.47462 | 0.022               | 0.022             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000       | 1.40431 | 0.021               | 0.021             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000       | 1.33399 | 0.020               | 0.020             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000       | 1.26368 | 0.019               | 0.019             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000       | 1.19336 | 0.018               | 0.018             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000        | 1.12305 | 0.017               | 0.017             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000        | 1.05274 | 0.016               | 0.016             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000        | 1.00000 | 0.015               | 0.015             |         |  |
|                     |                    |           | 平均値            |         |                     |                   |         |  |
|                     |                    |           | 57.88778       | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯未被覆F補強集団   |           |           | 0.028         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 0.066               | 0.066             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 0.052               | 0.052             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 0.051               | 0.051             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 0.050               | 0.050             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 0.049               | 0.049             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.048               | 0.048             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.047               | 0.047             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.046               | 0.046             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.045               | 0.045             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.044               | 0.044             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.043               | 0.043             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.042               | 0.042             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.041               | 0.041             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.040               | 0.040             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.039               | 0.039             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.038               | 0.038             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.037               | 0.037             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.036               | 0.036             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.035               | 0.035             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.034               | 0.034             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.033               | 0.033             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.032               | 0.032             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.031               | 0.031             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.030               | 0.030             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.030               | 0.030             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.029               | 0.029             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.028               | 0.028             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.027               | 0.027             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.026               | 0.026             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.025               | 0.025             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.024               | 0.024             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.023               | 0.023             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.022               | 0.022             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.021               | 0.021             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.020               | 0.020             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.019               | 0.019             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.018               | 0.018             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.017               | 0.017             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.016               | 0.016             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.015               | 0.015             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.014               | 0.014             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |             |                     |                   |
|---------------------|--------------------|-----------|-------------|-------------|---------------------|-------------------|
| 都道府県名               |                    | 兵庫県       |             | 共済事業 園芸施設共済 |                     |                   |
| 組合等名                |                    | 兵庫県農業共済組合 |             |             |                     |                   |
| 料率地域区分              |                    | 000       |             | 地域名         | 00000 都道府県の区域       |                   |
| 施設区分                |                    |           | 共済掛金区分      |             |                     | 共済掛金標準率           |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆A |             |                     | 2.803             |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |             | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後         |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151     | 6.631               | 6.631             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467     | 5.220               | 5.220             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435     | 5.122               | 5.122             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404     | 5.023               | 5.023             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372     | 4.924               | 4.924             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341     | 4.826               | 4.826             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310     | 4.727               | 4.727             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278     | 4.629               | 4.629             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247     | 4.530               | 4.530             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215     | 4.432               | 4.432             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184     | 4.333               | 4.333             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153     | 4.235               | 4.235             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121     | 4.136               | 4.136             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090     | 4.038               | 4.038             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058     | 3.939               | 3.939             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027     | 3.840               | 3.840             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996     | 3.742               | 3.742             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964     | 3.643               | 3.643             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933     | 3.545               | 3.545             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901     | 3.446               | 3.446             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870     | 3.348               | 3.348             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839     | 3.249               | 3.249             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807     | 3.151               | 3.151             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776     | 3.052               | 3.052             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744     | 2.954               | 2.954             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713     | 2.855               | 2.855             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682     | 2.756               | 2.756             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650     | 2.658               | 2.658             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619     | 2.559               | 2.559             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588     | 2.461               | 2.461             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556     | 2.362               | 2.362             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525     | 2.264               | 2.264             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493     | 2.165               | 2.165             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462     | 2.067               | 2.067             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431     | 1.968               | 1.968             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399     | 1.870               | 1.870             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368     | 1.771               | 1.771             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336     | 1.672               | 1.672             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305     | 1.574               | 1.574             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274     | 1.475               | 1.475             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000     | 1.401               | 1.401             |
|                     |                    |           | 平均値         |             |                     |                   |
|                     |                    |           | 57.88778    | 2.00000     |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |              |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|--------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |              |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名          | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分       | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ特定附帯被覆A集団 | 2.663         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前          | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704    | 4.73151       | 6.300               | 6.300             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000    | 3.72467       | 4.959               | 4.959             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000    | 3.65435       | 4.866               | 4.866             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000    | 3.58404       | 4.772               | 4.772             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000    | 3.51372       | 4.679               | 4.679             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000    | 3.44341       | 4.585               | 4.585             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000    | 3.37310       | 4.491               | 4.491             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000    | 3.30278       | 4.398               | 4.398             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000    | 3.23247       | 4.304               | 4.304             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000    | 3.16215       | 4.210               | 4.210             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000    | 3.09184       | 4.117               | 4.117             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000    | 3.02153       | 4.023               | 4.023             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000    | 2.95121       | 3.930               | 3.930             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000    | 2.88090       | 3.836               | 3.836             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000    | 2.81058       | 3.742               | 3.742             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000    | 2.74027       | 3.649               | 3.649             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000     | 2.66996       | 3.555               | 3.555             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000     | 2.59964       | 3.461               | 3.461             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000     | 2.52933       | 3.368               | 3.368             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000     | 2.45901       | 3.274               | 3.274             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000     | 2.38870       | 3.181               | 3.181             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000     | 2.31839       | 3.087               | 3.087             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000     | 2.24807       | 2.993               | 2.993             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000     | 2.17776       | 2.900               | 2.900             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000     | 2.10744       | 2.806               | 2.806             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000     | 2.03713       | 2.712               | 2.712             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000     | 1.96682       | 2.619               | 2.619             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000     | 1.89650       | 2.525               | 2.525             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000     | 1.82619       | 2.432               | 2.432             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000     | 1.75588       | 2.338               | 2.338             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000     | 1.68556       | 2.244               | 2.244             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000     | 1.61525       | 2.151               | 2.151             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000     | 1.54493       | 2.057               | 2.057             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000     | 1.47462       | 1.963               | 1.963             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000     | 1.40431       | 1.870               | 1.870             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000     | 1.33399       | 1.776               | 1.776             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000     | 1.26368       | 1.683               | 1.683             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000     | 1.19336       | 1.589               | 1.589             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000      | 1.12305       | 1.495               | 1.495             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000      | 1.05274       | 1.402               | 1.402             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000      | 1.00000       | 1.331               | 1.331             |
|                     |                    |           | 平均値          |               |                     |                   |
|                     |                    |           | 57.88778     | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ特定附帯被覆A補強       |           |           | 2.383         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 5.638               | 5.638             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 4.438               | 4.438             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 4.354               | 4.354             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 4.270               | 4.270             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 4.187               | 4.187             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 4.103               | 4.103             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 4.019               | 4.019             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 3.935               | 3.935             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 3.851               | 3.851             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 3.768               | 3.768             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 3.684               | 3.684             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 3.600               | 3.600             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 3.516               | 3.516             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 3.433               | 3.433             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 3.349               | 3.349             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 3.265               | 3.265             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 3.181               | 3.181             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 3.097               | 3.097             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 3.014               | 3.014             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 2.930               | 2.930             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 2.846               | 2.846             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 2.762               | 2.762             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 2.679               | 2.679             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 2.595               | 2.595             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 2.511               | 2.511             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 2.427               | 2.427             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 2.343               | 2.343             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 2.260               | 2.260             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 2.176               | 2.176             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 2.092               | 2.092             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 2.008               | 2.008             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 1.925               | 1.925             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 1.841               | 1.841             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 1.757               | 1.757             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 1.673               | 1.673             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 1.589               | 1.589             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 1.506               | 1.506             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 1.422               | 1.422             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 1.338               | 1.338             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 1.254               | 1.254             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 1.191               | 1.191             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯被覆A補強集団    |           |           | 2.263         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 5.354               | 5.354             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 4.214               | 4.214             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 4.135               | 4.135             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 4.055               | 4.055             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 3.976               | 3.976             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 3.896               | 3.896             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 3.817               | 3.817             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 3.737               | 3.737             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 3.658               | 3.658             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 3.578               | 3.578             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 3.498               | 3.498             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 3.419               | 3.419             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 3.339               | 3.339             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 3.260               | 3.260             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 3.180               | 3.180             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 3.101               | 3.101             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 3.021               | 3.021             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 2.941               | 2.941             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 2.862               | 2.862             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 2.782               | 2.782             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 2.703               | 2.703             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 2.623               | 2.623             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 2.544               | 2.544             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 2.464               | 2.464             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 2.385               | 2.385             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 2.305               | 2.305             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 2.225               | 2.225             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 2.146               | 2.146             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 2.066               | 2.066             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 1.987               | 1.987             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 1.907               | 1.907             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 1.828               | 1.828             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 1.748               | 1.748             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 1.669               | 1.669             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 1.589               | 1.589             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 1.509               | 1.509             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 1.430               | 1.430             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 1.350               | 1.350             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 1.271               | 1.271             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 1.191               | 1.191             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 1.131               | 1.131             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |             | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |             |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |             | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分      |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆B |         |                     |                   | 1.556   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前         | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151 | 3.681               | 3.681             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467 | 2.898               | 2.898             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435 | 2.843               | 2.843             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404 | 2.788               | 2.788             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372 | 2.734               | 2.734             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341 | 2.679               | 2.679             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310 | 2.624               | 2.624             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278 | 2.570               | 2.570             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247 | 2.515               | 2.515             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215 | 2.460               | 2.460             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184 | 2.405               | 2.405             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153 | 2.351               | 2.351             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121 | 2.296               | 2.296             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090 | 2.241               | 2.241             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058 | 2.187               | 2.187             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027 | 2.132               | 2.132             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996 | 2.077               | 2.077             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964 | 2.023               | 2.023             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933 | 1.968               | 1.968             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901 | 1.913               | 1.913             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870 | 1.858               | 1.858             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839 | 1.804               | 1.804             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807 | 1.749               | 1.749             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776 | 1.694               | 1.694             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744 | 1.640               | 1.640             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713 | 1.585               | 1.585             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682 | 1.530               | 1.530             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650 | 1.475               | 1.475             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619 | 1.421               | 1.421             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588 | 1.366               | 1.366             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556 | 1.311               | 1.311             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525 | 1.257               | 1.257             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493 | 1.202               | 1.202             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462 | 1.147               | 1.147             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431 | 1.093               | 1.093             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399 | 1.038               | 1.038             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368 | 0.983               | 0.983             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336 | 0.928               | 0.928             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305 | 0.874               | 0.874             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274 | 0.819               | 0.819             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000 | 0.778               | 0.778             |         |  |
|                     |                    |           | 平均値         |         |                     |                   |         |  |
|                     |                    |           | 57.88778    | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |           |  |               |               |         |        |
|---------------------|-----------|--|---------------|---------------|---------|--------|
| 都道府県名               | 兵庫県       |  |               |               | 共済事業    | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合 |  |               |               |         |        |
| 料率地域区分              | 000       |  | 地域名           | 00000 都道府県の区域 |         |        |
| 施設区分                |           |  | 共済掛金区分        |               | 共済掛金標準率 |        |
| 40 プラスチックハウスⅡ類(パイプ) |           |  | プラⅡ 特定附帯被覆B集団 |               | 1.478   |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 3.497               | 3.497             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 2.753               | 2.753             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 2.701               | 2.701             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 2.649               | 2.649             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 2.597               | 2.597             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 2.545               | 2.545             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 2.493               | 2.493             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 2.441               | 2.441             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 2.389               | 2.389             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 2.337               | 2.337             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 2.285               | 2.285             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 2.233               | 2.233             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 2.181               | 2.181             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 2.129               | 2.129             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 2.077               | 2.077             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 2.025               | 2.025             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 1.973               | 1.973             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 1.921               | 1.921             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 1.869               | 1.869             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 1.817               | 1.817             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 1.765               | 1.765             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 1.713               | 1.713             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 1.661               | 1.661             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 1.609               | 1.609             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 1.557               | 1.557             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 1.505               | 1.505             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 1.453               | 1.453             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 1.402               | 1.402             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 1.350               | 1.350             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 1.298               | 1.298             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 1.246               | 1.246             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 1.194               | 1.194             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 1.142               | 1.142             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 1.090               | 1.090             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 1.038               | 1.038             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 0.986               | 0.986             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 0.934               | 0.934             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 0.882               | 0.882             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 0.830               | 0.830             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 0.778               | 0.778             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 0.739               | 0.739             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆B補強 |         |                     |                   | 1.323   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 3.130               | 3.130             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 2.464               | 2.464             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 2.417               | 2.417             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 2.371               | 2.371             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 2.324               | 2.324             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 2.278               | 2.278             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 2.231               | 2.231             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 2.185               | 2.185             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 2.138               | 2.138             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 2.092               | 2.092             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 2.045               | 2.045             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 1.999               | 1.999             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 1.952               | 1.952             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 1.906               | 1.906             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 1.859               | 1.859             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 1.813               | 1.813             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 1.766               | 1.766             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 1.720               | 1.720             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 1.673               | 1.673             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 1.627               | 1.627             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 1.580               | 1.580             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 1.534               | 1.534             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 1.487               | 1.487             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 1.441               | 1.441             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 1.394               | 1.394             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 1.348               | 1.348             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 1.301               | 1.301             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 1.255               | 1.255             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 1.208               | 1.208             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 1.162               | 1.162             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 1.115               | 1.115             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 1.068               | 1.068             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 1.022               | 1.022             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.975               | 0.975             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.929               | 0.929             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.882               | 0.882             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.836               | 0.836             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.789               | 0.789             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.743               | 0.743             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.696               | 0.696             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.661               | 0.661             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯被覆日補強集団    |           |           | 1.256         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 2.971               | 2.971             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 2.339               | 2.339             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 2.295               | 2.295             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 2.251               | 2.251             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 2.207               | 2.207             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 2.162               | 2.162             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 2.118               | 2.118             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 2.074               | 2.074             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 2.030               | 2.030             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 1.986               | 1.986             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 1.942               | 1.942             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 1.898               | 1.898             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 1.853               | 1.853             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 1.809               | 1.809             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 1.765               | 1.765             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 1.721               | 1.721             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 1.677               | 1.677             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 1.633               | 1.633             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 1.588               | 1.588             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 1.544               | 1.544             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 1.500               | 1.500             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 1.456               | 1.456             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 1.412               | 1.412             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 1.368               | 1.368             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 1.323               | 1.323             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 1.279               | 1.279             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 1.235               | 1.235             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 1.191               | 1.191             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 1.147               | 1.147             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 1.103               | 1.103             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 1.059               | 1.059             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 1.014               | 1.014             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.970               | 0.970             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.926               | 0.926             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.882               | 0.882             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.838               | 0.838             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.794               | 0.794             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.749               | 0.749             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.705               | 0.705             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.661               | 0.661             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.628               | 0.628             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |             |             |               |                     |                   |
|---------------------|--------------------|-------------|-------------|---------------|---------------------|-------------------|
| 都道府県名               | 兵庫県                |             | 共済事業 園芸施設共済 |               |                     |                   |
| 組合等名                | 兵庫県農業共済組合          |             |             |               |                     |                   |
| 料率地域区分              | 000                |             | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    | 共済掛金区分      |             |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    | プラⅡ 特定附帯被覆C |             |               | 1.031               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |             | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |             | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜         | 213.27704   | 4.73151       | 2.439               | 2.439             |
| 19                  | 192.5              | ≦*＜ 197.5   | 156.00000   | 3.72467       | 1.920               | 1.920             |
| 18                  | 187.5              | ≦*＜ 192.5   | 152.00000   | 3.65435       | 1.884               | 1.884             |
| 17                  | 182.5              | ≦*＜ 187.5   | 148.00000   | 3.58404       | 1.848               | 1.848             |
| 16                  | 177.5              | ≦*＜ 182.5   | 144.00000   | 3.51372       | 1.811               | 1.811             |
| 15                  | 172.5              | ≦*＜ 177.5   | 140.00000   | 3.44341       | 1.775               | 1.775             |
| 14                  | 167.5              | ≦*＜ 172.5   | 136.00000   | 3.37310       | 1.739               | 1.739             |
| 13                  | 162.5              | ≦*＜ 167.5   | 132.00000   | 3.30278       | 1.703               | 1.703             |
| 12                  | 157.5              | ≦*＜ 162.5   | 128.00000   | 3.23247       | 1.666               | 1.666             |
| 11                  | 152.5              | ≦*＜ 157.5   | 124.00000   | 3.16215       | 1.630               | 1.630             |
| 10                  | 147.5              | ≦*＜ 152.5   | 120.00000   | 3.09184       | 1.594               | 1.594             |
| 09                  | 142.5              | ≦*＜ 147.5   | 116.00000   | 3.02153       | 1.558               | 1.558             |
| 08                  | 137.5              | ≦*＜ 142.5   | 112.00000   | 2.95121       | 1.521               | 1.521             |
| 07                  | 132.5              | ≦*＜ 137.5   | 108.00000   | 2.88090       | 1.485               | 1.485             |
| 06                  | 127.5              | ≦*＜ 132.5   | 104.00000   | 2.81058       | 1.449               | 1.449             |
| 05                  | 122.5              | ≦*＜ 127.5   | 100.00000   | 2.74027       | 1.413               | 1.413             |
| 04                  | 117.5              | ≦*＜ 122.5   | 96.00000    | 2.66996       | 1.376               | 1.376             |
| 03                  | 112.5              | ≦*＜ 117.5   | 92.00000    | 2.59964       | 1.340               | 1.340             |
| 02                  | 107.5              | ≦*＜ 112.5   | 88.00000    | 2.52933       | 1.304               | 1.304             |
| 01                  | 102.5              | ≦*＜ 107.5   | 84.00000    | 2.45901       | 1.268               | 1.268             |
| 00                  | 97.5               | ≦*＜ 102.5   | 80.00000    | 2.38870       | 1.231               | 1.231             |
| -01                 | 92.5               | ≦*＜ 97.5    | 76.00000    | 2.31839       | 1.195               | 1.195             |
| -02                 | 87.5               | ≦*＜ 92.5    | 72.00000    | 2.24807       | 1.159               | 1.159             |
| -03                 | 82.5               | ≦*＜ 87.5    | 68.00000    | 2.17776       | 1.123               | 1.123             |
| -04                 | 77.5               | ≦*＜ 82.5    | 64.00000    | 2.10744       | 1.086               | 1.086             |
| -05                 | 72.5               | ≦*＜ 77.5    | 60.00000    | 2.03713       | 1.050               | 1.050             |
| -06                 | 67.5               | ≦*＜ 72.5    | 56.00000    | 1.96682       | 1.014               | 1.014             |
| -07                 | 62.5               | ≦*＜ 67.5    | 52.00000    | 1.89650       | 0.978               | 0.978             |
| -08                 | 57.5               | ≦*＜ 62.5    | 48.00000    | 1.82619       | 0.941               | 0.941             |
| -09                 | 52.5               | ≦*＜ 57.5    | 44.00000    | 1.75588       | 0.905               | 0.905             |
| -10                 | 47.5               | ≦*＜ 52.5    | 40.00000    | 1.68556       | 0.869               | 0.869             |
| -11                 | 42.5               | ≦*＜ 47.5    | 36.00000    | 1.61525       | 0.833               | 0.833             |
| -12                 | 37.5               | ≦*＜ 42.5    | 32.00000    | 1.54493       | 0.796               | 0.796             |
| -13                 | 32.5               | ≦*＜ 37.5    | 28.00000    | 1.47462       | 0.760               | 0.760             |
| -14                 | 27.5               | ≦*＜ 32.5    | 24.00000    | 1.40431       | 0.724               | 0.724             |
| -15                 | 22.5               | ≦*＜ 27.5    | 20.00000    | 1.33399       | 0.688               | 0.688             |
| -16                 | 17.5               | ≦*＜ 22.5    | 16.00000    | 1.26368       | 0.651               | 0.651             |
| -17                 | 12.5               | ≦*＜ 17.5    | 12.00000    | 1.19336       | 0.615               | 0.615             |
| -18                 | 7.5                | ≦*＜ 12.5    | 8.00000     | 1.12305       | 0.579               | 0.579             |
| -19                 | 2.5                | ≦*＜ 7.5     | 4.00000     | 1.05274       | 0.543               | 0.543             |
| -20                 | 0.0                | ≦*＜ 2.5     | 1.00000     | 1.00000       | 0.515               | 0.515             |
|                     |                    |             | 平均値         |               |                     |                   |
|                     |                    |             | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |              |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|--------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |              |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名          | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分       | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ特定附帯被覆C集団 | 0.979         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前          | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151       | 2.316               | 2.316             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467       | 1.823               | 1.823             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435       | 1.789               | 1.789             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404       | 1.754               | 1.754             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372       | 1.720               | 1.720             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341       | 1.686               | 1.686             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310       | 1.651               | 1.651             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278       | 1.617               | 1.617             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247       | 1.582               | 1.582             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215       | 1.548               | 1.548             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184       | 1.513               | 1.513             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153       | 1.479               | 1.479             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121       | 1.445               | 1.445             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090       | 1.410               | 1.410             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058       | 1.376               | 1.376             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027       | 1.341               | 1.341             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996       | 1.307               | 1.307             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964       | 1.273               | 1.273             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933       | 1.238               | 1.238             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901       | 1.204               | 1.204             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870       | 1.169               | 1.169             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839       | 1.135               | 1.135             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807       | 1.100               | 1.100             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776       | 1.066               | 1.066             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744       | 1.032               | 1.032             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713       | 0.997               | 0.997             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682       | 0.963               | 0.963             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650       | 0.928               | 0.928             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619       | 0.894               | 0.894             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588       | 0.860               | 0.860             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556       | 0.825               | 0.825             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525       | 0.791               | 0.791             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493       | 0.756               | 0.756             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462       | 0.722               | 0.722             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431       | 0.687               | 0.687             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399       | 0.653               | 0.653             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368       | 0.619               | 0.619             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336       | 0.584               | 0.584             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305       | 0.550               | 0.550             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274       | 0.515               | 0.515             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000       | 0.489               | 0.489             |
|                     |                    |           | 平均値          |               |                     |                   |
|                     |                    |           | 57.88778     | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆C補強 |         |                     |                   | 0.876   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 2.072               | 2.072             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 1.631               | 1.631             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 1.601               | 1.601             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 1.570               | 1.570             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 1.539               | 1.539             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 1.508               | 1.508             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 1.477               | 1.477             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 1.447               | 1.447             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 1.416               | 1.416             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 1.385               | 1.385             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 1.354               | 1.354             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 1.323               | 1.323             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 1.293               | 1.293             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 1.262               | 1.262             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 1.231               | 1.231             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 1.200               | 1.200             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 1.169               | 1.169             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 1.139               | 1.139             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 1.108               | 1.108             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 1.077               | 1.077             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 1.046               | 1.046             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 1.015               | 1.015             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.985               | 0.985             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.954               | 0.954             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.923               | 0.923             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.892               | 0.892             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.861               | 0.861             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.831               | 0.831             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.800               | 0.800             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.769               | 0.769             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.738               | 0.738             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.707               | 0.707             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.677               | 0.677             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.646               | 0.646             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.615               | 0.615             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.584               | 0.584             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.553               | 0.553             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.523               | 0.523             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.492               | 0.492             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.461               | 0.461             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.438               | 0.438             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯被覆C補強集団    |           |           | 0.833         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 1.971               | 1.971             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 1.551               | 1.551             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 1.522               | 1.522             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 1.493               | 1.493             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 1.463               | 1.463             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 1.434               | 1.434             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 1.405               | 1.405             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 1.376               | 1.376             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 1.346               | 1.346             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 1.317               | 1.317             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 1.288               | 1.288             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 1.258               | 1.258             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 1.229               | 1.229             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 1.200               | 1.200             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 1.171               | 1.171             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 1.141               | 1.141             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 1.112               | 1.112             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 1.083               | 1.083             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 1.053               | 1.053             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 1.024               | 1.024             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.995               | 0.995             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.966               | 0.966             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.936               | 0.936             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.907               | 0.907             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.878               | 0.878             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.848               | 0.848             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.819               | 0.819             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.790               | 0.790             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.761               | 0.761             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.731               | 0.731             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.702               | 0.702             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.673               | 0.673             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.643               | 0.643             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.614               | 0.614             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.585               | 0.585             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.556               | 0.556             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.526               | 0.526             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.497               | 0.497             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.468               | 0.468             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.438               | 0.438             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.416               | 0.416             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |             | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |             |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |             | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分      |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆D |         |                     |                   | 0.469   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前         | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151 | 1.110               | 1.110             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467 | 0.873               | 0.873             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435 | 0.857               | 0.857             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404 | 0.840               | 0.840             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372 | 0.824               | 0.824             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341 | 0.807               | 0.807             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310 | 0.791               | 0.791             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278 | 0.775               | 0.775             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247 | 0.758               | 0.758             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215 | 0.742               | 0.742             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184 | 0.725               | 0.725             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153 | 0.709               | 0.709             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121 | 0.692               | 0.692             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090 | 0.676               | 0.676             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058 | 0.659               | 0.659             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027 | 0.643               | 0.643             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996 | 0.626               | 0.626             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964 | 0.610               | 0.610             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933 | 0.593               | 0.593             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901 | 0.577               | 0.577             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870 | 0.560               | 0.560             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839 | 0.544               | 0.544             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807 | 0.527               | 0.527             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776 | 0.511               | 0.511             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744 | 0.494               | 0.494             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713 | 0.478               | 0.478             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682 | 0.461               | 0.461             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650 | 0.445               | 0.445             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619 | 0.428               | 0.428             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588 | 0.412               | 0.412             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556 | 0.395               | 0.395             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525 | 0.379               | 0.379             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493 | 0.362               | 0.362             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462 | 0.346               | 0.346             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431 | 0.329               | 0.329             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399 | 0.313               | 0.313             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368 | 0.296               | 0.296             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336 | 0.280               | 0.280             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305 | 0.263               | 0.263             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274 | 0.247               | 0.247             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000 | 0.234               | 0.234             |         |  |
|                     |                    |           | 平均値         |         |                     |                   |         |  |
|                     |                    |           | 57.88778    | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆D集団 |         |                     |                   | 0.446   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 1.055               | 1.055             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.831               | 0.831             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.815               | 0.815             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.799               | 0.799             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.784               | 0.784             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.768               | 0.768             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.752               | 0.752             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.737               | 0.737             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.721               | 0.721             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.705               | 0.705             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.689               | 0.689             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.674               | 0.674             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.658               | 0.658             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.642               | 0.642             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.627               | 0.627             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.611               | 0.611             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.595               | 0.595             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.580               | 0.580             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.564               | 0.564             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.548               | 0.548             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.533               | 0.533             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.517               | 0.517             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.501               | 0.501             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.486               | 0.486             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.470               | 0.470             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.454               | 0.454             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.439               | 0.439             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.423               | 0.423             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.407               | 0.407             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.392               | 0.392             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.376               | 0.376             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.360               | 0.360             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.345               | 0.345             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.329               | 0.329             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.313               | 0.313             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.297               | 0.297             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.282               | 0.282             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.266               | 0.266             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.250               | 0.250             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.235               | 0.235             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.223               | 0.223             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆D補強 |         |                     |                   | 0.399   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.944               | 0.944             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.743               | 0.743             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.729               | 0.729             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.715               | 0.715             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.701               | 0.701             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.687               | 0.687             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.673               | 0.673             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.659               | 0.659             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.645               | 0.645             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.631               | 0.631             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.617               | 0.617             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.603               | 0.603             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.589               | 0.589             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.575               | 0.575             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.561               | 0.561             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.547               | 0.547             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.533               | 0.533             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.519               | 0.519             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.505               | 0.505             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.491               | 0.491             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.477               | 0.477             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.463               | 0.463             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.448               | 0.448             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.434               | 0.434             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.420               | 0.420             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.406               | 0.406             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.392               | 0.392             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.378               | 0.378             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.364               | 0.364             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.350               | 0.350             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.336               | 0.336             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.322               | 0.322             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.308               | 0.308             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.294               | 0.294             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.280               | 0.280             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.266               | 0.266             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.252               | 0.252             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.238               | 0.238             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.224               | 0.224             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.210               | 0.210             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.199               | 0.199             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯被覆D補強集団    |           |           | 0.379         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 0.897               | 0.897             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 0.706               | 0.706             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 0.692               | 0.692             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 0.679               | 0.679             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 0.666               | 0.666             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.653               | 0.653             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.639               | 0.639             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.626               | 0.626             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.613               | 0.613             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.599               | 0.599             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.586               | 0.586             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.573               | 0.573             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.559               | 0.559             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.546               | 0.546             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.533               | 0.533             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.519               | 0.519             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.506               | 0.506             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.493               | 0.493             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.479               | 0.479             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.466               | 0.466             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.453               | 0.453             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.439               | 0.439             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.426               | 0.426             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.413               | 0.413             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.399               | 0.399             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.386               | 0.386             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.373               | 0.373             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.359               | 0.359             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.346               | 0.346             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.333               | 0.333             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.319               | 0.319             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.306               | 0.306             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.293               | 0.293             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.279               | 0.279             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.266               | 0.266             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.253               | 0.253             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.239               | 0.239             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.226               | 0.226             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.213               | 0.213             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.199               | 0.199             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.189               | 0.189             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ特定附帯被覆E         |           |           | 0.143         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.338               | 0.338             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.266               | 0.266             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.261               | 0.261             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.256               | 0.256             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.251               | 0.251             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.246               | 0.246             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.241               | 0.241             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.236               | 0.236             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.231               | 0.231             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.226               | 0.226             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.221               | 0.221             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.216               | 0.216             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.211               | 0.211             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.206               | 0.206             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.201               | 0.201             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.196               | 0.196             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.191               | 0.191             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.186               | 0.186             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.181               | 0.181             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.176               | 0.176             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.171               | 0.171             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.166               | 0.166             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.161               | 0.161             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.156               | 0.156             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.151               | 0.151             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.146               | 0.146             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.141               | 0.141             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.136               | 0.136             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.131               | 0.131             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.126               | 0.126             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.121               | 0.121             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.115               | 0.115             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.110               | 0.110             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.105               | 0.105             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.100               | 0.100             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.095               | 0.095             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.090               | 0.090             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.085               | 0.085             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.080               | 0.080             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.075               | 0.075             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.071               | 0.071             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ 特定附帯被覆E集団      |           |           | 0.136         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.322               | 0.322             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.253               | 0.253             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.248               | 0.248             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.244               | 0.244             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.239               | 0.239             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.234               | 0.234             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.229               | 0.229             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.225               | 0.225             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.220               | 0.220             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.215               | 0.215             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.210               | 0.210             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.205               | 0.205             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.201               | 0.201             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.196               | 0.196             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.191               | 0.191             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.186               | 0.186             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.182               | 0.182             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.177               | 0.177             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.172               | 0.172             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.167               | 0.167             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.162               | 0.162             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.158               | 0.158             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.153               | 0.153             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.148               | 0.148             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.143               | 0.143             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.139               | 0.139             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.134               | 0.134             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.129               | 0.129             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.124               | 0.124             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.119               | 0.119             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.115               | 0.115             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.110               | 0.110             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.105               | 0.105             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.100               | 0.100             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.095               | 0.095             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.091               | 0.091             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.086               | 0.086             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.081               | 0.081             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.076               | 0.076             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.072               | 0.072             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.068               | 0.068             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆E補強 |         |                     |                   | 0.122   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.289               | 0.289             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.227               | 0.227             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.223               | 0.223             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.219               | 0.219             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.214               | 0.214             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.210               | 0.210             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.206               | 0.206             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.201               | 0.201             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.197               | 0.197             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.193               | 0.193             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.189               | 0.189             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.184               | 0.184             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.180               | 0.180             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.176               | 0.176             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.171               | 0.171             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.167               | 0.167             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.163               | 0.163             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.159               | 0.159             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.154               | 0.154             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.150               | 0.150             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.146               | 0.146             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.141               | 0.141             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.137               | 0.137             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.133               | 0.133             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.129               | 0.129             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.124               | 0.124             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.120               | 0.120             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.116               | 0.116             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.111               | 0.111             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.107               | 0.107             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.103               | 0.103             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.099               | 0.099             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.094               | 0.094             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.090               | 0.090             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.086               | 0.086             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.081               | 0.081             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.077               | 0.077             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.073               | 0.073             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.069               | 0.069             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.064               | 0.064             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.061               | 0.061             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                 |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                 | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                 |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                 | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分          |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆E補強集団 |         |                     |                   | 0.115   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数            |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前             | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704       | 4.73151 | 0.272               | 0.272             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000       | 3.72467 | 0.214               | 0.214             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000       | 3.65435 | 0.210               | 0.210             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000       | 3.58404 | 0.206               | 0.206             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000       | 3.51372 | 0.202               | 0.202             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000       | 3.44341 | 0.198               | 0.198             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000       | 3.37310 | 0.194               | 0.194             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000       | 3.30278 | 0.190               | 0.190             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000       | 3.23247 | 0.186               | 0.186             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000       | 3.16215 | 0.182               | 0.182             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000       | 3.09184 | 0.178               | 0.178             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000       | 3.02153 | 0.174               | 0.174             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000       | 2.95121 | 0.170               | 0.170             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000       | 2.88090 | 0.166               | 0.166             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000       | 2.81058 | 0.162               | 0.162             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000       | 2.74027 | 0.158               | 0.158             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000        | 2.66996 | 0.154               | 0.154             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000        | 2.59964 | 0.149               | 0.149             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000        | 2.52933 | 0.145               | 0.145             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000        | 2.45901 | 0.141               | 0.141             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000        | 2.38870 | 0.137               | 0.137             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000        | 2.31839 | 0.133               | 0.133             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000        | 2.24807 | 0.129               | 0.129             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000        | 2.17776 | 0.125               | 0.125             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000        | 2.10744 | 0.121               | 0.121             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000        | 2.03713 | 0.117               | 0.117             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000        | 1.96682 | 0.113               | 0.113             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000        | 1.89650 | 0.109               | 0.109             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000        | 1.82619 | 0.105               | 0.105             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000        | 1.75588 | 0.101               | 0.101             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000        | 1.68556 | 0.097               | 0.097             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000        | 1.61525 | 0.093               | 0.093             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000        | 1.54493 | 0.089               | 0.089             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000        | 1.47462 | 0.085               | 0.085             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000        | 1.40431 | 0.081               | 0.081             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000        | 1.33399 | 0.077               | 0.077             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000        | 1.26368 | 0.073               | 0.073             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000        | 1.19336 | 0.069               | 0.069             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000         | 1.12305 | 0.065               | 0.065             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000         | 1.05274 | 0.061               | 0.061             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000         | 1.00000 | 0.057               | 0.057             |         |  |
|                     |                    |           | 平均値             |         |                     |                   |         |  |
|                     |                    |           | 57.88778        | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |            |  |     |               |      |        |
|---------------------|------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県        |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合  |  |     |               |      |        |
| 料率地域区分              | 000        |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分     |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ特定附帯被覆F |  |     | 2.807         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 6.641               | 6.641             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 5.228               | 5.228             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 5.129               | 5.129             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 5.030               | 5.030             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 4.932               | 4.932             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 4.833               | 4.833             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 4.734               | 4.734             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 4.635               | 4.635             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 4.537               | 4.537             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 4.438               | 4.438             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 4.339               | 4.339             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 4.241               | 4.241             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 4.142               | 4.142             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 4.043               | 4.043             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 3.945               | 3.945             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 3.846               | 3.846             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 3.747               | 3.747             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 3.649               | 3.649             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 3.550               | 3.550             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 3.451               | 3.451             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 3.353               | 3.353             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 3.254               | 3.254             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 3.155               | 3.155             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 3.056               | 3.056             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 2.958               | 2.958             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 2.859               | 2.859             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 2.760               | 2.760             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 2.662               | 2.662             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 2.563               | 2.563             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 2.464               | 2.464             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 2.366               | 2.366             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 2.267               | 2.267             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 2.168               | 2.168             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 2.070               | 2.070             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 1.971               | 1.971             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 1.872               | 1.872             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 1.774               | 1.774             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 1.675               | 1.675             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 1.576               | 1.576             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 1.478               | 1.478             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 1.403               | 1.403             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |    |               |           |           |                     |                   |       |  |
|---------------------|--------------------|----|---------------|-----------|-----------|---------------------|-------------------|-------|--|
| 都道府県名               | 兵庫県                |    |               | 共済事業      |           |                     | 園芸施設共済            |       |  |
| 組合等名                | 兵庫県農業共済組合          |    |               |           |           |                     |                   |       |  |
| 料率地域区分              | 000                |    |               | 地域名       |           | 00000 都道府県の区域       |                   |       |  |
| 施設区分                |                    |    | 共済掛金区分        |           |           |                     | 共済掛金標準率           |       |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |    | プラⅡ 特定附帯被覆F集団 |           |           |                     | 2.667             |       |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |    |               | 危険指数      |           | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |       |  |
|                     |                    |    |               | 圧縮前       | 圧縮後       |                     |                   |       |  |
| 20                  | 197.5              | ≦* | <             | 213.27704 | 4.73151   | 6.309               | 6.309             |       |  |
| 19                  | 192.5              | ≦* | <             | 197.5     | 156.00000 | 3.72467             | 4.967             | 4.967 |  |
| 18                  | 187.5              | ≦* | <             | 192.5     | 152.00000 | 3.65435             | 4.873             | 4.873 |  |
| 17                  | 182.5              | ≦* | <             | 187.5     | 148.00000 | 3.58404             | 4.779             | 4.779 |  |
| 16                  | 177.5              | ≦* | <             | 182.5     | 144.00000 | 3.51372             | 4.686             | 4.686 |  |
| 15                  | 172.5              | ≦* | <             | 177.5     | 140.00000 | 3.44341             | 4.592             | 4.592 |  |
| 14                  | 167.5              | ≦* | <             | 172.5     | 136.00000 | 3.37310             | 4.498             | 4.498 |  |
| 13                  | 162.5              | ≦* | <             | 167.5     | 132.00000 | 3.30278             | 4.404             | 4.404 |  |
| 12                  | 157.5              | ≦* | <             | 162.5     | 128.00000 | 3.23247             | 4.310             | 4.310 |  |
| 11                  | 152.5              | ≦* | <             | 157.5     | 124.00000 | 3.16215             | 4.217             | 4.217 |  |
| 10                  | 147.5              | ≦* | <             | 152.5     | 120.00000 | 3.09184             | 4.123             | 4.123 |  |
| 09                  | 142.5              | ≦* | <             | 147.5     | 116.00000 | 3.02153             | 4.029             | 4.029 |  |
| 08                  | 137.5              | ≦* | <             | 142.5     | 112.00000 | 2.95121             | 3.935             | 3.935 |  |
| 07                  | 132.5              | ≦* | <             | 137.5     | 108.00000 | 2.88090             | 3.842             | 3.842 |  |
| 06                  | 127.5              | ≦* | <             | 132.5     | 104.00000 | 2.81058             | 3.748             | 3.748 |  |
| 05                  | 122.5              | ≦* | <             | 127.5     | 100.00000 | 2.74027             | 3.654             | 3.654 |  |
| 04                  | 117.5              | ≦* | <             | 122.5     | 96.00000  | 2.66996             | 3.560             | 3.560 |  |
| 03                  | 112.5              | ≦* | <             | 117.5     | 92.00000  | 2.59964             | 3.467             | 3.467 |  |
| 02                  | 107.5              | ≦* | <             | 112.5     | 88.00000  | 2.52933             | 3.373             | 3.373 |  |
| 01                  | 102.5              | ≦* | <             | 107.5     | 84.00000  | 2.45901             | 3.279             | 3.279 |  |
| 00                  | 97.5               | ≦* | <             | 102.5     | 80.00000  | 2.38870             | 3.185             | 3.185 |  |
| -01                 | 92.5               | ≦* | <             | 97.5      | 76.00000  | 2.31839             | 3.092             | 3.092 |  |
| -02                 | 87.5               | ≦* | <             | 92.5      | 72.00000  | 2.24807             | 2.998             | 2.998 |  |
| -03                 | 82.5               | ≦* | <             | 87.5      | 68.00000  | 2.17776             | 2.904             | 2.904 |  |
| -04                 | 77.5               | ≦* | <             | 82.5      | 64.00000  | 2.10744             | 2.810             | 2.810 |  |
| -05                 | 72.5               | ≦* | <             | 77.5      | 60.00000  | 2.03713             | 2.717             | 2.717 |  |
| -06                 | 67.5               | ≦* | <             | 72.5      | 56.00000  | 1.96682             | 2.623             | 2.623 |  |
| -07                 | 62.5               | ≦* | <             | 67.5      | 52.00000  | 1.89650             | 2.529             | 2.529 |  |
| -08                 | 57.5               | ≦* | <             | 62.5      | 48.00000  | 1.82619             | 2.435             | 2.435 |  |
| -09                 | 52.5               | ≦* | <             | 57.5      | 44.00000  | 1.75588             | 2.341             | 2.341 |  |
| -10                 | 47.5               | ≦* | <             | 52.5      | 40.00000  | 1.68556             | 2.248             | 2.248 |  |
| -11                 | 42.5               | ≦* | <             | 47.5      | 36.00000  | 1.61525             | 2.154             | 2.154 |  |
| -12                 | 37.5               | ≦* | <             | 42.5      | 32.00000  | 1.54493             | 2.060             | 2.060 |  |
| -13                 | 32.5               | ≦* | <             | 37.5      | 28.00000  | 1.47462             | 1.966             | 1.966 |  |
| -14                 | 27.5               | ≦* | <             | 32.5      | 24.00000  | 1.40431             | 1.873             | 1.873 |  |
| -15                 | 22.5               | ≦* | <             | 27.5      | 20.00000  | 1.33399             | 1.779             | 1.779 |  |
| -16                 | 17.5               | ≦* | <             | 22.5      | 16.00000  | 1.26368             | 1.685             | 1.685 |  |
| -17                 | 12.5               | ≦* | <             | 17.5      | 12.00000  | 1.19336             | 1.591             | 1.591 |  |
| -18                 | 7.5                | ≦* | <             | 12.5      | 8.00000   | 1.12305             | 1.498             | 1.498 |  |
| -19                 | 2.5                | ≦* | <             | 7.5       | 4.00000   | 1.05274             | 1.404             | 1.404 |  |
| -20                 | 0.0                | ≦* | <             | 2.5       | 1.00000   | 1.00000             | 1.333             | 1.333 |  |
|                     |                    |    |               | 平均値       |           |                     |                   |       |  |
|                     |                    |    |               | 57.88778  | 2.00000   |                     |                   |       |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |              |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|--------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |              |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名          | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分       |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ特定附帯被覆F補強 |               | 2.386               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前          | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151       | 5.645               | 5.645             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467       | 4.444               | 4.444             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435       | 4.360               | 4.360             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404       | 4.276               | 4.276             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372       | 4.192               | 4.192             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341       | 4.108               | 4.108             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310       | 4.024               | 4.024             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278       | 3.940               | 3.940             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247       | 3.856               | 3.856             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215       | 3.772               | 3.772             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184       | 3.689               | 3.689             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153       | 3.605               | 3.605             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121       | 3.521               | 3.521             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090       | 3.437               | 3.437             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058       | 3.353               | 3.353             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027       | 3.269               | 3.269             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996       | 3.185               | 3.185             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964       | 3.101               | 3.101             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933       | 3.017               | 3.017             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901       | 2.934               | 2.934             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870       | 2.850               | 2.850             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839       | 2.766               | 2.766             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807       | 2.682               | 2.682             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776       | 2.598               | 2.598             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744       | 2.514               | 2.514             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713       | 2.430               | 2.430             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682       | 2.346               | 2.346             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650       | 2.263               | 2.263             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619       | 2.179               | 2.179             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588       | 2.095               | 2.095             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556       | 2.011               | 2.011             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525       | 1.927               | 1.927             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493       | 1.843               | 1.843             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462       | 1.759               | 1.759             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431       | 1.675               | 1.675             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399       | 1.591               | 1.591             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368       | 1.508               | 1.508             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336       | 1.424               | 1.424             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305       | 1.340               | 1.340             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274       | 1.256               | 1.256             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000       | 1.193               | 1.193             |
|                     |                    |           | 平均値          |               |                     |                   |
|                     |                    |           | 57.88778     | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |                 |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |                 | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |                 |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |                 | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分          |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ 特定附帯被覆F補強集団 |         |                     |                   | 2.267   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数            |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前             | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704       | 4.73151 | 5.363               | 5.363             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000       | 3.72467 | 4.222               | 4.222             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000       | 3.65435 | 4.142               | 4.142             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000       | 3.58404 | 4.063               | 4.063             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000       | 3.51372 | 3.983               | 3.983             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000       | 3.44341 | 3.903               | 3.903             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000       | 3.37310 | 3.823               | 3.823             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000       | 3.30278 | 3.744               | 3.744             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000       | 3.23247 | 3.664               | 3.664             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000       | 3.16215 | 3.584               | 3.584             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000       | 3.09184 | 3.505               | 3.505             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000       | 3.02153 | 3.425               | 3.425             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000       | 2.95121 | 3.345               | 3.345             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000       | 2.88090 | 3.266               | 3.266             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000       | 2.81058 | 3.186               | 3.186             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000       | 2.74027 | 3.106               | 3.106             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000        | 2.66996 | 3.026               | 3.026             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000        | 2.59964 | 2.947               | 2.947             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000        | 2.52933 | 2.867               | 2.867             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000        | 2.45901 | 2.787               | 2.787             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000        | 2.38870 | 2.708               | 2.708             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000        | 2.31839 | 2.628               | 2.628             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000        | 2.24807 | 2.548               | 2.548             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000        | 2.17776 | 2.468               | 2.468             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000        | 2.10744 | 2.389               | 2.389             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000        | 2.03713 | 2.309               | 2.309             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000        | 1.96682 | 2.229               | 2.229             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000        | 1.89650 | 2.150               | 2.150             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000        | 1.82619 | 2.070               | 2.070             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000        | 1.75588 | 1.990               | 1.990             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000        | 1.68556 | 1.911               | 1.911             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000        | 1.61525 | 1.831               | 1.831             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000        | 1.54493 | 1.751               | 1.751             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000        | 1.47462 | 1.671               | 1.671             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000        | 1.40431 | 1.592               | 1.592             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000        | 1.33399 | 1.512               | 1.512             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000        | 1.26368 | 1.432               | 1.432             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000        | 1.19336 | 1.353               | 1.353             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000         | 1.12305 | 1.273               | 1.273             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000         | 1.05274 | 1.193               | 1.193             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000         | 1.00000 | 1.133               | 1.133             |         |  |
|                     |                    |           | 平均値             |         |                     |                   |         |  |
|                     |                    |           | 57.88778        | 2.00000 |                     |                   |         |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |             |               |                     |                   |
|---------------------|--------------------|-----------|-------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           | 共済事業 園芸施設共済 |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |             | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ内作一般A           |           |             | 2.119         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704   | 4.73151       | 5.013               | 5.013             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000   | 3.72467       | 3.946               | 3.946             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000   | 3.65435       | 3.872               | 3.872             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000   | 3.58404       | 3.797               | 3.797             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000   | 3.51372       | 3.723               | 3.723             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000   | 3.44341       | 3.648               | 3.648             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000   | 3.37310       | 3.574               | 3.574             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000   | 3.30278       | 3.499               | 3.499             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000   | 3.23247       | 3.425               | 3.425             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000   | 3.16215       | 3.350               | 3.350             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000   | 3.09184       | 3.276               | 3.276             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000   | 3.02153       | 3.201               | 3.201             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000   | 2.95121       | 3.127               | 3.127             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000   | 2.88090       | 3.052               | 3.052             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000   | 2.81058       | 2.978               | 2.978             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000   | 2.74027       | 2.903               | 2.903             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000    | 2.66996       | 2.829               | 2.829             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000    | 2.59964       | 2.754               | 2.754             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000    | 2.52933       | 2.680               | 2.680             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000    | 2.45901       | 2.605               | 2.605             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000    | 2.38870       | 2.531               | 2.531             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000    | 2.31839       | 2.456               | 2.456             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000    | 2.24807       | 2.382               | 2.382             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000    | 2.17776       | 2.307               | 2.307             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000    | 2.10744       | 2.233               | 2.233             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000    | 2.03713       | 2.158               | 2.158             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000    | 1.96682       | 2.084               | 2.084             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000    | 1.89650       | 2.009               | 2.009             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000    | 1.82619       | 1.935               | 1.935             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000    | 1.75588       | 1.860               | 1.860             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000    | 1.68556       | 1.786               | 1.786             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000    | 1.61525       | 1.711               | 1.711             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000    | 1.54493       | 1.637               | 1.637             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000    | 1.47462       | 1.562               | 1.562             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000    | 1.40431       | 1.488               | 1.488             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000    | 1.33399       | 1.413               | 1.413             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000    | 1.26368       | 1.339               | 1.339             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000    | 1.19336       | 1.264               | 1.264             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000     | 1.12305       | 1.190               | 1.190             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000     | 1.05274       | 1.115               | 1.115             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000     | 1.00000       | 1.059               | 1.059             |
|                     |                    |           | 平均値         |               |                     |                   |
|                     |                    |           | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作一般A集団 |         |                     |                   | 2.013   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 4.762               | 4.762             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 3.749               | 3.749             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 3.678               | 3.678             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 3.607               | 3.607             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 3.537               | 3.537             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 3.466               | 3.466             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 3.395               | 3.395             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 3.324               | 3.324             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 3.253               | 3.253             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 3.183               | 3.183             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 3.112               | 3.112             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 3.041               | 3.041             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 2.970               | 2.970             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 2.900               | 2.900             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 2.829               | 2.829             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 2.758               | 2.758             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 2.687               | 2.687             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 2.617               | 2.617             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 2.546               | 2.546             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 2.475               | 2.475             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 2.404               | 2.404             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 2.333               | 2.333             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 2.263               | 2.263             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 2.192               | 2.192             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 2.121               | 2.121             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 2.050               | 2.050             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 1.980               | 1.980             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 1.909               | 1.909             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 1.838               | 1.838             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 1.767               | 1.767             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 1.697               | 1.697             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 1.626               | 1.626             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 1.555               | 1.555             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 1.484               | 1.484             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 1.413               | 1.413             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 1.343               | 1.343             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 1.272               | 1.272             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 1.201               | 1.201             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 1.130               | 1.130             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 1.060               | 1.060             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 1.006               | 1.006             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |           |  |     |               |      |        |
|---------------------|-----------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県       |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合 |  |     |               |      |        |
| 料率地域区分              | 000       |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分    |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ内作一般B  |  |     | 1.462         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 3.459               | 3.459             |
| 19         | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 2.723               | 2.723             |
| 18         | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 2.671               | 2.671             |
| 17         | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 2.620               | 2.620             |
| 16         | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 2.569               | 2.569             |
| 15         | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 2.517               | 2.517             |
| 14         | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 2.466               | 2.466             |
| 13         | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 2.414               | 2.414             |
| 12         | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 2.363               | 2.363             |
| 11         | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 2.312               | 2.312             |
| 10         | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 2.260               | 2.260             |
| 09         | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 2.209               | 2.209             |
| 08         | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 2.157               | 2.157             |
| 07         | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 2.106               | 2.106             |
| 06         | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 2.055               | 2.055             |
| 05         | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 2.003               | 2.003             |
| 04         | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 1.952               | 1.952             |
| 03         | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 1.900               | 1.900             |
| 02         | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 1.849               | 1.849             |
| 01         | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 1.798               | 1.798             |
| 00         | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 1.746               | 1.746             |
| -01        | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 1.695               | 1.695             |
| -02        | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 1.643               | 1.643             |
| -03        | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 1.592               | 1.592             |
| -04        | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 1.541               | 1.541             |
| -05        | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 1.489               | 1.489             |
| -06        | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 1.438               | 1.438             |
| -07        | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 1.386               | 1.386             |
| -08        | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 1.335               | 1.335             |
| -09        | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 1.284               | 1.284             |
| -10        | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 1.232               | 1.232             |
| -11        | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 1.181               | 1.181             |
| -12        | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 1.129               | 1.129             |
| -13        | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 1.078               | 1.078             |
| -14        | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 1.027               | 1.027             |
| -15        | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.975               | 0.975             |
| -16        | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.924               | 0.924             |
| -17        | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.872               | 0.872             |
| -18        | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.821               | 0.821             |
| -19        | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.770               | 0.770             |
| -20        | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.731               | 0.731             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作一般B集団 |         |                     |                   | 1.389   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 3.286               | 3.286             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 2.587               | 2.587             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 2.538               | 2.538             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 2.489               | 2.489             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 2.440               | 2.440             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 2.391               | 2.391             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 2.343               | 2.343             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 2.294               | 2.294             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 2.245               | 2.245             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 2.196               | 2.196             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 2.147               | 2.147             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 2.098               | 2.098             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 2.050               | 2.050             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 2.001               | 2.001             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 1.952               | 1.952             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 1.903               | 1.903             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 1.854               | 1.854             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 1.805               | 1.805             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 1.757               | 1.757             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 1.708               | 1.708             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 1.659               | 1.659             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 1.610               | 1.610             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 1.561               | 1.561             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 1.512               | 1.512             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 1.464               | 1.464             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 1.415               | 1.415             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 1.366               | 1.366             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 1.317               | 1.317             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 1.268               | 1.268             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 1.219               | 1.219             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 1.171               | 1.171             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 1.122               | 1.122             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 1.073               | 1.073             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 1.024               | 1.024             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.975               | 0.975             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.926               | 0.926             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.878               | 0.878             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.829               | 0.829             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.780               | 0.780             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.731               | 0.731             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.694               | 0.694             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作一般C  |         |                     |                   | 0.820   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 1.940               | 1.940             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 1.527               | 1.527             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 1.498               | 1.498             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 1.469               | 1.469             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 1.441               | 1.441             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 1.412               | 1.412             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 1.383               | 1.383             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 1.354               | 1.354             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 1.325               | 1.325             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 1.296               | 1.296             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 1.268               | 1.268             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 1.239               | 1.239             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 1.210               | 1.210             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 1.181               | 1.181             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 1.152               | 1.152             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 1.124               | 1.124             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 1.095               | 1.095             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 1.066               | 1.066             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 1.037               | 1.037             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 1.008               | 1.008             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.979               | 0.979             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.951               | 0.951             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.922               | 0.922             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.893               | 0.893             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.864               | 0.864             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.835               | 0.835             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.806               | 0.806             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.778               | 0.778             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.749               | 0.749             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.720               | 0.720             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.691               | 0.691             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.662               | 0.662             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.633               | 0.633             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.605               | 0.605             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.576               | 0.576             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.547               | 0.547             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.518               | 0.518             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.489               | 0.489             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.460               | 0.460             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.432               | 0.432             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.410               | 0.410             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |           |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|-----------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業      |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |           |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名       |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |           |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作一般C集団 |           |                     |                   | 0.779   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |           | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後       |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       |            | 213.27704 | 4.73151             | 1.843             | 1.843   |  |
| 19                  | 192.5              | ≦*＜       | 197.5      | 156.00000 | 3.72467             | 1.451             | 1.451   |  |
| 18                  | 187.5              | ≦*＜       | 192.5      | 152.00000 | 3.65435             | 1.423             | 1.423   |  |
| 17                  | 182.5              | ≦*＜       | 187.5      | 148.00000 | 3.58404             | 1.396             | 1.396   |  |
| 16                  | 177.5              | ≦*＜       | 182.5      | 144.00000 | 3.51372             | 1.369             | 1.369   |  |
| 15                  | 172.5              | ≦*＜       | 177.5      | 140.00000 | 3.44341             | 1.341             | 1.341   |  |
| 14                  | 167.5              | ≦*＜       | 172.5      | 136.00000 | 3.37310             | 1.314             | 1.314   |  |
| 13                  | 162.5              | ≦*＜       | 167.5      | 132.00000 | 3.30278             | 1.286             | 1.286   |  |
| 12                  | 157.5              | ≦*＜       | 162.5      | 128.00000 | 3.23247             | 1.259             | 1.259   |  |
| 11                  | 152.5              | ≦*＜       | 157.5      | 124.00000 | 3.16215             | 1.232             | 1.232   |  |
| 10                  | 147.5              | ≦*＜       | 152.5      | 120.00000 | 3.09184             | 1.204             | 1.204   |  |
| 09                  | 142.5              | ≦*＜       | 147.5      | 116.00000 | 3.02153             | 1.177             | 1.177   |  |
| 08                  | 137.5              | ≦*＜       | 142.5      | 112.00000 | 2.95121             | 1.149             | 1.149   |  |
| 07                  | 132.5              | ≦*＜       | 137.5      | 108.00000 | 2.88090             | 1.122             | 1.122   |  |
| 06                  | 127.5              | ≦*＜       | 132.5      | 104.00000 | 2.81058             | 1.095             | 1.095   |  |
| 05                  | 122.5              | ≦*＜       | 127.5      | 100.00000 | 2.74027             | 1.067             | 1.067   |  |
| 04                  | 117.5              | ≦*＜       | 122.5      | 96.00000  | 2.66996             | 1.040             | 1.040   |  |
| 03                  | 112.5              | ≦*＜       | 117.5      | 92.00000  | 2.59964             | 1.013             | 1.013   |  |
| 02                  | 107.5              | ≦*＜       | 112.5      | 88.00000  | 2.52933             | 0.985             | 0.985   |  |
| 01                  | 102.5              | ≦*＜       | 107.5      | 84.00000  | 2.45901             | 0.958             | 0.958   |  |
| 00                  | 97.5               | ≦*＜       | 102.5      | 80.00000  | 2.38870             | 0.930             | 0.930   |  |
| -01                 | 92.5               | ≦*＜       | 97.5       | 76.00000  | 2.31839             | 0.903             | 0.903   |  |
| -02                 | 87.5               | ≦*＜       | 92.5       | 72.00000  | 2.24807             | 0.876             | 0.876   |  |
| -03                 | 82.5               | ≦*＜       | 87.5       | 68.00000  | 2.17776             | 0.848             | 0.848   |  |
| -04                 | 77.5               | ≦*＜       | 82.5       | 64.00000  | 2.10744             | 0.821             | 0.821   |  |
| -05                 | 72.5               | ≦*＜       | 77.5       | 60.00000  | 2.03713             | 0.793             | 0.793   |  |
| -06                 | 67.5               | ≦*＜       | 72.5       | 56.00000  | 1.96682             | 0.766             | 0.766   |  |
| -07                 | 62.5               | ≦*＜       | 67.5       | 52.00000  | 1.89650             | 0.739             | 0.739   |  |
| -08                 | 57.5               | ≦*＜       | 62.5       | 48.00000  | 1.82619             | 0.711             | 0.711   |  |
| -09                 | 52.5               | ≦*＜       | 57.5       | 44.00000  | 1.75588             | 0.684             | 0.684   |  |
| -10                 | 47.5               | ≦*＜       | 52.5       | 40.00000  | 1.68556             | 0.657             | 0.657   |  |
| -11                 | 42.5               | ≦*＜       | 47.5       | 36.00000  | 1.61525             | 0.629             | 0.629   |  |
| -12                 | 37.5               | ≦*＜       | 42.5       | 32.00000  | 1.54493             | 0.602             | 0.602   |  |
| -13                 | 32.5               | ≦*＜       | 37.5       | 28.00000  | 1.47462             | 0.574             | 0.574   |  |
| -14                 | 27.5               | ≦*＜       | 32.5       | 24.00000  | 1.40431             | 0.547             | 0.547   |  |
| -15                 | 22.5               | ≦*＜       | 27.5       | 20.00000  | 1.33399             | 0.520             | 0.520   |  |
| -16                 | 17.5               | ≦*＜       | 22.5       | 16.00000  | 1.26368             | 0.492             | 0.492   |  |
| -17                 | 12.5               | ≦*＜       | 17.5       | 12.00000  | 1.19336             | 0.465             | 0.465   |  |
| -18                 | 7.5                | ≦*＜       | 12.5       | 8.00000   | 1.12305             | 0.437             | 0.437   |  |
| -19                 | 2.5                | ≦*＜       | 7.5        | 4.00000   | 1.05274             | 0.410             | 0.410   |  |
| -20                 | 0.0                | ≦*＜       | 2.5        | 1.00000   | 1.00000             | 0.389             | 0.389   |  |
|                     |                    |           | 平均値        |           |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000   |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作一般D  |         |                     |                   | 0.364   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.861               | 0.861             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.678               | 0.678             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.665               | 0.665             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.652               | 0.652             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.639               | 0.639             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.627               | 0.627             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.614               | 0.614             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.601               | 0.601             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.588               | 0.588             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.576               | 0.576             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.563               | 0.563             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.550               | 0.550             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.537               | 0.537             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.524               | 0.524             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.512               | 0.512             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.499               | 0.499             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.486               | 0.486             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.473               | 0.473             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.460               | 0.460             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.448               | 0.448             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.435               | 0.435             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.422               | 0.422             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.409               | 0.409             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.396               | 0.396             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.384               | 0.384             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.371               | 0.371             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.358               | 0.358             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.345               | 0.345             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.332               | 0.332             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.320               | 0.320             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.307               | 0.307             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.294               | 0.294             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.281               | 0.281             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.268               | 0.268             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.256               | 0.256             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.243               | 0.243             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.230               | 0.230             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.217               | 0.217             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.204               | 0.204             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.192               | 0.192             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.182               | 0.182             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |            |  |     |               |      |        |
|---------------------|------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県        |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合  |  |     |               |      |        |
| 料率地域区分              | 000        |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分     |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ内作一般D集団 |  |     | 0.346         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.819               | 0.819             |
| 19         | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.644               | 0.644             |
| 18         | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.632               | 0.632             |
| 17         | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.620               | 0.620             |
| 16         | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.608               | 0.608             |
| 15         | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.596               | 0.596             |
| 14         | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.584               | 0.584             |
| 13         | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.571               | 0.571             |
| 12         | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.559               | 0.559             |
| 11         | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.547               | 0.547             |
| 10         | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.535               | 0.535             |
| 09         | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.523               | 0.523             |
| 08         | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.511               | 0.511             |
| 07         | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.498               | 0.498             |
| 06         | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.486               | 0.486             |
| 05         | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.474               | 0.474             |
| 04         | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.462               | 0.462             |
| 03         | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.450               | 0.450             |
| 02         | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.438               | 0.438             |
| 01         | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.425               | 0.425             |
| 00         | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.413               | 0.413             |
| -01        | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.401               | 0.401             |
| -02        | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.389               | 0.389             |
| -03        | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.377               | 0.377             |
| -04        | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.365               | 0.365             |
| -05        | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.352               | 0.352             |
| -06        | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.340               | 0.340             |
| -07        | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.328               | 0.328             |
| -08        | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.316               | 0.316             |
| -09        | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.304               | 0.304             |
| -10        | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.292               | 0.292             |
| -11        | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.279               | 0.279             |
| -12        | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.267               | 0.267             |
| -13        | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.255               | 0.255             |
| -14        | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.243               | 0.243             |
| -15        | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.231               | 0.231             |
| -16        | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.219               | 0.219             |
| -17        | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.206               | 0.206             |
| -18        | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.194               | 0.194             |
| -19        | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.182               | 0.182             |
| -20        | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.173               | 0.173             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作一般E  |         |                     |                   | 0.005   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.012               | 0.012             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.009               | 0.009             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.009               | 0.009             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.009               | 0.009             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.009               | 0.009             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.009               | 0.009             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.008               | 0.008             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.008               | 0.008             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.008               | 0.008             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.008               | 0.008             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.008               | 0.008             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.008               | 0.008             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.007               | 0.007             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.007               | 0.007             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.007               | 0.007             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.007               | 0.007             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.007               | 0.007             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.006               | 0.006             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.006               | 0.006             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.006               | 0.006             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.006               | 0.006             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.006               | 0.006             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.006               | 0.006             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.005               | 0.005             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.005               | 0.005             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.005               | 0.005             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.005               | 0.005             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.005               | 0.005             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.005               | 0.005             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.004               | 0.004             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.004               | 0.004             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.004               | 0.004             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.004               | 0.004             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.004               | 0.004             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.003               | 0.003             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.003               | 0.003             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.003               | 0.003             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作一般E集団 |         |                     |                   | 0.005   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 0.012               | 0.012             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 0.009               | 0.009             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 0.009               | 0.009             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 0.009               | 0.009             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 0.009               | 0.009             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 0.009               | 0.009             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 0.008               | 0.008             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 0.008               | 0.008             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 0.008               | 0.008             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 0.008               | 0.008             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 0.008               | 0.008             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.008               | 0.008             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.007               | 0.007             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.007               | 0.007             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.007               | 0.007             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.007               | 0.007             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.007               | 0.007             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.006               | 0.006             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.006               | 0.006             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.006               | 0.006             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.006               | 0.006             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.006               | 0.006             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.006               | 0.006             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.005               | 0.005             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.005               | 0.005             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.005               | 0.005             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.005               | 0.005             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.005               | 0.005             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.005               | 0.005             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.004               | 0.004             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.004               | 0.004             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.004               | 0.004             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.004               | 0.004             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.004               | 0.004             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.003               | 0.003             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.003               | 0.003             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.003               | 0.003             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ内作一般F           |           |           | 2.124         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 5.025               | 5.025             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 3.956               | 3.956             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 3.881               | 3.881             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 3.806               | 3.806             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 3.732               | 3.732             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 3.657               | 3.657             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 3.582               | 3.582             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 3.508               | 3.508             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 3.433               | 3.433             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 3.358               | 3.358             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 3.284               | 3.284             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 3.209               | 3.209             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 3.134               | 3.134             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 3.060               | 3.060             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 2.985               | 2.985             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 2.910               | 2.910             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 2.835               | 2.835             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 2.761               | 2.761             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 2.686               | 2.686             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 2.611               | 2.611             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 2.537               | 2.537             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 2.462               | 2.462             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 2.387               | 2.387             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 2.313               | 2.313             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 2.238               | 2.238             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 2.163               | 2.163             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 2.089               | 2.089             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 2.014               | 2.014             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 1.939               | 1.939             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 1.865               | 1.865             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 1.790               | 1.790             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 1.715               | 1.715             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 1.641               | 1.641             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 1.566               | 1.566             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 1.491               | 1.491             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 1.417               | 1.417             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 1.342               | 1.342             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 1.267               | 1.267             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 1.193               | 1.193             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 1.118               | 1.118             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 1.062               | 1.062             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ内作一般F集団         |           |           | 2.018         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 4.774               | 4.774             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 3.758               | 3.758             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 3.687               | 3.687             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 3.616               | 3.616             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 3.545               | 3.545             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 3.474               | 3.474             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 3.403               | 3.403             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 3.333               | 3.333             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 3.262               | 3.262             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 3.191               | 3.191             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 3.120               | 3.120             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 3.049               | 3.049             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 2.978               | 2.978             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 2.907               | 2.907             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 2.836               | 2.836             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 2.765               | 2.765             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 2.694               | 2.694             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 2.623               | 2.623             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 2.552               | 2.552             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 2.481               | 2.481             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 2.410               | 2.410             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 2.339               | 2.339             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 2.268               | 2.268             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 2.197               | 2.197             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 2.126               | 2.126             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 2.055               | 2.055             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 1.985               | 1.985             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 1.914               | 1.914             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 1.843               | 1.843             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 1.772               | 1.772             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 1.701               | 1.701             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 1.630               | 1.630             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 1.559               | 1.559             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 1.488               | 1.488             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 1.417               | 1.417             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 1.346               | 1.346             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 1.275               | 1.275             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 1.204               | 1.204             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 1.133               | 1.133             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 1.062               | 1.062             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 1.009               | 1.009             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆A |         |                     |                   | 0.009   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.021               | 0.021             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.017               | 0.017             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.016               | 0.016             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.016               | 0.016             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.016               | 0.016             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.015               | 0.015             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.015               | 0.015             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.015               | 0.015             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.015               | 0.015             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.014               | 0.014             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.014               | 0.014             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.014               | 0.014             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.013               | 0.013             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.013               | 0.013             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.013               | 0.013             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.012               | 0.012             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.012               | 0.012             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.012               | 0.012             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.011               | 0.011             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.011               | 0.011             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.011               | 0.011             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.010               | 0.010             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.010               | 0.010             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.010               | 0.010             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.009               | 0.009             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.009               | 0.009             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.009               | 0.009             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.009               | 0.009             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.008               | 0.008             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.008               | 0.008             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.008               | 0.008             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.007               | 0.007             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.007               | 0.007             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.007               | 0.007             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.006               | 0.006             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.006               | 0.006             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.006               | 0.006             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.005               | 0.005             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.005               | 0.005             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.005               | 0.005             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.004               | 0.004             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |             | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |             |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |             | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分      |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆A集団 |         |                     |                   | 0.009   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前         | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151 | 0.021               | 0.021             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467 | 0.017               | 0.017             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435 | 0.016               | 0.016             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404 | 0.016               | 0.016             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372 | 0.016               | 0.016             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341 | 0.015               | 0.015             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310 | 0.015               | 0.015             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278 | 0.015               | 0.015             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247 | 0.015               | 0.015             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215 | 0.014               | 0.014             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184 | 0.014               | 0.014             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153 | 0.014               | 0.014             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121 | 0.013               | 0.013             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090 | 0.013               | 0.013             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058 | 0.013               | 0.013             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027 | 0.012               | 0.012             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996 | 0.012               | 0.012             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964 | 0.012               | 0.012             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933 | 0.011               | 0.011             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901 | 0.011               | 0.011             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870 | 0.011               | 0.011             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839 | 0.010               | 0.010             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807 | 0.010               | 0.010             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776 | 0.010               | 0.010             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744 | 0.009               | 0.009             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713 | 0.009               | 0.009             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682 | 0.009               | 0.009             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650 | 0.009               | 0.009             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619 | 0.008               | 0.008             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588 | 0.008               | 0.008             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556 | 0.008               | 0.008             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525 | 0.007               | 0.007             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493 | 0.007               | 0.007             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462 | 0.007               | 0.007             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431 | 0.006               | 0.006             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399 | 0.006               | 0.006             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368 | 0.006               | 0.006             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336 | 0.005               | 0.005             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305 | 0.005               | 0.005             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274 | 0.005               | 0.005             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000 | 0.004               | 0.004             |         |  |
|                     |                    |           | 平均値         |         |                     |                   |         |  |
|                     |                    |           | 57.88778    | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |             |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |             |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分      |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆A補強 |               | 0.008               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704   | 4.73151       | 0.019               | 0.019             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000   | 3.72467       | 0.015               | 0.015             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000   | 3.65435       | 0.015               | 0.015             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000   | 3.58404       | 0.014               | 0.014             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000   | 3.51372       | 0.014               | 0.014             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000   | 3.44341       | 0.014               | 0.014             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000   | 3.37310       | 0.013               | 0.013             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000   | 3.30278       | 0.013               | 0.013             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000   | 3.23247       | 0.013               | 0.013             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000   | 3.16215       | 0.013               | 0.013             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000   | 3.09184       | 0.012               | 0.012             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000   | 3.02153       | 0.012               | 0.012             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000   | 2.95121       | 0.012               | 0.012             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000   | 2.88090       | 0.012               | 0.012             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000   | 2.81058       | 0.011               | 0.011             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000   | 2.74027       | 0.011               | 0.011             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000    | 2.66996       | 0.011               | 0.011             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000    | 2.59964       | 0.010               | 0.010             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000    | 2.52933       | 0.010               | 0.010             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000    | 2.45901       | 0.010               | 0.010             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000    | 2.38870       | 0.010               | 0.010             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000    | 2.31839       | 0.009               | 0.009             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000    | 2.24807       | 0.009               | 0.009             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000    | 2.17776       | 0.009               | 0.009             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000    | 2.10744       | 0.008               | 0.008             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000    | 2.03713       | 0.008               | 0.008             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000    | 1.96682       | 0.008               | 0.008             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000    | 1.89650       | 0.008               | 0.008             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000    | 1.82619       | 0.007               | 0.007             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000    | 1.75588       | 0.007               | 0.007             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000    | 1.68556       | 0.007               | 0.007             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000    | 1.61525       | 0.006               | 0.006             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000    | 1.54493       | 0.006               | 0.006             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000    | 1.47462       | 0.006               | 0.006             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000    | 1.40431       | 0.006               | 0.006             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000    | 1.33399       | 0.005               | 0.005             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000    | 1.26368       | 0.005               | 0.005             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000    | 1.19336       | 0.005               | 0.005             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000     | 1.12305       | 0.004               | 0.004             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000     | 1.05274       | 0.004               | 0.004             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000     | 1.00000       | 0.004               | 0.004             |
|                     |                    |           | 平均値         |               |                     |                   |
|                     |                    |           | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆A補強集団 |         |                     |                   | 0.007   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.017               | 0.017             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.013               | 0.013             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.013               | 0.013             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.013               | 0.013             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.012               | 0.012             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.012               | 0.012             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.012               | 0.012             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.012               | 0.012             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.011               | 0.011             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.011               | 0.011             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.011               | 0.011             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.011               | 0.011             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.010               | 0.010             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.010               | 0.010             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.010               | 0.010             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.010               | 0.010             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.009               | 0.009             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.009               | 0.009             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.009               | 0.009             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.009               | 0.009             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.008               | 0.008             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.008               | 0.008             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.008               | 0.008             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.008               | 0.008             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.007               | 0.007             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.007               | 0.007             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.007               | 0.007             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.007               | 0.007             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.006               | 0.006             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.006               | 0.006             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.006               | 0.006             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.006               | 0.006             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.005               | 0.005             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.005               | 0.005             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.005               | 0.005             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.005               | 0.005             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.004               | 0.004             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.004               | 0.004             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.004               | 0.004             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.004               | 0.004             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.003               | 0.003             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |           |  |           |               |      |        |
|---------------------|-----------|--|-----------|---------------|------|--------|
| 都道府県名               | 兵庫県       |  |           |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合 |  |           |               |      |        |
| 料率地域区分              | 000       |  | 地域名       | 00000 都道府県の区域 |      |        |
| 施設区分                |           |  | 共済掛金区分    | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) |           |  | プラⅡ撤去未被覆B | 0.008         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 0.019               | 0.019             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 0.015               | 0.015             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 0.015               | 0.015             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 0.014               | 0.014             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 0.014               | 0.014             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 0.014               | 0.014             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 0.013               | 0.013             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 0.013               | 0.013             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 0.013               | 0.013             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 0.013               | 0.013             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 0.012               | 0.012             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 0.012               | 0.012             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 0.012               | 0.012             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 0.012               | 0.012             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 0.011               | 0.011             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 0.011               | 0.011             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 0.011               | 0.011             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 0.010               | 0.010             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 0.010               | 0.010             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 0.010               | 0.010             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 0.010               | 0.010             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 0.009               | 0.009             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 0.009               | 0.009             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 0.009               | 0.009             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 0.008               | 0.008             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 0.008               | 0.008             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 0.008               | 0.008             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 0.008               | 0.008             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 0.007               | 0.007             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 0.007               | 0.007             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 0.007               | 0.007             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 0.006               | 0.006             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 0.006               | 0.006             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 0.006               | 0.006             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 0.006               | 0.006             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 0.005               | 0.005             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 0.005               | 0.005             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 0.005               | 0.005             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 0.004               | 0.004             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 0.004               | 0.004             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 0.004               | 0.004             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |             | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |             |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |             | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分      |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆B集団 |         |                     |                   | 0.008   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前         | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151 | 0.019               | 0.019             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467 | 0.015               | 0.015             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435 | 0.015               | 0.015             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404 | 0.014               | 0.014             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372 | 0.014               | 0.014             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341 | 0.014               | 0.014             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310 | 0.013               | 0.013             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278 | 0.013               | 0.013             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247 | 0.013               | 0.013             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215 | 0.013               | 0.013             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184 | 0.012               | 0.012             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153 | 0.012               | 0.012             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121 | 0.012               | 0.012             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090 | 0.012               | 0.012             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058 | 0.011               | 0.011             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027 | 0.011               | 0.011             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996 | 0.011               | 0.011             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964 | 0.010               | 0.010             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933 | 0.010               | 0.010             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901 | 0.010               | 0.010             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870 | 0.010               | 0.010             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839 | 0.009               | 0.009             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807 | 0.009               | 0.009             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776 | 0.009               | 0.009             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744 | 0.008               | 0.008             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713 | 0.008               | 0.008             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682 | 0.008               | 0.008             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650 | 0.008               | 0.008             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619 | 0.007               | 0.007             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588 | 0.007               | 0.007             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556 | 0.007               | 0.007             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525 | 0.006               | 0.006             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493 | 0.006               | 0.006             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462 | 0.006               | 0.006             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431 | 0.006               | 0.006             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399 | 0.005               | 0.005             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368 | 0.005               | 0.005             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336 | 0.005               | 0.005             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305 | 0.004               | 0.004             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274 | 0.004               | 0.004             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000 | 0.004               | 0.004             |         |  |
|                     |                    |           | 平均値         |         |                     |                   |         |  |
|                     |                    |           | 57.88778    | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |             |  |     |               |      |        |
|---------------------|-------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県         |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合   |  |     |               |      |        |
| 料率地域区分              | 000         |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分      |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去未被覆B補強 |  |     | 0.007         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 0.017               | 0.017             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 0.013               | 0.013             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 0.013               | 0.013             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 0.013               | 0.013             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 0.012               | 0.012             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 0.012               | 0.012             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 0.012               | 0.012             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 0.012               | 0.012             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 0.011               | 0.011             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 0.011               | 0.011             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 0.011               | 0.011             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 0.011               | 0.011             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 0.010               | 0.010             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 0.010               | 0.010             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 0.010               | 0.010             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 0.010               | 0.010             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 0.009               | 0.009             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 0.009               | 0.009             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 0.009               | 0.009             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 0.009               | 0.009             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 0.008               | 0.008             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 0.008               | 0.008             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 0.008               | 0.008             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 0.008               | 0.008             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 0.007               | 0.007             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 0.007               | 0.007             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 0.007               | 0.007             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 0.007               | 0.007             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 0.006               | 0.006             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 0.006               | 0.006             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 0.006               | 0.006             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 0.006               | 0.006             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 0.005               | 0.005             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 0.005               | 0.005             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 0.005               | 0.005             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 0.005               | 0.005             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 0.004               | 0.004             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 0.004               | 0.004             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 0.004               | 0.004             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 0.004               | 0.004             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 0.003               | 0.003             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆B補強集団 |         |                     |                   | 0.006   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.014               | 0.014             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.011               | 0.011             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.011               | 0.011             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.011               | 0.011             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.011               | 0.011             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.010               | 0.010             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.010               | 0.010             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.010               | 0.010             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.010               | 0.010             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.009               | 0.009             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.009               | 0.009             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.009               | 0.009             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.009               | 0.009             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.009               | 0.009             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.008               | 0.008             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.008               | 0.008             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.008               | 0.008             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.008               | 0.008             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.008               | 0.008             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.007               | 0.007             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.007               | 0.007             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.007               | 0.007             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.007               | 0.007             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.007               | 0.007             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.006               | 0.006             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.006               | 0.006             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.006               | 0.006             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.006               | 0.006             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.005               | 0.005             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.005               | 0.005             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.005               | 0.005             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.005               | 0.005             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.005               | 0.005             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.004               | 0.004             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.004               | 0.004             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.004               | 0.004             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.004               | 0.004             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.004               | 0.004             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.003               | 0.003             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.003               | 0.003             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.003               | 0.003             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |           |  |     |               |      |        |
|---------------------|-----------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県       |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合 |  |     |               |      |        |
| 料率地域区分              | 000       |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分    |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去未被覆C |  |     | 0.007         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 0.017               | 0.017             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 0.013               | 0.013             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 0.013               | 0.013             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 0.013               | 0.013             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 0.012               | 0.012             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 0.012               | 0.012             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 0.012               | 0.012             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 0.012               | 0.012             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 0.011               | 0.011             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 0.011               | 0.011             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 0.011               | 0.011             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 0.011               | 0.011             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 0.010               | 0.010             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 0.010               | 0.010             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 0.010               | 0.010             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 0.010               | 0.010             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 0.009               | 0.009             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 0.009               | 0.009             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 0.009               | 0.009             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 0.009               | 0.009             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 0.008               | 0.008             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 0.008               | 0.008             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 0.008               | 0.008             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 0.008               | 0.008             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 0.007               | 0.007             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 0.007               | 0.007             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 0.007               | 0.007             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 0.007               | 0.007             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 0.006               | 0.006             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 0.006               | 0.006             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 0.006               | 0.006             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 0.006               | 0.006             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 0.005               | 0.005             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 0.005               | 0.005             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 0.005               | 0.005             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 0.005               | 0.005             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 0.004               | 0.004             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 0.004               | 0.004             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 0.004               | 0.004             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 0.004               | 0.004             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 0.003               | 0.003             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |             | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |             |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |             | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分      |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆C集団 |         |                     |                   | 0.007   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前         | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151 | 0.017               | 0.017             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467 | 0.013               | 0.013             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435 | 0.013               | 0.013             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404 | 0.013               | 0.013             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372 | 0.012               | 0.012             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341 | 0.012               | 0.012             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310 | 0.012               | 0.012             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278 | 0.012               | 0.012             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247 | 0.011               | 0.011             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215 | 0.011               | 0.011             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184 | 0.011               | 0.011             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153 | 0.011               | 0.011             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121 | 0.010               | 0.010             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090 | 0.010               | 0.010             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058 | 0.010               | 0.010             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027 | 0.010               | 0.010             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996 | 0.009               | 0.009             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964 | 0.009               | 0.009             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933 | 0.009               | 0.009             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901 | 0.009               | 0.009             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870 | 0.008               | 0.008             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839 | 0.008               | 0.008             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807 | 0.008               | 0.008             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776 | 0.008               | 0.008             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744 | 0.007               | 0.007             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713 | 0.007               | 0.007             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682 | 0.007               | 0.007             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650 | 0.007               | 0.007             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619 | 0.006               | 0.006             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588 | 0.006               | 0.006             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556 | 0.006               | 0.006             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525 | 0.006               | 0.006             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493 | 0.005               | 0.005             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462 | 0.005               | 0.005             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431 | 0.005               | 0.005             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399 | 0.005               | 0.005             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368 | 0.004               | 0.004             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336 | 0.004               | 0.004             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305 | 0.004               | 0.004             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274 | 0.004               | 0.004             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000 | 0.003               | 0.003             |         |  |
|                     |                    |           | 平均値         |         |                     |                   |         |  |
|                     |                    |           | 57.88778    | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |             |  |     |               |      |        |
|---------------------|-------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県         |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合   |  |     |               |      |        |
| 料率地域区分              | 000         |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分      |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去未被覆C補強 |  |     | 0.006         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 0.014               | 0.014             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 0.011               | 0.011             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 0.011               | 0.011             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 0.011               | 0.011             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 0.011               | 0.011             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 0.010               | 0.010             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 0.010               | 0.010             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 0.010               | 0.010             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 0.010               | 0.010             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 0.009               | 0.009             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 0.009               | 0.009             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 0.009               | 0.009             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 0.009               | 0.009             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 0.009               | 0.009             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 0.008               | 0.008             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 0.008               | 0.008             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 0.008               | 0.008             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 0.008               | 0.008             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 0.008               | 0.008             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 0.007               | 0.007             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 0.007               | 0.007             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 0.007               | 0.007             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 0.007               | 0.007             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 0.007               | 0.007             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 0.006               | 0.006             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 0.006               | 0.006             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 0.006               | 0.006             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 0.006               | 0.006             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 0.005               | 0.005             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 0.005               | 0.005             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 0.005               | 0.005             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 0.005               | 0.005             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 0.005               | 0.005             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 0.004               | 0.004             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 0.004               | 0.004             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 0.004               | 0.004             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 0.004               | 0.004             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 0.004               | 0.004             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 0.003               | 0.003             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 0.003               | 0.003             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 0.003               | 0.003             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |               |                     |                   |
|---------------------|--------------------|-----------|---------------|---------------|---------------------|-------------------|
| 都道府県名               |                    | 兵庫県       |               | 共済事業   園芸施設共済 |                     |                   |
| 組合等名                |                    | 兵庫県農業共済組合 |               |               |                     |                   |
| 料率地域区分              |                    | 000       |               | 地域名           | 00000 都道府県の区域       |                   |
| 施設区分                |                    |           | 共済掛金区分        |               |                     | 共済掛金標準率           |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆C補強集団 |               |                     | 0.006             |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前           | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151       | 0.014               | 0.014             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467       | 0.011               | 0.011             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435       | 0.011               | 0.011             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404       | 0.011               | 0.011             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372       | 0.011               | 0.011             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341       | 0.010               | 0.010             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310       | 0.010               | 0.010             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278       | 0.010               | 0.010             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247       | 0.010               | 0.010             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215       | 0.009               | 0.009             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184       | 0.009               | 0.009             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153       | 0.009               | 0.009             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121       | 0.009               | 0.009             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090       | 0.009               | 0.009             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058       | 0.008               | 0.008             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027       | 0.008               | 0.008             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996       | 0.008               | 0.008             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964       | 0.008               | 0.008             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933       | 0.008               | 0.008             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901       | 0.007               | 0.007             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870       | 0.007               | 0.007             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839       | 0.007               | 0.007             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807       | 0.007               | 0.007             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776       | 0.007               | 0.007             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744       | 0.006               | 0.006             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713       | 0.006               | 0.006             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682       | 0.006               | 0.006             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650       | 0.006               | 0.006             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619       | 0.005               | 0.005             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588       | 0.005               | 0.005             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556       | 0.005               | 0.005             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525       | 0.005               | 0.005             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493       | 0.005               | 0.005             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462       | 0.004               | 0.004             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431       | 0.004               | 0.004             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399       | 0.004               | 0.004             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368       | 0.004               | 0.004             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336       | 0.004               | 0.004             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305       | 0.003               | 0.003             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274       | 0.003               | 0.003             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000       | 0.003               | 0.003             |
|                     |                    |           | 平均値           |               |                     |                   |
|                     |                    |           | 57.88778      | 2.00000       |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆D |         |                     |                   | 0.004   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.009               | 0.009             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.007               | 0.007             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.007               | 0.007             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.007               | 0.007             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.007               | 0.007             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.007               | 0.007             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.007               | 0.007             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.007               | 0.007             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.006               | 0.006             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.006               | 0.006             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.006               | 0.006             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.006               | 0.006             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.006               | 0.006             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.006               | 0.006             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.006               | 0.006             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.005               | 0.005             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.005               | 0.005             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.005               | 0.005             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.005               | 0.005             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.005               | 0.005             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.005               | 0.005             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.005               | 0.005             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.004               | 0.004             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.004               | 0.004             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.004               | 0.004             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.004               | 0.004             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.004               | 0.004             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.004               | 0.004             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.004               | 0.004             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.003               | 0.003             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.003               | 0.003             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.003               | 0.003             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.003               | 0.003             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |             | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |             |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |             | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分      |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆D集団 |         |                     |                   | 0.004   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前         | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151 | 0.009               | 0.009             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467 | 0.007               | 0.007             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435 | 0.007               | 0.007             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404 | 0.007               | 0.007             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372 | 0.007               | 0.007             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341 | 0.007               | 0.007             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310 | 0.007               | 0.007             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278 | 0.007               | 0.007             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247 | 0.006               | 0.006             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215 | 0.006               | 0.006             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184 | 0.006               | 0.006             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153 | 0.006               | 0.006             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121 | 0.006               | 0.006             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090 | 0.006               | 0.006             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058 | 0.006               | 0.006             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027 | 0.005               | 0.005             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996 | 0.005               | 0.005             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964 | 0.005               | 0.005             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933 | 0.005               | 0.005             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901 | 0.005               | 0.005             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870 | 0.005               | 0.005             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839 | 0.005               | 0.005             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807 | 0.004               | 0.004             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776 | 0.004               | 0.004             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744 | 0.004               | 0.004             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713 | 0.004               | 0.004             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682 | 0.004               | 0.004             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650 | 0.004               | 0.004             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619 | 0.004               | 0.004             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525 | 0.003               | 0.003             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493 | 0.003               | 0.003             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462 | 0.003               | 0.003             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431 | 0.003               | 0.003             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値         |         |                     |                   |         |  |
|                     |                    |           | 57.88778    | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去未被覆D補強        |           |           | 0.003         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.007               | 0.007             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.006               | 0.006             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.005               | 0.005             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.005               | 0.005             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.005               | 0.005             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.005               | 0.005             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.005               | 0.005             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.005               | 0.005             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.005               | 0.005             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.005               | 0.005             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.005               | 0.005             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.005               | 0.005             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.004               | 0.004             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.004               | 0.004             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.004               | 0.004             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.004               | 0.004             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.004               | 0.004             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.004               | 0.004             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.004               | 0.004             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.004               | 0.004             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.004               | 0.004             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.003               | 0.003             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.003               | 0.003             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.003               | 0.003             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.003               | 0.003             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.003               | 0.003             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.003               | 0.003             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.003               | 0.003             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.003               | 0.003             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.003               | 0.003             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.003               | 0.003             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.002               | 0.002             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.002               | 0.002             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.002               | 0.002             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.002               | 0.002             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.002               | 0.002             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.002               | 0.002             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.002               | 0.002             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.002               | 0.002             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.002               | 0.002             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.001               | 0.001             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆D補強集団 |         |                     |                   | 0.003   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.007               | 0.007             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.006               | 0.006             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.005               | 0.005             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.005               | 0.005             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.005               | 0.005             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.005               | 0.005             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.005               | 0.005             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.005               | 0.005             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.005               | 0.005             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.005               | 0.005             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.005               | 0.005             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.005               | 0.005             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.004               | 0.004             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.004               | 0.004             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.004               | 0.004             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.004               | 0.004             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.004               | 0.004             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.004               | 0.004             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.004               | 0.004             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.004               | 0.004             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.004               | 0.004             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.003               | 0.003             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.003               | 0.003             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.003               | 0.003             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.003               | 0.003             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.003               | 0.003             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.003               | 0.003             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.003               | 0.003             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.003               | 0.003             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.003               | 0.003             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.002               | 0.002             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.002               | 0.002             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.002               | 0.002             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.002               | 0.002             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆E |         |                     |                   | 0.003   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.007               | 0.007             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.006               | 0.006             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.005               | 0.005             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.005               | 0.005             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.005               | 0.005             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.005               | 0.005             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.005               | 0.005             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.005               | 0.005             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.005               | 0.005             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.005               | 0.005             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.005               | 0.005             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.005               | 0.005             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.004               | 0.004             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.004               | 0.004             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.004               | 0.004             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.004               | 0.004             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.004               | 0.004             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.004               | 0.004             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.004               | 0.004             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.004               | 0.004             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.004               | 0.004             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.003               | 0.003             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.003               | 0.003             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.003               | 0.003             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.003               | 0.003             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.003               | 0.003             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.003               | 0.003             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.003               | 0.003             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.003               | 0.003             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.003               | 0.003             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.002               | 0.002             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.002               | 0.002             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.002               | 0.002             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.002               | 0.002             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去未被覆E集団        |           |           | 0.003         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.007               | 0.007             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.006               | 0.006             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.005               | 0.005             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.005               | 0.005             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.005               | 0.005             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.005               | 0.005             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.005               | 0.005             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.005               | 0.005             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.005               | 0.005             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.005               | 0.005             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.005               | 0.005             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.005               | 0.005             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.004               | 0.004             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.004               | 0.004             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.004               | 0.004             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.004               | 0.004             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.004               | 0.004             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.004               | 0.004             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.004               | 0.004             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.004               | 0.004             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.004               | 0.004             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.003               | 0.003             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.003               | 0.003             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.003               | 0.003             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.003               | 0.003             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.003               | 0.003             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.003               | 0.003             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.003               | 0.003             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.003               | 0.003             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.003               | 0.003             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.003               | 0.003             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.002               | 0.002             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.002               | 0.002             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.002               | 0.002             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.002               | 0.002             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.002               | 0.002             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.002               | 0.002             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.002               | 0.002             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.002               | 0.002             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.002               | 0.002             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.001               | 0.001             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去未被覆E補強        |           |           | 0.003         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 0.007               | 0.007             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 0.006               | 0.006             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 0.005               | 0.005             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 0.005               | 0.005             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 0.005               | 0.005             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.005               | 0.005             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.005               | 0.005             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.005               | 0.005             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.005               | 0.005             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.005               | 0.005             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.005               | 0.005             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.005               | 0.005             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.004               | 0.004             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.004               | 0.004             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.004               | 0.004             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.004               | 0.004             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.004               | 0.004             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.004               | 0.004             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.004               | 0.004             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.004               | 0.004             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.004               | 0.004             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.003               | 0.003             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.003               | 0.003             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.003               | 0.003             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.003               | 0.003             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.003               | 0.003             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.003               | 0.003             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.003               | 0.003             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.003               | 0.003             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.003               | 0.003             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.003               | 0.003             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.002               | 0.002             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.002               | 0.002             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.002               | 0.002             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.002               | 0.002             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.002               | 0.002             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.002               | 0.002             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.002               | 0.002             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.002               | 0.002             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.002               | 0.002             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.001               | 0.001             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆E補強集団 |         |                     |                   | 0.002   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.005               | 0.005             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.004               | 0.004             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.004               | 0.004             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.004               | 0.004             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.004               | 0.004             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.003               | 0.003             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.003               | 0.003             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.003               | 0.003             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.003               | 0.003             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.003               | 0.003             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.003               | 0.003             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.003               | 0.003             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.003               | 0.003             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.003               | 0.003             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.003               | 0.003             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.003               | 0.003             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.003               | 0.003             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.003               | 0.003             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.003               | 0.003             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.002               | 0.002             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.002               | 0.002             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.002               | 0.002             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.002               | 0.002             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.002               | 0.002             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.002               | 0.002             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.002               | 0.002             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.002               | 0.002             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.002               | 0.002             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.002               | 0.002             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.002               | 0.002             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.002               | 0.002             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.001               | 0.001             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.001               | 0.001             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.001               | 0.001             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.001               | 0.001             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.001               | 0.001             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.001               | 0.001             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.001               | 0.001             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去未被覆F          |           |           | 0.011         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.026               | 0.026             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.020               | 0.020             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.020               | 0.020             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.020               | 0.020             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.019               | 0.019             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.019               | 0.019             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.019               | 0.019             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.018               | 0.018             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.018               | 0.018             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.017               | 0.017             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.017               | 0.017             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.017               | 0.017             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.016               | 0.016             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.016               | 0.016             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.015               | 0.015             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.015               | 0.015             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.015               | 0.015             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.014               | 0.014             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.014               | 0.014             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.014               | 0.014             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.013               | 0.013             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.013               | 0.013             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.012               | 0.012             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.012               | 0.012             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.012               | 0.012             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.011               | 0.011             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.011               | 0.011             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.010               | 0.010             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.010               | 0.010             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.010               | 0.010             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.009               | 0.009             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.009               | 0.009             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.008               | 0.008             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.008               | 0.008             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.008               | 0.008             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.007               | 0.007             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.007               | 0.007             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.007               | 0.007             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.006               | 0.006             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.006               | 0.006             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.005               | 0.005             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |             |  |     |               |      |        |
|---------------------|-------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県         |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合   |  |     |               |      |        |
| 料率地域区分              | 000         |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分      |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去未被覆F集団 |  |     | 0.010         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.024               | 0.024             |
| 19         | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.019               | 0.019             |
| 18         | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.018               | 0.018             |
| 17         | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.018               | 0.018             |
| 16         | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.018               | 0.018             |
| 15         | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.017               | 0.017             |
| 14         | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.017               | 0.017             |
| 13         | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.017               | 0.017             |
| 12         | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.016               | 0.016             |
| 11         | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.016               | 0.016             |
| 10         | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.015               | 0.015             |
| 09         | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.015               | 0.015             |
| 08         | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.015               | 0.015             |
| 07         | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.014               | 0.014             |
| 06         | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.014               | 0.014             |
| 05         | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.014               | 0.014             |
| 04         | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.013               | 0.013             |
| 03         | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.013               | 0.013             |
| 02         | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.013               | 0.013             |
| 01         | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.012               | 0.012             |
| 00         | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.012               | 0.012             |
| -01        | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.012               | 0.012             |
| -02        | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.011               | 0.011             |
| -03        | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.011               | 0.011             |
| -04        | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.011               | 0.011             |
| -05        | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.010               | 0.010             |
| -06        | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.010               | 0.010             |
| -07        | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.009               | 0.009             |
| -08        | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.009               | 0.009             |
| -09        | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.009               | 0.009             |
| -10        | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.008               | 0.008             |
| -11        | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.008               | 0.008             |
| -12        | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.008               | 0.008             |
| -13        | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.007               | 0.007             |
| -14        | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.007               | 0.007             |
| -15        | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.007               | 0.007             |
| -16        | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.006               | 0.006             |
| -17        | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.006               | 0.006             |
| -18        | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.006               | 0.006             |
| -19        | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.005               | 0.005             |
| -20        | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.005               | 0.005             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |             |  |     |               |      |        |
|---------------------|-------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県         |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合   |  |     |               |      |        |
| 料率地域区分              | 000         |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分      |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去未被覆F補強 |  |     | 0.009         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 0.021               | 0.021             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 0.017               | 0.017             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 0.016               | 0.016             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 0.016               | 0.016             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 0.016               | 0.016             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 0.015               | 0.015             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 0.015               | 0.015             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 0.015               | 0.015             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 0.015               | 0.015             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 0.014               | 0.014             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 0.014               | 0.014             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 0.014               | 0.014             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 0.013               | 0.013             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 0.013               | 0.013             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 0.013               | 0.013             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 0.012               | 0.012             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 0.012               | 0.012             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 0.012               | 0.012             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 0.011               | 0.011             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 0.011               | 0.011             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 0.011               | 0.011             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 0.010               | 0.010             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 0.010               | 0.010             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 0.010               | 0.010             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 0.009               | 0.009             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 0.009               | 0.009             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 0.009               | 0.009             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 0.009               | 0.009             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 0.008               | 0.008             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 0.008               | 0.008             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 0.008               | 0.008             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 0.007               | 0.007             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 0.007               | 0.007             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 0.007               | 0.007             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 0.006               | 0.006             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 0.006               | 0.006             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 0.006               | 0.006             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 0.005               | 0.005             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 0.005               | 0.005             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 0.005               | 0.005             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 0.004               | 0.004             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去未被覆F補強集団 |         |                     |                   | 0.009   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.021               | 0.021             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.017               | 0.017             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.016               | 0.016             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.016               | 0.016             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.016               | 0.016             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.015               | 0.015             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.015               | 0.015             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.015               | 0.015             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.015               | 0.015             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.014               | 0.014             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.014               | 0.014             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.014               | 0.014             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.013               | 0.013             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.013               | 0.013             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.013               | 0.013             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.012               | 0.012             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.012               | 0.012             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.012               | 0.012             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.011               | 0.011             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.011               | 0.011             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.011               | 0.011             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.010               | 0.010             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.010               | 0.010             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.010               | 0.010             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.009               | 0.009             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.009               | 0.009             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.009               | 0.009             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.009               | 0.009             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.008               | 0.008             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.008               | 0.008             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.008               | 0.008             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.007               | 0.007             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.007               | 0.007             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.007               | 0.007             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.006               | 0.006             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.006               | 0.006             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.006               | 0.006             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.005               | 0.005             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.005               | 0.005             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.005               | 0.005             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.004               | 0.004             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆A  |         |                     |                   | 1.067   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 2.524               | 2.524             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 1.987               | 1.987             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 1.950               | 1.950             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 1.912               | 1.912             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 1.875               | 1.875             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 1.837               | 1.837             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 1.800               | 1.800             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 1.762               | 1.762             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 1.725               | 1.725             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 1.687               | 1.687             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 1.649               | 1.649             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 1.612               | 1.612             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 1.574               | 1.574             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 1.537               | 1.537             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 1.499               | 1.499             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 1.462               | 1.462             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 1.424               | 1.424             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 1.387               | 1.387             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 1.349               | 1.349             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 1.312               | 1.312             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 1.274               | 1.274             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 1.237               | 1.237             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 1.199               | 1.199             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 1.162               | 1.162             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 1.124               | 1.124             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 1.087               | 1.087             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 1.049               | 1.049             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 1.012               | 1.012             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.974               | 0.974             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.937               | 0.937             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.899               | 0.899             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.862               | 0.862             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.824               | 0.824             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.787               | 0.787             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.749               | 0.749             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.712               | 0.712             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.674               | 0.674             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.637               | 0.637             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.599               | 0.599             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.562               | 0.562             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.533               | 0.533             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆A集団 |         |                     |                   | 1.014   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 2.399               | 2.399             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 1.888               | 1.888             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 1.853               | 1.853             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 1.817               | 1.817             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 1.781               | 1.781             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 1.746               | 1.746             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 1.710               | 1.710             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 1.675               | 1.675             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 1.639               | 1.639             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 1.603               | 1.603             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 1.568               | 1.568             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 1.532               | 1.532             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 1.496               | 1.496             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 1.461               | 1.461             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 1.425               | 1.425             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 1.389               | 1.389             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 1.354               | 1.354             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 1.318               | 1.318             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 1.282               | 1.282             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 1.247               | 1.247             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 1.211               | 1.211             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 1.175               | 1.175             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 1.140               | 1.140             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 1.104               | 1.104             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 1.068               | 1.068             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 1.033               | 1.033             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.997               | 0.997             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.962               | 0.962             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.926               | 0.926             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.890               | 0.890             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.855               | 0.855             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.819               | 0.819             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.783               | 0.783             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.748               | 0.748             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.712               | 0.712             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.676               | 0.676             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.641               | 0.641             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.605               | 0.605             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.569               | 0.569             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.534               | 0.534             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.507               | 0.507             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆A補強 |         |                     |                   | 0.907   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 2.146               | 2.146             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 1.689               | 1.689             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 1.657               | 1.657             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 1.625               | 1.625             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 1.593               | 1.593             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 1.562               | 1.562             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 1.530               | 1.530             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 1.498               | 1.498             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 1.466               | 1.466             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 1.434               | 1.434             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 1.402               | 1.402             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 1.370               | 1.370             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 1.338               | 1.338             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 1.306               | 1.306             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 1.275               | 1.275             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 1.243               | 1.243             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 1.211               | 1.211             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 1.179               | 1.179             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 1.147               | 1.147             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 1.115               | 1.115             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 1.083               | 1.083             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 1.051               | 1.051             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 1.019               | 1.019             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.988               | 0.988             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.956               | 0.956             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.924               | 0.924             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.892               | 0.892             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.860               | 0.860             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.828               | 0.828             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.796               | 0.796             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.764               | 0.764             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.733               | 0.733             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.701               | 0.701             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.669               | 0.669             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.637               | 0.637             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.605               | 0.605             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.573               | 0.573             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.541               | 0.541             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.509               | 0.509             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.477               | 0.477             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.453               | 0.453             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |              |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|--------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |              |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名          | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分       | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆A補強集団 | 0.862         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前          | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151       | 2.039               | 2.039             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467       | 1.605               | 1.605             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435       | 1.575               | 1.575             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404       | 1.545               | 1.545             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372       | 1.514               | 1.514             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341       | 1.484               | 1.484             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310       | 1.454               | 1.454             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278       | 1.423               | 1.423             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247       | 1.393               | 1.393             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215       | 1.363               | 1.363             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184       | 1.333               | 1.333             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153       | 1.302               | 1.302             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121       | 1.272               | 1.272             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090       | 1.242               | 1.242             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058       | 1.211               | 1.211             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027       | 1.181               | 1.181             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996       | 1.151               | 1.151             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964       | 1.120               | 1.120             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933       | 1.090               | 1.090             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901       | 1.060               | 1.060             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870       | 1.030               | 1.030             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839       | 0.999               | 0.999             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807       | 0.969               | 0.969             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776       | 0.939               | 0.939             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744       | 0.908               | 0.908             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713       | 0.878               | 0.878             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682       | 0.848               | 0.848             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650       | 0.817               | 0.817             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619       | 0.787               | 0.787             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588       | 0.757               | 0.757             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556       | 0.726               | 0.726             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525       | 0.696               | 0.696             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493       | 0.666               | 0.666             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462       | 0.636               | 0.636             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431       | 0.605               | 0.605             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399       | 0.575               | 0.575             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368       | 0.545               | 0.545             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336       | 0.514               | 0.514             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305       | 0.484               | 0.484             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274       | 0.454               | 0.454             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000       | 0.431               | 0.431             |
|                     |                    |           | 平均値          |               |                     |                   |
|                     |                    |           | 57.88778     | 2.00000       |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去被覆B           |           |           | 0.573         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 1.356               | 1.356             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 1.067               | 1.067             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 1.047               | 1.047             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 1.027               | 1.027             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 1.007               | 1.007             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.987               | 0.987             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.966               | 0.966             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.946               | 0.946             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.926               | 0.926             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.906               | 0.906             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.886               | 0.886             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.866               | 0.866             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.846               | 0.846             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.825               | 0.825             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.805               | 0.805             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.785               | 0.785             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.765               | 0.765             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.745               | 0.745             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.725               | 0.725             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.705               | 0.705             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.684               | 0.684             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.664               | 0.664             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.644               | 0.644             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.624               | 0.624             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.604               | 0.604             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.584               | 0.584             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.563               | 0.563             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.543               | 0.543             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.523               | 0.523             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.503               | 0.503             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.483               | 0.483             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.463               | 0.463             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.443               | 0.443             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.422               | 0.422             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.402               | 0.402             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.382               | 0.382             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.362               | 0.362             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.342               | 0.342             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.322               | 0.322             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.302               | 0.302             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.286               | 0.286             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆B集団 |         |                     |                   | 0.544   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 1.287               | 1.287             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 1.013               | 1.013             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 0.994               | 0.994             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 0.975               | 0.975             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 0.956               | 0.956             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 0.937               | 0.937             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 0.917               | 0.917             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 0.898               | 0.898             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 0.879               | 0.879             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 0.860               | 0.860             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 0.841               | 0.841             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.822               | 0.822             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.803               | 0.803             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.784               | 0.784             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.764               | 0.764             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.745               | 0.745             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.726               | 0.726             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.707               | 0.707             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.688               | 0.688             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.669               | 0.669             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.650               | 0.650             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.631               | 0.631             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.611               | 0.611             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.592               | 0.592             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.573               | 0.573             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.554               | 0.554             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.535               | 0.535             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.516               | 0.516             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.497               | 0.497             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.478               | 0.478             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.458               | 0.458             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.439               | 0.439             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.420               | 0.420             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.401               | 0.401             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.382               | 0.382             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.363               | 0.363             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.344               | 0.344             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.325               | 0.325             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.305               | 0.305             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.286               | 0.286             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.272               | 0.272             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆B補強 |         |                     |                   | 0.487   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 1.152               | 1.152             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 0.907               | 0.907             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 0.890               | 0.890             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 0.873               | 0.873             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 0.856               | 0.856             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 0.838               | 0.838             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 0.821               | 0.821             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 0.804               | 0.804             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 0.787               | 0.787             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 0.770               | 0.770             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 0.753               | 0.753             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.736               | 0.736             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.719               | 0.719             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.701               | 0.701             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.684               | 0.684             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.667               | 0.667             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.650               | 0.650             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.633               | 0.633             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.616               | 0.616             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.599               | 0.599             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.582               | 0.582             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.565               | 0.565             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.547               | 0.547             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.530               | 0.530             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.513               | 0.513             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.496               | 0.496             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.479               | 0.479             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.462               | 0.462             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.445               | 0.445             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.428               | 0.428             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.410               | 0.410             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.393               | 0.393             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.376               | 0.376             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.359               | 0.359             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.342               | 0.342             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.325               | 0.325             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.308               | 0.308             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.291               | 0.291             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.273               | 0.273             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.256               | 0.256             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.243               | 0.243             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆B補強集団 |         |                     |                   | 0.463   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 1.095               | 1.095             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.862               | 0.862             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.846               | 0.846             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.830               | 0.830             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.813               | 0.813             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.797               | 0.797             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.781               | 0.781             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.765               | 0.765             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.748               | 0.748             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.732               | 0.732             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.716               | 0.716             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.699               | 0.699             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.683               | 0.683             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.667               | 0.667             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.651               | 0.651             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.634               | 0.634             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.618               | 0.618             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.602               | 0.602             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.586               | 0.586             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.569               | 0.569             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.553               | 0.553             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.537               | 0.537             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.520               | 0.520             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.504               | 0.504             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.488               | 0.488             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.472               | 0.472             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.455               | 0.455             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.439               | 0.439             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.423               | 0.423             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.406               | 0.406             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.390               | 0.390             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.374               | 0.374             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.358               | 0.358             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.341               | 0.341             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.325               | 0.325             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.309               | 0.309             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.293               | 0.293             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.276               | 0.276             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.260               | 0.260             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.244               | 0.244             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.231               | 0.231             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |           |  |     |               |      |        |
|---------------------|-----------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県       |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合 |  |     |               |      |        |
| 料率地域区分              | 000       |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分    |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去被覆C  |  |     | 0.357         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.845               | 0.845             |
| 19         | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.665               | 0.665             |
| 18         | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.652               | 0.652             |
| 17         | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.640               | 0.640             |
| 16         | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.627               | 0.627             |
| 15         | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.615               | 0.615             |
| 14         | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.602               | 0.602             |
| 13         | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.590               | 0.590             |
| 12         | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.577               | 0.577             |
| 11         | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.564               | 0.564             |
| 10         | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.552               | 0.552             |
| 09         | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.539               | 0.539             |
| 08         | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.527               | 0.527             |
| 07         | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.514               | 0.514             |
| 06         | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.502               | 0.502             |
| 05         | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.489               | 0.489             |
| 04         | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.477               | 0.477             |
| 03         | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.464               | 0.464             |
| 02         | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.451               | 0.451             |
| 01         | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.439               | 0.439             |
| 00         | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.426               | 0.426             |
| -01        | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.414               | 0.414             |
| -02        | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.401               | 0.401             |
| -03        | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.389               | 0.389             |
| -04        | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.376               | 0.376             |
| -05        | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.364               | 0.364             |
| -06        | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.351               | 0.351             |
| -07        | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.339               | 0.339             |
| -08        | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.326               | 0.326             |
| -09        | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.313               | 0.313             |
| -10        | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.301               | 0.301             |
| -11        | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.288               | 0.288             |
| -12        | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.276               | 0.276             |
| -13        | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.263               | 0.263             |
| -14        | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.251               | 0.251             |
| -15        | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.238               | 0.238             |
| -16        | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.226               | 0.226             |
| -17        | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.213               | 0.213             |
| -18        | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.200               | 0.200             |
| -19        | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.188               | 0.188             |
| -20        | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.178               | 0.178             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆C集団 |         |                     |                   | 0.339   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 0.802               | 0.802             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 0.631               | 0.631             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 0.619               | 0.619             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 0.607               | 0.607             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 0.596               | 0.596             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 0.584               | 0.584             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 0.572               | 0.572             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 0.560               | 0.560             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 0.548               | 0.548             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 0.536               | 0.536             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 0.524               | 0.524             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.512               | 0.512             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.500               | 0.500             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.488               | 0.488             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.476               | 0.476             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.464               | 0.464             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.453               | 0.453             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.441               | 0.441             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.429               | 0.429             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.417               | 0.417             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.405               | 0.405             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.393               | 0.393             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.381               | 0.381             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.369               | 0.369             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.357               | 0.357             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.345               | 0.345             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.333               | 0.333             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.321               | 0.321             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.310               | 0.310             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.298               | 0.298             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.286               | 0.286             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.274               | 0.274             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.262               | 0.262             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.250               | 0.250             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.238               | 0.238             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.226               | 0.226             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.214               | 0.214             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.202               | 0.202             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.190               | 0.190             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.178               | 0.178             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.169               | 0.169             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去被覆C補強         |           |           | 0.303         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.717               | 0.717             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.564               | 0.564             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.554               | 0.554             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.543               | 0.543             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.532               | 0.532             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.522               | 0.522             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.511               | 0.511             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.500               | 0.500             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.490               | 0.490             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.479               | 0.479             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.468               | 0.468             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.458               | 0.458             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.447               | 0.447             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.436               | 0.436             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.426               | 0.426             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.415               | 0.415             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.404               | 0.404             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.394               | 0.394             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.383               | 0.383             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.373               | 0.373             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.362               | 0.362             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.351               | 0.351             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.341               | 0.341             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.330               | 0.330             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.319               | 0.319             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.309               | 0.309             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.298               | 0.298             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.287               | 0.287             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.277               | 0.277             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.266               | 0.266             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.255               | 0.255             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.245               | 0.245             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.234               | 0.234             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.223               | 0.223             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.213               | 0.213             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.202               | 0.202             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.191               | 0.191             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.181               | 0.181             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.170               | 0.170             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.159               | 0.159             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.151               | 0.151             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去被覆C補強集団       |           |           | 0.288         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.681               | 0.681             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.536               | 0.536             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.526               | 0.526             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.516               | 0.516             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.506               | 0.506             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.496               | 0.496             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.486               | 0.486             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.476               | 0.476             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.465               | 0.465             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.455               | 0.455             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.445               | 0.445             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.435               | 0.435             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.425               | 0.425             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.415               | 0.415             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.405               | 0.405             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.395               | 0.395             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.384               | 0.384             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.374               | 0.374             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.364               | 0.364             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.354               | 0.354             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.344               | 0.344             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.334               | 0.334             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.324               | 0.324             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.314               | 0.314             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.303               | 0.303             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.293               | 0.293             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.283               | 0.283             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.273               | 0.273             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.263               | 0.263             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.253               | 0.253             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.243               | 0.243             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.233               | 0.233             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.222               | 0.222             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.212               | 0.212             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.202               | 0.202             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.192               | 0.192             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.182               | 0.182             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.172               | 0.172             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.162               | 0.162             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.152               | 0.152             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.144               | 0.144             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去被覆D           |           |           | 0.210         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.497               | 0.497             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.391               | 0.391             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.384               | 0.384             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.376               | 0.376             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.369               | 0.369             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.362               | 0.362             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.354               | 0.354             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.347               | 0.347             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.339               | 0.339             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.332               | 0.332             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.325               | 0.325             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.317               | 0.317             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.310               | 0.310             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.302               | 0.302             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.295               | 0.295             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.288               | 0.288             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.280               | 0.280             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.273               | 0.273             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.266               | 0.266             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.258               | 0.258             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.251               | 0.251             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.243               | 0.243             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.236               | 0.236             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.229               | 0.229             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.221               | 0.221             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.214               | 0.214             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.207               | 0.207             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.199               | 0.199             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.192               | 0.192             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.184               | 0.184             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.177               | 0.177             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.170               | 0.170             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.162               | 0.162             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.155               | 0.155             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.147               | 0.147             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.140               | 0.140             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.133               | 0.133             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.125               | 0.125             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.118               | 0.118             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.111               | 0.111             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.105               | 0.105             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |           |  |            |               |      |        |
|---------------------|-----------|--|------------|---------------|------|--------|
| 都道府県名               | 兵庫県       |  |            |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合 |  |            |               |      |        |
| 料率地域区分              | 000       |  | 地域名        | 00000 都道府県の区域 |      |        |
| 施設区分                |           |  | 共済掛金区分     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) |           |  | プラⅡ撤去被覆D集団 | 0.200         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 0.473               | 0.473             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 0.372               | 0.372             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 0.365               | 0.365             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 0.358               | 0.358             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 0.351               | 0.351             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 0.344               | 0.344             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 0.337               | 0.337             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 0.330               | 0.330             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 0.323               | 0.323             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 0.316               | 0.316             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 0.309               | 0.309             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 0.302               | 0.302             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 0.295               | 0.295             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 0.288               | 0.288             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 0.281               | 0.281             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 0.274               | 0.274             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 0.267               | 0.267             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 0.260               | 0.260             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 0.253               | 0.253             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 0.246               | 0.246             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 0.239               | 0.239             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 0.232               | 0.232             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 0.225               | 0.225             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 0.218               | 0.218             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 0.211               | 0.211             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 0.204               | 0.204             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 0.197               | 0.197             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 0.190               | 0.190             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 0.183               | 0.183             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 0.176               | 0.176             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 0.169               | 0.169             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 0.162               | 0.162             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 0.154               | 0.154             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 0.147               | 0.147             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 0.140               | 0.140             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 0.133               | 0.133             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 0.126               | 0.126             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 0.119               | 0.119             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 0.112               | 0.112             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 0.105               | 0.105             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 0.100               | 0.100             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆D補強 |         |                     |                   | 0.179   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 0.423               | 0.423             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 0.333               | 0.333             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 0.327               | 0.327             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 0.321               | 0.321             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 0.314               | 0.314             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 0.308               | 0.308             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 0.302               | 0.302             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 0.296               | 0.296             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 0.289               | 0.289             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 0.283               | 0.283             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 0.277               | 0.277             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.270               | 0.270             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.264               | 0.264             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.258               | 0.258             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.252               | 0.252             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.245               | 0.245             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.239               | 0.239             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.233               | 0.233             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.226               | 0.226             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.220               | 0.220             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.214               | 0.214             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.207               | 0.207             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.201               | 0.201             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.195               | 0.195             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.189               | 0.189             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.182               | 0.182             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.176               | 0.176             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.170               | 0.170             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.163               | 0.163             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.157               | 0.157             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.151               | 0.151             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.145               | 0.145             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.138               | 0.138             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.132               | 0.132             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.126               | 0.126             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.119               | 0.119             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.113               | 0.113             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.107               | 0.107             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.101               | 0.101             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.094               | 0.094             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.089               | 0.089             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去被覆D補強集団       |           |           | 0.170         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.402               | 0.402             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.317               | 0.317             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.311               | 0.311             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.305               | 0.305             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.299               | 0.299             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.293               | 0.293             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.287               | 0.287             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.281               | 0.281             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.275               | 0.275             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.269               | 0.269             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.263               | 0.263             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.257               | 0.257             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.251               | 0.251             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.245               | 0.245             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.239               | 0.239             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.233               | 0.233             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.227               | 0.227             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.221               | 0.221             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.215               | 0.215             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.209               | 0.209             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.203               | 0.203             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.197               | 0.197             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.191               | 0.191             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.185               | 0.185             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.179               | 0.179             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.173               | 0.173             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.167               | 0.167             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.161               | 0.161             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.155               | 0.155             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.149               | 0.149             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.143               | 0.143             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.137               | 0.137             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.131               | 0.131             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.125               | 0.125             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.119               | 0.119             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.113               | 0.113             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.107               | 0.107             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.101               | 0.101             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.095               | 0.095             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.089               | 0.089             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.085               | 0.085             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |             |               |                     |                   |
|---------------------|--------------------|-----------|-------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           | 共済事業 園芸施設共済 |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |             | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去被覆E           |           |             | 0.004         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704   | 4.73151       | 0.009               | 0.009             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000   | 3.72467       | 0.007               | 0.007             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000   | 3.65435       | 0.007               | 0.007             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000   | 3.58404       | 0.007               | 0.007             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000   | 3.51372       | 0.007               | 0.007             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000   | 3.44341       | 0.007               | 0.007             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000   | 3.37310       | 0.007               | 0.007             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000   | 3.30278       | 0.007               | 0.007             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000   | 3.23247       | 0.006               | 0.006             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000   | 3.16215       | 0.006               | 0.006             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000   | 3.09184       | 0.006               | 0.006             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000   | 3.02153       | 0.006               | 0.006             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000   | 2.95121       | 0.006               | 0.006             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000   | 2.88090       | 0.006               | 0.006             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000   | 2.81058       | 0.006               | 0.006             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000   | 2.74027       | 0.005               | 0.005             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000    | 2.66996       | 0.005               | 0.005             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000    | 2.59964       | 0.005               | 0.005             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000    | 2.52933       | 0.005               | 0.005             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000    | 2.45901       | 0.005               | 0.005             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000    | 2.38870       | 0.005               | 0.005             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000    | 2.31839       | 0.005               | 0.005             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000    | 2.24807       | 0.004               | 0.004             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000    | 2.17776       | 0.004               | 0.004             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000    | 2.10744       | 0.004               | 0.004             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000    | 2.03713       | 0.004               | 0.004             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000    | 1.96682       | 0.004               | 0.004             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000    | 1.89650       | 0.004               | 0.004             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000    | 1.82619       | 0.004               | 0.004             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000    | 1.75588       | 0.004               | 0.004             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000    | 1.68556       | 0.003               | 0.003             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000    | 1.61525       | 0.003               | 0.003             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000    | 1.54493       | 0.003               | 0.003             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000    | 1.47462       | 0.003               | 0.003             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000    | 1.40431       | 0.003               | 0.003             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000    | 1.33399       | 0.003               | 0.003             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000    | 1.26368       | 0.003               | 0.003             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000    | 1.19336       | 0.002               | 0.002             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000     | 1.12305       | 0.002               | 0.002             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000     | 1.05274       | 0.002               | 0.002             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000     | 1.00000       | 0.002               | 0.002             |
|                     |                    |           | 平均値         |               |                     |                   |
|                     |                    |           | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |             |                     |                   |
|---------------------|--------------------|-----------|------------|-------------|---------------------|-------------------|
| 都道府県名               |                    | 兵庫県       |            | 共済事業 園芸施設共済 |                     |                   |
| 組合等名                |                    | 兵庫県農業共済組合 |            |             |                     |                   |
| 料率地域区分              |                    | 000       |            | 地域名         | 00000 都道府県の区域       |                   |
| 施設区分                |                    |           | 共済掛金区分     |             |                     | 共済掛金標準率           |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆E集団 |             |                     | 0.004             |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |             | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前        | 圧縮後         |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151     | 0.009               | 0.009             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467     | 0.007               | 0.007             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435     | 0.007               | 0.007             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404     | 0.007               | 0.007             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372     | 0.007               | 0.007             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341     | 0.007               | 0.007             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310     | 0.007               | 0.007             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278     | 0.007               | 0.007             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247     | 0.006               | 0.006             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215     | 0.006               | 0.006             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184     | 0.006               | 0.006             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153     | 0.006               | 0.006             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121     | 0.006               | 0.006             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090     | 0.006               | 0.006             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058     | 0.006               | 0.006             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027     | 0.005               | 0.005             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996     | 0.005               | 0.005             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964     | 0.005               | 0.005             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933     | 0.005               | 0.005             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901     | 0.005               | 0.005             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870     | 0.005               | 0.005             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839     | 0.005               | 0.005             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807     | 0.004               | 0.004             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776     | 0.004               | 0.004             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744     | 0.004               | 0.004             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713     | 0.004               | 0.004             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682     | 0.004               | 0.004             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650     | 0.004               | 0.004             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619     | 0.004               | 0.004             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588     | 0.004               | 0.004             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556     | 0.003               | 0.003             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525     | 0.003               | 0.003             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493     | 0.003               | 0.003             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462     | 0.003               | 0.003             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431     | 0.003               | 0.003             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399     | 0.003               | 0.003             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368     | 0.003               | 0.003             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336     | 0.002               | 0.002             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305     | 0.002               | 0.002             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274     | 0.002               | 0.002             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000     | 0.002               | 0.002             |
|                     |                    |           | 平均値        |             |                     |                   |
|                     |                    |           | 57.88778   | 2.00000     |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |            |  |     |               |      |        |
|---------------------|------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県        |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合  |  |     |               |      |        |
| 料率地域区分              | 000        |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分     |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ撤去被覆E補強 |  |     | 0.003         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 0.007               | 0.007             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 0.006               | 0.006             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 0.005               | 0.005             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 0.005               | 0.005             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 0.005               | 0.005             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 0.005               | 0.005             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 0.005               | 0.005             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 0.005               | 0.005             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 0.005               | 0.005             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 0.005               | 0.005             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 0.005               | 0.005             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 0.005               | 0.005             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 0.004               | 0.004             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 0.004               | 0.004             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 0.004               | 0.004             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 0.004               | 0.004             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 0.004               | 0.004             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 0.004               | 0.004             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 0.004               | 0.004             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 0.004               | 0.004             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 0.004               | 0.004             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 0.003               | 0.003             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 0.003               | 0.003             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 0.003               | 0.003             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 0.003               | 0.003             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 0.003               | 0.003             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 0.003               | 0.003             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 0.003               | 0.003             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 0.003               | 0.003             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 0.003               | 0.003             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 0.003               | 0.003             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 0.002               | 0.002             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 0.002               | 0.002             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 0.002               | 0.002             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 0.002               | 0.002             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 0.002               | 0.002             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 0.002               | 0.002             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 0.002               | 0.002             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 0.002               | 0.002             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 0.002               | 0.002             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 0.001               | 0.001             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |              |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|--------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |              |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名          | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分       |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆E補強集団 |               | 0.003               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前          | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704    | 4.73151       | 0.007               | 0.007             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000    | 3.72467       | 0.006               | 0.006             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000    | 3.65435       | 0.005               | 0.005             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000    | 3.58404       | 0.005               | 0.005             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000    | 3.51372       | 0.005               | 0.005             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000    | 3.44341       | 0.005               | 0.005             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000    | 3.37310       | 0.005               | 0.005             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000    | 3.30278       | 0.005               | 0.005             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000    | 3.23247       | 0.005               | 0.005             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000    | 3.16215       | 0.005               | 0.005             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000    | 3.09184       | 0.005               | 0.005             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000    | 3.02153       | 0.005               | 0.005             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000    | 2.95121       | 0.004               | 0.004             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000    | 2.88090       | 0.004               | 0.004             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000    | 2.81058       | 0.004               | 0.004             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000    | 2.74027       | 0.004               | 0.004             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000     | 2.66996       | 0.004               | 0.004             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000     | 2.59964       | 0.004               | 0.004             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000     | 2.52933       | 0.004               | 0.004             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000     | 2.45901       | 0.004               | 0.004             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000     | 2.38870       | 0.004               | 0.004             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000     | 2.31839       | 0.003               | 0.003             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000     | 2.24807       | 0.003               | 0.003             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000     | 2.17776       | 0.003               | 0.003             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000     | 2.10744       | 0.003               | 0.003             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000     | 2.03713       | 0.003               | 0.003             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000     | 1.96682       | 0.003               | 0.003             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000     | 1.89650       | 0.003               | 0.003             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000     | 1.82619       | 0.003               | 0.003             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000     | 1.75588       | 0.003               | 0.003             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000     | 1.68556       | 0.003               | 0.003             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000     | 1.61525       | 0.002               | 0.002             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000     | 1.54493       | 0.002               | 0.002             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000     | 1.47462       | 0.002               | 0.002             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000     | 1.40431       | 0.002               | 0.002             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000     | 1.33399       | 0.002               | 0.002             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000     | 1.26368       | 0.002               | 0.002             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000     | 1.19336       | 0.002               | 0.002             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000      | 1.12305       | 0.002               | 0.002             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000      | 1.05274       | 0.002               | 0.002             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000      | 1.00000       | 0.001               | 0.001             |
|                     |                    |           | 平均値          |               |                     |                   |
|                     |                    |           | 57.88778     | 2.00000       |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆F  |         |                     |                   | 1.068   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 2.527               | 2.527             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 1.989               | 1.989             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 1.951               | 1.951             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 1.914               | 1.914             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 1.876               | 1.876             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 1.839               | 1.839             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 1.801               | 1.801             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 1.764               | 1.764             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 1.726               | 1.726             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 1.689               | 1.689             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 1.651               | 1.651             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 1.613               | 1.613             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 1.576               | 1.576             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 1.538               | 1.538             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 1.501               | 1.501             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 1.463               | 1.463             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 1.426               | 1.426             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 1.388               | 1.388             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 1.351               | 1.351             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 1.313               | 1.313             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 1.276               | 1.276             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 1.238               | 1.238             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 1.200               | 1.200             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 1.163               | 1.163             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 1.125               | 1.125             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 1.088               | 1.088             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 1.050               | 1.050             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 1.013               | 1.013             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.975               | 0.975             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.938               | 0.938             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.900               | 0.900             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.863               | 0.863             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.825               | 0.825             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.787               | 0.787             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.750               | 0.750             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.712               | 0.712             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.675               | 0.675             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.637               | 0.637             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.600               | 0.600             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.562               | 0.562             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.534               | 0.534             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |            |             |               |                     |                   |
|---------------------|--------------------|------------|-------------|---------------|---------------------|-------------------|
| 都道府県名               | 兵庫県                |            | 共済事業 園芸施設共済 |               |                     |                   |
| 組合等名                | 兵庫県農業共済組合          |            |             |               |                     |                   |
| 料率地域区分              | 000                |            | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    | 共済掛金区分     |             |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    | プラⅡ撤去被覆F集団 |             |               | 1.015               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |            | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜        | 213.27704   | 4.73151       | 2.401               | 2.401             |
| 19                  | 192.5              | ≦*＜ 197.5  | 156.00000   | 3.72467       | 1.890               | 1.890             |
| 18                  | 187.5              | ≦*＜ 192.5  | 152.00000   | 3.65435       | 1.855               | 1.855             |
| 17                  | 182.5              | ≦*＜ 187.5  | 148.00000   | 3.58404       | 1.819               | 1.819             |
| 16                  | 177.5              | ≦*＜ 182.5  | 144.00000   | 3.51372       | 1.783               | 1.783             |
| 15                  | 172.5              | ≦*＜ 177.5  | 140.00000   | 3.44341       | 1.748               | 1.748             |
| 14                  | 167.5              | ≦*＜ 172.5  | 136.00000   | 3.37310       | 1.712               | 1.712             |
| 13                  | 162.5              | ≦*＜ 167.5  | 132.00000   | 3.30278       | 1.676               | 1.676             |
| 12                  | 157.5              | ≦*＜ 162.5  | 128.00000   | 3.23247       | 1.640               | 1.640             |
| 11                  | 152.5              | ≦*＜ 157.5  | 124.00000   | 3.16215       | 1.605               | 1.605             |
| 10                  | 147.5              | ≦*＜ 152.5  | 120.00000   | 3.09184       | 1.569               | 1.569             |
| 09                  | 142.5              | ≦*＜ 147.5  | 116.00000   | 3.02153       | 1.533               | 1.533             |
| 08                  | 137.5              | ≦*＜ 142.5  | 112.00000   | 2.95121       | 1.498               | 1.498             |
| 07                  | 132.5              | ≦*＜ 137.5  | 108.00000   | 2.88090       | 1.462               | 1.462             |
| 06                  | 127.5              | ≦*＜ 132.5  | 104.00000   | 2.81058       | 1.426               | 1.426             |
| 05                  | 122.5              | ≦*＜ 127.5  | 100.00000   | 2.74027       | 1.391               | 1.391             |
| 04                  | 117.5              | ≦*＜ 122.5  | 96.00000    | 2.66996       | 1.355               | 1.355             |
| 03                  | 112.5              | ≦*＜ 117.5  | 92.00000    | 2.59964       | 1.319               | 1.319             |
| 02                  | 107.5              | ≦*＜ 112.5  | 88.00000    | 2.52933       | 1.284               | 1.284             |
| 01                  | 102.5              | ≦*＜ 107.5  | 84.00000    | 2.45901       | 1.248               | 1.248             |
| 00                  | 97.5               | ≦*＜ 102.5  | 80.00000    | 2.38870       | 1.212               | 1.212             |
| -01                 | 92.5               | ≦*＜ 97.5   | 76.00000    | 2.31839       | 1.177               | 1.177             |
| -02                 | 87.5               | ≦*＜ 92.5   | 72.00000    | 2.24807       | 1.141               | 1.141             |
| -03                 | 82.5               | ≦*＜ 87.5   | 68.00000    | 2.17776       | 1.105               | 1.105             |
| -04                 | 77.5               | ≦*＜ 82.5   | 64.00000    | 2.10744       | 1.070               | 1.070             |
| -05                 | 72.5               | ≦*＜ 77.5   | 60.00000    | 2.03713       | 1.034               | 1.034             |
| -06                 | 67.5               | ≦*＜ 72.5   | 56.00000    | 1.96682       | 0.998               | 0.998             |
| -07                 | 62.5               | ≦*＜ 67.5   | 52.00000    | 1.89650       | 0.962               | 0.962             |
| -08                 | 57.5               | ≦*＜ 62.5   | 48.00000    | 1.82619       | 0.927               | 0.927             |
| -09                 | 52.5               | ≦*＜ 57.5   | 44.00000    | 1.75588       | 0.891               | 0.891             |
| -10                 | 47.5               | ≦*＜ 52.5   | 40.00000    | 1.68556       | 0.855               | 0.855             |
| -11                 | 42.5               | ≦*＜ 47.5   | 36.00000    | 1.61525       | 0.820               | 0.820             |
| -12                 | 37.5               | ≦*＜ 42.5   | 32.00000    | 1.54493       | 0.784               | 0.784             |
| -13                 | 32.5               | ≦*＜ 37.5   | 28.00000    | 1.47462       | 0.748               | 0.748             |
| -14                 | 27.5               | ≦*＜ 32.5   | 24.00000    | 1.40431       | 0.713               | 0.713             |
| -15                 | 22.5               | ≦*＜ 27.5   | 20.00000    | 1.33399       | 0.677               | 0.677             |
| -16                 | 17.5               | ≦*＜ 22.5   | 16.00000    | 1.26368       | 0.641               | 0.641             |
| -17                 | 12.5               | ≦*＜ 17.5   | 12.00000    | 1.19336       | 0.606               | 0.606             |
| -18                 | 7.5                | ≦*＜ 12.5   | 8.00000     | 1.12305       | 0.570               | 0.570             |
| -19                 | 2.5                | ≦*＜ 7.5    | 4.00000     | 1.05274       | 0.534               | 0.534             |
| -20                 | 0.0                | ≦*＜ 2.5    | 1.00000     | 1.00000       | 0.507               | 0.507             |
|                     |                    |            | 平均値         |               |                     |                   |
|                     |                    |            | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆F補強 |         |                     |                   | 0.908   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 2.148               | 2.148             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 1.691               | 1.691             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 1.659               | 1.659             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 1.627               | 1.627             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 1.595               | 1.595             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 1.563               | 1.563             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 1.531               | 1.531             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 1.499               | 1.499             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 1.468               | 1.468             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 1.436               | 1.436             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 1.404               | 1.404             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 1.372               | 1.372             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 1.340               | 1.340             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 1.308               | 1.308             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 1.276               | 1.276             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 1.244               | 1.244             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 1.212               | 1.212             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 1.180               | 1.180             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 1.148               | 1.148             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 1.116               | 1.116             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 1.084               | 1.084             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 1.053               | 1.053             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 1.021               | 1.021             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.989               | 0.989             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.957               | 0.957             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.925               | 0.925             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.893               | 0.893             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.861               | 0.861             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.829               | 0.829             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.797               | 0.797             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.765               | 0.765             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.733               | 0.733             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.701               | 0.701             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.669               | 0.669             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.638               | 0.638             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.606               | 0.606             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.574               | 0.574             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.542               | 0.542             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.510               | 0.510             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.478               | 0.478             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.454               | 0.454             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ撤去被覆F補強集団 |         |                     |                   | 0.862   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 2.039               | 2.039             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 1.605               | 1.605             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 1.575               | 1.575             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 1.545               | 1.545             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 1.514               | 1.514             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 1.484               | 1.484             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 1.454               | 1.454             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 1.423               | 1.423             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 1.393               | 1.393             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 1.363               | 1.363             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 1.333               | 1.333             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 1.302               | 1.302             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 1.272               | 1.272             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 1.242               | 1.242             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 1.211               | 1.211             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 1.181               | 1.181             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 1.151               | 1.151             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 1.120               | 1.120             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 1.090               | 1.090             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 1.060               | 1.060             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 1.030               | 1.030             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.999               | 0.999             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.969               | 0.969             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.939               | 0.939             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.908               | 0.908             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.878               | 0.878             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.848               | 0.848             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.817               | 0.817             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.787               | 0.787             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.757               | 0.757             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.726               | 0.726             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.696               | 0.696             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.666               | 0.666             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.636               | 0.636             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.605               | 0.605             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.575               | 0.575             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.545               | 0.545             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.514               | 0.514             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.484               | 0.484             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.454               | 0.454             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.431               | 0.431             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆A |         |                     |                   | 0.015   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.035               | 0.035             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.028               | 0.028             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.027               | 0.027             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.027               | 0.027             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.026               | 0.026             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.026               | 0.026             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.025               | 0.025             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.025               | 0.025             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.024               | 0.024             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.024               | 0.024             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.023               | 0.023             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.023               | 0.023             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.022               | 0.022             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.022               | 0.022             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.021               | 0.021             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.021               | 0.021             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.020               | 0.020             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.019               | 0.019             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.019               | 0.019             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.018               | 0.018             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.018               | 0.018             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.017               | 0.017             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.017               | 0.017             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.016               | 0.016             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.016               | 0.016             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.015               | 0.015             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.015               | 0.015             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.014               | 0.014             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.014               | 0.014             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.013               | 0.013             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.013               | 0.013             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.012               | 0.012             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.012               | 0.012             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.011               | 0.011             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.011               | 0.011             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.010               | 0.010             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.009               | 0.009             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.009               | 0.009             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.008               | 0.008             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.008               | 0.008             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.007               | 0.007             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |             |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |             |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分      |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆A集団 |               | 0.014               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151       | 0.033               | 0.033             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467       | 0.026               | 0.026             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435       | 0.026               | 0.026             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404       | 0.025               | 0.025             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372       | 0.025               | 0.025             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341       | 0.024               | 0.024             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310       | 0.024               | 0.024             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278       | 0.023               | 0.023             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247       | 0.023               | 0.023             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215       | 0.022               | 0.022             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184       | 0.022               | 0.022             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153       | 0.021               | 0.021             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121       | 0.021               | 0.021             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090       | 0.020               | 0.020             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058       | 0.020               | 0.020             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027       | 0.019               | 0.019             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996       | 0.019               | 0.019             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964       | 0.018               | 0.018             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933       | 0.018               | 0.018             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901       | 0.017               | 0.017             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870       | 0.017               | 0.017             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839       | 0.016               | 0.016             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807       | 0.016               | 0.016             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776       | 0.015               | 0.015             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744       | 0.015               | 0.015             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713       | 0.014               | 0.014             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682       | 0.014               | 0.014             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650       | 0.013               | 0.013             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619       | 0.013               | 0.013             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588       | 0.012               | 0.012             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556       | 0.012               | 0.012             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525       | 0.011               | 0.011             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493       | 0.011               | 0.011             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462       | 0.010               | 0.010             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431       | 0.010               | 0.010             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399       | 0.009               | 0.009             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368       | 0.009               | 0.009             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336       | 0.008               | 0.008             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305       | 0.008               | 0.008             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274       | 0.007               | 0.007             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000       | 0.007               | 0.007             |
|                     |                    |           | 平均値         |               |                     |                   |
|                     |                    |           | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |             |  |     |               |      |        |
|---------------------|-------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県         |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合   |  |     |               |      |        |
| 料率地域区分              | 000         |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分      |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧未被覆A補強 |  |     | 0.013         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.031               | 0.031             |
| 19         | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.024               | 0.024             |
| 18         | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.024               | 0.024             |
| 17         | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.023               | 0.023             |
| 16         | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.023               | 0.023             |
| 15         | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.022               | 0.022             |
| 14         | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.022               | 0.022             |
| 13         | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.021               | 0.021             |
| 12         | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.021               | 0.021             |
| 11         | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.021               | 0.021             |
| 10         | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.020               | 0.020             |
| 09         | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.020               | 0.020             |
| 08         | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.019               | 0.019             |
| 07         | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.019               | 0.019             |
| 06         | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.018               | 0.018             |
| 05         | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.018               | 0.018             |
| 04         | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.017               | 0.017             |
| 03         | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.017               | 0.017             |
| 02         | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.016               | 0.016             |
| 01         | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.016               | 0.016             |
| 00         | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.016               | 0.016             |
| -01        | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.015               | 0.015             |
| -02        | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.015               | 0.015             |
| -03        | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.014               | 0.014             |
| -04        | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.014               | 0.014             |
| -05        | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.013               | 0.013             |
| -06        | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.013               | 0.013             |
| -07        | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.012               | 0.012             |
| -08        | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.012               | 0.012             |
| -09        | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.011               | 0.011             |
| -10        | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.011               | 0.011             |
| -11        | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.010               | 0.010             |
| -12        | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.010               | 0.010             |
| -13        | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.010               | 0.010             |
| -14        | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.009               | 0.009             |
| -15        | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.009               | 0.009             |
| -16        | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.008               | 0.008             |
| -17        | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.008               | 0.008             |
| -18        | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.007               | 0.007             |
| -19        | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.007               | 0.007             |
| -20        | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.006               | 0.006             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |               |             |               |                     |                   |
|---------------------|--------------------|---------------|-------------|---------------|---------------------|-------------------|
| 都道府県名               | 兵庫県                |               | 共済事業 園芸施設共済 |               |                     |                   |
| 組合等名                | 兵庫県農業共済組合          |               |             |               |                     |                   |
| 料率地域区分              | 000                |               | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    | 共済掛金区分        |             |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    | プラⅡ復旧未被覆A補強集団 |             |               | 0.012               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |               | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |               | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜           | 213.27704   | 4.73151       | 0.028               | 0.028             |
| 19                  | 192.5              | ≦*＜ 197.5     | 156.00000   | 3.72467       | 0.022               | 0.022             |
| 18                  | 187.5              | ≦*＜ 192.5     | 152.00000   | 3.65435       | 0.022               | 0.022             |
| 17                  | 182.5              | ≦*＜ 187.5     | 148.00000   | 3.58404       | 0.022               | 0.022             |
| 16                  | 177.5              | ≦*＜ 182.5     | 144.00000   | 3.51372       | 0.021               | 0.021             |
| 15                  | 172.5              | ≦*＜ 177.5     | 140.00000   | 3.44341       | 0.021               | 0.021             |
| 14                  | 167.5              | ≦*＜ 172.5     | 136.00000   | 3.37310       | 0.020               | 0.020             |
| 13                  | 162.5              | ≦*＜ 167.5     | 132.00000   | 3.30278       | 0.020               | 0.020             |
| 12                  | 157.5              | ≦*＜ 162.5     | 128.00000   | 3.23247       | 0.019               | 0.019             |
| 11                  | 152.5              | ≦*＜ 157.5     | 124.00000   | 3.16215       | 0.019               | 0.019             |
| 10                  | 147.5              | ≦*＜ 152.5     | 120.00000   | 3.09184       | 0.019               | 0.019             |
| 09                  | 142.5              | ≦*＜ 147.5     | 116.00000   | 3.02153       | 0.018               | 0.018             |
| 08                  | 137.5              | ≦*＜ 142.5     | 112.00000   | 2.95121       | 0.018               | 0.018             |
| 07                  | 132.5              | ≦*＜ 137.5     | 108.00000   | 2.88090       | 0.017               | 0.017             |
| 06                  | 127.5              | ≦*＜ 132.5     | 104.00000   | 2.81058       | 0.017               | 0.017             |
| 05                  | 122.5              | ≦*＜ 127.5     | 100.00000   | 2.74027       | 0.016               | 0.016             |
| 04                  | 117.5              | ≦*＜ 122.5     | 96.00000    | 2.66996       | 0.016               | 0.016             |
| 03                  | 112.5              | ≦*＜ 117.5     | 92.00000    | 2.59964       | 0.016               | 0.016             |
| 02                  | 107.5              | ≦*＜ 112.5     | 88.00000    | 2.52933       | 0.015               | 0.015             |
| 01                  | 102.5              | ≦*＜ 107.5     | 84.00000    | 2.45901       | 0.015               | 0.015             |
| 00                  | 97.5               | ≦*＜ 102.5     | 80.00000    | 2.38870       | 0.014               | 0.014             |
| -01                 | 92.5               | ≦*＜ 97.5      | 76.00000    | 2.31839       | 0.014               | 0.014             |
| -02                 | 87.5               | ≦*＜ 92.5      | 72.00000    | 2.24807       | 0.013               | 0.013             |
| -03                 | 82.5               | ≦*＜ 87.5      | 68.00000    | 2.17776       | 0.013               | 0.013             |
| -04                 | 77.5               | ≦*＜ 82.5      | 64.00000    | 2.10744       | 0.013               | 0.013             |
| -05                 | 72.5               | ≦*＜ 77.5      | 60.00000    | 2.03713       | 0.012               | 0.012             |
| -06                 | 67.5               | ≦*＜ 72.5      | 56.00000    | 1.96682       | 0.012               | 0.012             |
| -07                 | 62.5               | ≦*＜ 67.5      | 52.00000    | 1.89650       | 0.011               | 0.011             |
| -08                 | 57.5               | ≦*＜ 62.5      | 48.00000    | 1.82619       | 0.011               | 0.011             |
| -09                 | 52.5               | ≦*＜ 57.5      | 44.00000    | 1.75588       | 0.011               | 0.011             |
| -10                 | 47.5               | ≦*＜ 52.5      | 40.00000    | 1.68556       | 0.010               | 0.010             |
| -11                 | 42.5               | ≦*＜ 47.5      | 36.00000    | 1.61525       | 0.010               | 0.010             |
| -12                 | 37.5               | ≦*＜ 42.5      | 32.00000    | 1.54493       | 0.009               | 0.009             |
| -13                 | 32.5               | ≦*＜ 37.5      | 28.00000    | 1.47462       | 0.009               | 0.009             |
| -14                 | 27.5               | ≦*＜ 32.5      | 24.00000    | 1.40431       | 0.008               | 0.008             |
| -15                 | 22.5               | ≦*＜ 27.5      | 20.00000    | 1.33399       | 0.008               | 0.008             |
| -16                 | 17.5               | ≦*＜ 22.5      | 16.00000    | 1.26368       | 0.008               | 0.008             |
| -17                 | 12.5               | ≦*＜ 17.5      | 12.00000    | 1.19336       | 0.007               | 0.007             |
| -18                 | 7.5                | ≦*＜ 12.5      | 8.00000     | 1.12305       | 0.007               | 0.007             |
| -19                 | 2.5                | ≦*＜ 7.5       | 4.00000     | 1.05274       | 0.006               | 0.006             |
| -20                 | 0.0                | ≦*＜ 2.5       | 1.00000     | 1.00000       | 0.006               | 0.006             |
|                     |                    |               | 平均値         |               |                     |                   |
|                     |                    |               | 57.88778    | 2.00000       |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分    | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆B | 0.014         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 0.033               | 0.033             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 0.026               | 0.026             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 0.026               | 0.026             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 0.025               | 0.025             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 0.025               | 0.025             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.024               | 0.024             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.024               | 0.024             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.023               | 0.023             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.023               | 0.023             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.022               | 0.022             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.022               | 0.022             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.021               | 0.021             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.021               | 0.021             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.020               | 0.020             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.020               | 0.020             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.019               | 0.019             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.019               | 0.019             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.018               | 0.018             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.018               | 0.018             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.017               | 0.017             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.017               | 0.017             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.016               | 0.016             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.016               | 0.016             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.015               | 0.015             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.015               | 0.015             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.014               | 0.014             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.014               | 0.014             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.013               | 0.013             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.013               | 0.013             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.012               | 0.012             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.012               | 0.012             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.011               | 0.011             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.011               | 0.011             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.010               | 0.010             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.010               | 0.010             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.009               | 0.009             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.009               | 0.009             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.008               | 0.008             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.008               | 0.008             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.007               | 0.007             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.007               | 0.007             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |             |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |             |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分      |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆B集団 |               | 0.013               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704   | 4.73151       | 0.031               | 0.031             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000   | 3.72467       | 0.024               | 0.024             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000   | 3.65435       | 0.024               | 0.024             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000   | 3.58404       | 0.023               | 0.023             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000   | 3.51372       | 0.023               | 0.023             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000   | 3.44341       | 0.022               | 0.022             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000   | 3.37310       | 0.022               | 0.022             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000   | 3.30278       | 0.021               | 0.021             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000   | 3.23247       | 0.021               | 0.021             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000   | 3.16215       | 0.021               | 0.021             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000   | 3.09184       | 0.020               | 0.020             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000   | 3.02153       | 0.020               | 0.020             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000   | 2.95121       | 0.019               | 0.019             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000   | 2.88090       | 0.019               | 0.019             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000   | 2.81058       | 0.018               | 0.018             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000   | 2.74027       | 0.018               | 0.018             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000    | 2.66996       | 0.017               | 0.017             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000    | 2.59964       | 0.017               | 0.017             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000    | 2.52933       | 0.016               | 0.016             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000    | 2.45901       | 0.016               | 0.016             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000    | 2.38870       | 0.016               | 0.016             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000    | 2.31839       | 0.015               | 0.015             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000    | 2.24807       | 0.015               | 0.015             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000    | 2.17776       | 0.014               | 0.014             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000    | 2.10744       | 0.014               | 0.014             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000    | 2.03713       | 0.013               | 0.013             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000    | 1.96682       | 0.013               | 0.013             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000    | 1.89650       | 0.012               | 0.012             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000    | 1.82619       | 0.012               | 0.012             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000    | 1.75588       | 0.011               | 0.011             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000    | 1.68556       | 0.011               | 0.011             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000    | 1.61525       | 0.010               | 0.010             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000    | 1.54493       | 0.010               | 0.010             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000    | 1.47462       | 0.010               | 0.010             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000    | 1.40431       | 0.009               | 0.009             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000    | 1.33399       | 0.009               | 0.009             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000    | 1.26368       | 0.008               | 0.008             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000    | 1.19336       | 0.008               | 0.008             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000     | 1.12305       | 0.007               | 0.007             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000     | 1.05274       | 0.007               | 0.007             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000     | 1.00000       | 0.006               | 0.006             |
|                     |                    |           | 平均値         |               |                     |                   |
|                     |                    |           | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧未被覆B補強        |           |           | 0.012         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 0.028               | 0.028             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 0.022               | 0.022             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 0.022               | 0.022             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 0.022               | 0.022             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 0.021               | 0.021             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.021               | 0.021             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.020               | 0.020             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.020               | 0.020             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.019               | 0.019             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.019               | 0.019             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.019               | 0.019             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.018               | 0.018             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.018               | 0.018             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.017               | 0.017             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.017               | 0.017             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.016               | 0.016             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.016               | 0.016             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.016               | 0.016             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.015               | 0.015             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.015               | 0.015             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.014               | 0.014             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.014               | 0.014             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.013               | 0.013             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.013               | 0.013             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.013               | 0.013             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.012               | 0.012             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.012               | 0.012             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.011               | 0.011             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.011               | 0.011             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.011               | 0.011             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.010               | 0.010             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.010               | 0.010             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.009               | 0.009             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.009               | 0.009             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.008               | 0.008             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.008               | 0.008             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.008               | 0.008             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.007               | 0.007             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.007               | 0.007             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.006               | 0.006             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.006               | 0.006             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆B補強集団 |         |                     |                   | 0.011   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.026               | 0.026             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.020               | 0.020             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.020               | 0.020             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.020               | 0.020             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.019               | 0.019             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.019               | 0.019             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.019               | 0.019             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.018               | 0.018             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.018               | 0.018             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.017               | 0.017             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.017               | 0.017             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.017               | 0.017             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.016               | 0.016             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.016               | 0.016             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.015               | 0.015             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.015               | 0.015             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.015               | 0.015             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.014               | 0.014             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.014               | 0.014             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.014               | 0.014             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.013               | 0.013             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.013               | 0.013             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.012               | 0.012             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.012               | 0.012             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.012               | 0.012             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.011               | 0.011             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.011               | 0.011             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.010               | 0.010             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.010               | 0.010             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.010               | 0.010             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.009               | 0.009             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.009               | 0.009             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.008               | 0.008             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.008               | 0.008             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.008               | 0.008             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.007               | 0.007             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.007               | 0.007             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.007               | 0.007             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.006               | 0.006             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.006               | 0.006             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.005               | 0.005             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |           |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|-----------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業      |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |           |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名       |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |           |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆C |           |                     |                   | 0.012   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |           | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後       |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       |           | 213.27704 | 4.73151             | 0.028             | 0.028   |  |
| 19                  | 192.5              | ≦*＜       | 197.5     | 156.00000 | 3.72467             | 0.022             | 0.022   |  |
| 18                  | 187.5              | ≦*＜       | 192.5     | 152.00000 | 3.65435             | 0.022             | 0.022   |  |
| 17                  | 182.5              | ≦*＜       | 187.5     | 148.00000 | 3.58404             | 0.022             | 0.022   |  |
| 16                  | 177.5              | ≦*＜       | 182.5     | 144.00000 | 3.51372             | 0.021             | 0.021   |  |
| 15                  | 172.5              | ≦*＜       | 177.5     | 140.00000 | 3.44341             | 0.021             | 0.021   |  |
| 14                  | 167.5              | ≦*＜       | 172.5     | 136.00000 | 3.37310             | 0.020             | 0.020   |  |
| 13                  | 162.5              | ≦*＜       | 167.5     | 132.00000 | 3.30278             | 0.020             | 0.020   |  |
| 12                  | 157.5              | ≦*＜       | 162.5     | 128.00000 | 3.23247             | 0.019             | 0.019   |  |
| 11                  | 152.5              | ≦*＜       | 157.5     | 124.00000 | 3.16215             | 0.019             | 0.019   |  |
| 10                  | 147.5              | ≦*＜       | 152.5     | 120.00000 | 3.09184             | 0.019             | 0.019   |  |
| 09                  | 142.5              | ≦*＜       | 147.5     | 116.00000 | 3.02153             | 0.018             | 0.018   |  |
| 08                  | 137.5              | ≦*＜       | 142.5     | 112.00000 | 2.95121             | 0.018             | 0.018   |  |
| 07                  | 132.5              | ≦*＜       | 137.5     | 108.00000 | 2.88090             | 0.017             | 0.017   |  |
| 06                  | 127.5              | ≦*＜       | 132.5     | 104.00000 | 2.81058             | 0.017             | 0.017   |  |
| 05                  | 122.5              | ≦*＜       | 127.5     | 100.00000 | 2.74027             | 0.016             | 0.016   |  |
| 04                  | 117.5              | ≦*＜       | 122.5     | 96.00000  | 2.66996             | 0.016             | 0.016   |  |
| 03                  | 112.5              | ≦*＜       | 117.5     | 92.00000  | 2.59964             | 0.016             | 0.016   |  |
| 02                  | 107.5              | ≦*＜       | 112.5     | 88.00000  | 2.52933             | 0.015             | 0.015   |  |
| 01                  | 102.5              | ≦*＜       | 107.5     | 84.00000  | 2.45901             | 0.015             | 0.015   |  |
| 00                  | 97.5               | ≦*＜       | 102.5     | 80.00000  | 2.38870             | 0.014             | 0.014   |  |
| -01                 | 92.5               | ≦*＜       | 97.5      | 76.00000  | 2.31839             | 0.014             | 0.014   |  |
| -02                 | 87.5               | ≦*＜       | 92.5      | 72.00000  | 2.24807             | 0.013             | 0.013   |  |
| -03                 | 82.5               | ≦*＜       | 87.5      | 68.00000  | 2.17776             | 0.013             | 0.013   |  |
| -04                 | 77.5               | ≦*＜       | 82.5      | 64.00000  | 2.10744             | 0.013             | 0.013   |  |
| -05                 | 72.5               | ≦*＜       | 77.5      | 60.00000  | 2.03713             | 0.012             | 0.012   |  |
| -06                 | 67.5               | ≦*＜       | 72.5      | 56.00000  | 1.96682             | 0.012             | 0.012   |  |
| -07                 | 62.5               | ≦*＜       | 67.5      | 52.00000  | 1.89650             | 0.011             | 0.011   |  |
| -08                 | 57.5               | ≦*＜       | 62.5      | 48.00000  | 1.82619             | 0.011             | 0.011   |  |
| -09                 | 52.5               | ≦*＜       | 57.5      | 44.00000  | 1.75588             | 0.011             | 0.011   |  |
| -10                 | 47.5               | ≦*＜       | 52.5      | 40.00000  | 1.68556             | 0.010             | 0.010   |  |
| -11                 | 42.5               | ≦*＜       | 47.5      | 36.00000  | 1.61525             | 0.010             | 0.010   |  |
| -12                 | 37.5               | ≦*＜       | 42.5      | 32.00000  | 1.54493             | 0.009             | 0.009   |  |
| -13                 | 32.5               | ≦*＜       | 37.5      | 28.00000  | 1.47462             | 0.009             | 0.009   |  |
| -14                 | 27.5               | ≦*＜       | 32.5      | 24.00000  | 1.40431             | 0.008             | 0.008   |  |
| -15                 | 22.5               | ≦*＜       | 27.5      | 20.00000  | 1.33399             | 0.008             | 0.008   |  |
| -16                 | 17.5               | ≦*＜       | 22.5      | 16.00000  | 1.26368             | 0.008             | 0.008   |  |
| -17                 | 12.5               | ≦*＜       | 17.5      | 12.00000  | 1.19336             | 0.007             | 0.007   |  |
| -18                 | 7.5                | ≦*＜       | 12.5      | 8.00000   | 1.12305             | 0.007             | 0.007   |  |
| -19                 | 2.5                | ≦*＜       | 7.5       | 4.00000   | 1.05274             | 0.006             | 0.006   |  |
| -20                 | 0.0                | ≦*＜       | 2.5       | 1.00000   | 1.00000             | 0.006             | 0.006   |  |
|                     |                    |           | 平均値       |           |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000   |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |           |  |             |               |      |        |
|---------------------|-----------|--|-------------|---------------|------|--------|
| 都道府県名               | 兵庫県       |  |             |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合 |  |             |               |      |        |
| 料率地域区分              | 000       |  | 地域名         | 00000 都道府県の区域 |      |        |
| 施設区分                |           |  | 共済掛金区分      | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) |           |  | プラⅡ復旧未被覆C集団 | 0.011         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≤*＜       | 213.27704 | 4.73151 | 0.026               | 0.026             |
| 19         | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467 | 0.020               | 0.020             |
| 18         | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435 | 0.020               | 0.020             |
| 17         | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404 | 0.020               | 0.020             |
| 16         | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372 | 0.019               | 0.019             |
| 15         | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341 | 0.019               | 0.019             |
| 14         | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310 | 0.019               | 0.019             |
| 13         | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278 | 0.018               | 0.018             |
| 12         | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247 | 0.018               | 0.018             |
| 11         | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215 | 0.017               | 0.017             |
| 10         | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184 | 0.017               | 0.017             |
| 09         | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153 | 0.017               | 0.017             |
| 08         | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121 | 0.016               | 0.016             |
| 07         | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090 | 0.016               | 0.016             |
| 06         | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058 | 0.015               | 0.015             |
| 05         | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027 | 0.015               | 0.015             |
| 04         | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996 | 0.015               | 0.015             |
| 03         | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964 | 0.014               | 0.014             |
| 02         | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933 | 0.014               | 0.014             |
| 01         | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901 | 0.014               | 0.014             |
| 00         | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870 | 0.013               | 0.013             |
| -01        | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839 | 0.013               | 0.013             |
| -02        | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807 | 0.012               | 0.012             |
| -03        | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776 | 0.012               | 0.012             |
| -04        | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744 | 0.012               | 0.012             |
| -05        | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713 | 0.011               | 0.011             |
| -06        | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682 | 0.011               | 0.011             |
| -07        | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650 | 0.010               | 0.010             |
| -08        | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619 | 0.010               | 0.010             |
| -09        | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588 | 0.010               | 0.010             |
| -10        | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556 | 0.009               | 0.009             |
| -11        | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525 | 0.009               | 0.009             |
| -12        | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493 | 0.008               | 0.008             |
| -13        | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462 | 0.008               | 0.008             |
| -14        | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431 | 0.008               | 0.008             |
| -15        | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399 | 0.007               | 0.007             |
| -16        | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368 | 0.007               | 0.007             |
| -17        | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336 | 0.007               | 0.007             |
| -18        | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305 | 0.006               | 0.006             |
| -19        | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274 | 0.006               | 0.006             |
| -20        | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000 | 0.005               | 0.005             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |             |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |             |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分      |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆C補強 |               | 0.010               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151       | 0.024               | 0.024             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467       | 0.019               | 0.019             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435       | 0.018               | 0.018             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404       | 0.018               | 0.018             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372       | 0.018               | 0.018             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341       | 0.017               | 0.017             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310       | 0.017               | 0.017             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278       | 0.017               | 0.017             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247       | 0.016               | 0.016             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215       | 0.016               | 0.016             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184       | 0.015               | 0.015             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153       | 0.015               | 0.015             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121       | 0.015               | 0.015             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090       | 0.014               | 0.014             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058       | 0.014               | 0.014             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027       | 0.014               | 0.014             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996       | 0.013               | 0.013             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964       | 0.013               | 0.013             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933       | 0.013               | 0.013             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901       | 0.012               | 0.012             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870       | 0.012               | 0.012             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839       | 0.012               | 0.012             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807       | 0.011               | 0.011             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776       | 0.011               | 0.011             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744       | 0.011               | 0.011             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713       | 0.010               | 0.010             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682       | 0.010               | 0.010             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650       | 0.009               | 0.009             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619       | 0.009               | 0.009             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588       | 0.009               | 0.009             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556       | 0.008               | 0.008             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525       | 0.008               | 0.008             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493       | 0.008               | 0.008             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462       | 0.007               | 0.007             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431       | 0.007               | 0.007             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399       | 0.007               | 0.007             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368       | 0.006               | 0.006             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336       | 0.006               | 0.006             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305       | 0.006               | 0.006             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274       | 0.005               | 0.005             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000       | 0.005               | 0.005             |
|                     |                    |           | 平均値         |               |                     |                   |
|                     |                    |           | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |               |  |     |               |      |        |
|---------------------|---------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県           |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合     |  |     |               |      |        |
| 料率地域区分              | 000           |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分        |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧未被覆C補強集団 |  |     | 0.010         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.024               | 0.024             |
| 19         | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.019               | 0.019             |
| 18         | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.018               | 0.018             |
| 17         | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.018               | 0.018             |
| 16         | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.018               | 0.018             |
| 15         | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.017               | 0.017             |
| 14         | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.017               | 0.017             |
| 13         | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.017               | 0.017             |
| 12         | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.016               | 0.016             |
| 11         | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.016               | 0.016             |
| 10         | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.015               | 0.015             |
| 09         | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.015               | 0.015             |
| 08         | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.015               | 0.015             |
| 07         | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.014               | 0.014             |
| 06         | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.014               | 0.014             |
| 05         | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.014               | 0.014             |
| 04         | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.013               | 0.013             |
| 03         | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.013               | 0.013             |
| 02         | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.013               | 0.013             |
| 01         | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.012               | 0.012             |
| 00         | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.012               | 0.012             |
| -01        | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.012               | 0.012             |
| -02        | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.011               | 0.011             |
| -03        | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.011               | 0.011             |
| -04        | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.011               | 0.011             |
| -05        | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.010               | 0.010             |
| -06        | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.010               | 0.010             |
| -07        | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.009               | 0.009             |
| -08        | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.009               | 0.009             |
| -09        | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.009               | 0.009             |
| -10        | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.008               | 0.008             |
| -11        | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.008               | 0.008             |
| -12        | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.008               | 0.008             |
| -13        | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.007               | 0.007             |
| -14        | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.007               | 0.007             |
| -15        | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.007               | 0.007             |
| -16        | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.006               | 0.006             |
| -17        | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.006               | 0.006             |
| -18        | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.006               | 0.006             |
| -19        | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.005               | 0.005             |
| -20        | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.005               | 0.005             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |             |                     |                   |  |
|---------------------|--------------------|-----------|-----------|-------------|---------------------|-------------------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業 園芸施設共済 |                     |                   |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |             |                     |                   |  |
| 料率地域区分              |                    | 000       |           | 地域名         | 00000 都道府県の区域       |                   |  |
| 施設区分                |                    |           | 共済掛金区分    |             |                     | 共済掛金標準率           |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆D |             |                     | 0.004             |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |             | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                     |                    |           | 圧縮前       | 圧縮後         |                     |                   |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151     | 0.009               | 0.009             |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467     | 0.007               | 0.007             |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435     | 0.007               | 0.007             |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404     | 0.007               | 0.007             |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372     | 0.007               | 0.007             |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341     | 0.007               | 0.007             |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310     | 0.007               | 0.007             |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278     | 0.007               | 0.007             |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247     | 0.006               | 0.006             |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215     | 0.006               | 0.006             |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184     | 0.006               | 0.006             |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153     | 0.006               | 0.006             |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121     | 0.006               | 0.006             |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090     | 0.006               | 0.006             |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058     | 0.006               | 0.006             |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027     | 0.005               | 0.005             |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996     | 0.005               | 0.005             |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964     | 0.005               | 0.005             |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933     | 0.005               | 0.005             |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901     | 0.005               | 0.005             |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870     | 0.005               | 0.005             |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839     | 0.005               | 0.005             |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807     | 0.004               | 0.004             |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776     | 0.004               | 0.004             |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744     | 0.004               | 0.004             |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713     | 0.004               | 0.004             |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682     | 0.004               | 0.004             |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650     | 0.004               | 0.004             |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619     | 0.004               | 0.004             |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588     | 0.004               | 0.004             |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556     | 0.003               | 0.003             |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525     | 0.003               | 0.003             |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493     | 0.003               | 0.003             |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462     | 0.003               | 0.003             |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431     | 0.003               | 0.003             |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399     | 0.003               | 0.003             |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368     | 0.003               | 0.003             |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336     | 0.002               | 0.002             |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305     | 0.002               | 0.002             |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274     | 0.002               | 0.002             |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000     | 0.002               | 0.002             |  |
|                     |                    |           | 平均値       |             |                     |                   |  |
|                     |                    |           | 57.88778  | 2.00000     |                     |                   |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |             | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |             |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |             | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分      |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆D集団 |         |                     |                   | 0.004   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前         | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151 | 0.009               | 0.009             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467 | 0.007               | 0.007             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435 | 0.007               | 0.007             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404 | 0.007               | 0.007             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372 | 0.007               | 0.007             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341 | 0.007               | 0.007             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310 | 0.007               | 0.007             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278 | 0.007               | 0.007             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247 | 0.006               | 0.006             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215 | 0.006               | 0.006             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184 | 0.006               | 0.006             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153 | 0.006               | 0.006             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121 | 0.006               | 0.006             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090 | 0.006               | 0.006             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058 | 0.006               | 0.006             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027 | 0.005               | 0.005             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996 | 0.005               | 0.005             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964 | 0.005               | 0.005             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933 | 0.005               | 0.005             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901 | 0.005               | 0.005             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870 | 0.005               | 0.005             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839 | 0.005               | 0.005             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807 | 0.004               | 0.004             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776 | 0.004               | 0.004             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744 | 0.004               | 0.004             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713 | 0.004               | 0.004             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682 | 0.004               | 0.004             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650 | 0.004               | 0.004             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619 | 0.004               | 0.004             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525 | 0.003               | 0.003             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493 | 0.003               | 0.003             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462 | 0.003               | 0.003             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431 | 0.003               | 0.003             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値         |         |                     |                   |         |  |
|                     |                    |           | 57.88778    | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧未被覆Ⅱ補強        |           |           | 0.003         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.007               | 0.007             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.006               | 0.006             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.005               | 0.005             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.005               | 0.005             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.005               | 0.005             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.005               | 0.005             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.005               | 0.005             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.005               | 0.005             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.005               | 0.005             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.005               | 0.005             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.005               | 0.005             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.005               | 0.005             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.004               | 0.004             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.004               | 0.004             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.004               | 0.004             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.004               | 0.004             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.004               | 0.004             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.004               | 0.004             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.004               | 0.004             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.004               | 0.004             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.004               | 0.004             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.003               | 0.003             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.003               | 0.003             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.003               | 0.003             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.003               | 0.003             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.003               | 0.003             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.003               | 0.003             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.003               | 0.003             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.003               | 0.003             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.003               | 0.003             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.003               | 0.003             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.002               | 0.002             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.002               | 0.002             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.002               | 0.002             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.002               | 0.002             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.002               | 0.002             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.002               | 0.002             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.002               | 0.002             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.002               | 0.002             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.002               | 0.002             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.001               | 0.001             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆D補強集団 |         |                     |                   | 0.003   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.007               | 0.007             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.006               | 0.006             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.005               | 0.005             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.005               | 0.005             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.005               | 0.005             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.005               | 0.005             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.005               | 0.005             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.005               | 0.005             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.005               | 0.005             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.005               | 0.005             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.005               | 0.005             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.005               | 0.005             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.004               | 0.004             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.004               | 0.004             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.004               | 0.004             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.004               | 0.004             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.004               | 0.004             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.004               | 0.004             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.004               | 0.004             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.004               | 0.004             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.004               | 0.004             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.003               | 0.003             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.003               | 0.003             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.003               | 0.003             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.003               | 0.003             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.003               | 0.003             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.003               | 0.003             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.003               | 0.003             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.003               | 0.003             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.003               | 0.003             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.002               | 0.002             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.002               | 0.002             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.002               | 0.002             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.002               | 0.002             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分    |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆E |               | 0.003               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 0.007               | 0.007             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 0.006               | 0.006             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 0.005               | 0.005             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 0.005               | 0.005             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 0.005               | 0.005             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 0.005               | 0.005             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 0.005               | 0.005             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 0.005               | 0.005             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 0.005               | 0.005             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.005               | 0.005             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.005               | 0.005             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.005               | 0.005             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.004               | 0.004             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.004               | 0.004             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.004               | 0.004             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.004               | 0.004             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.004               | 0.004             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.004               | 0.004             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.004               | 0.004             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.004               | 0.004             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.004               | 0.004             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.003               | 0.003             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.003               | 0.003             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.003               | 0.003             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.003               | 0.003             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.003               | 0.003             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.003               | 0.003             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.003               | 0.003             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.003               | 0.003             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.003               | 0.003             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.003               | 0.003             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.002               | 0.002             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.002               | 0.002             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.002               | 0.002             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.002               | 0.002             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.002               | 0.002             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.002               | 0.002             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.002               | 0.002             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.002               | 0.002             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.002               | 0.002             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.001               | 0.001             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |             | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |             |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |             | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分      |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆E集団 |         |                     |                   | 0.003   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前         | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151 | 0.007               | 0.007             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467 | 0.006               | 0.006             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435 | 0.005               | 0.005             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404 | 0.005               | 0.005             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372 | 0.005               | 0.005             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341 | 0.005               | 0.005             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310 | 0.005               | 0.005             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278 | 0.005               | 0.005             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247 | 0.005               | 0.005             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215 | 0.005               | 0.005             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184 | 0.005               | 0.005             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153 | 0.005               | 0.005             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121 | 0.004               | 0.004             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090 | 0.004               | 0.004             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058 | 0.004               | 0.004             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027 | 0.004               | 0.004             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996 | 0.004               | 0.004             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964 | 0.004               | 0.004             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933 | 0.004               | 0.004             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901 | 0.004               | 0.004             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870 | 0.004               | 0.004             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839 | 0.003               | 0.003             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807 | 0.003               | 0.003             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776 | 0.003               | 0.003             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744 | 0.003               | 0.003             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713 | 0.003               | 0.003             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682 | 0.003               | 0.003             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650 | 0.003               | 0.003             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619 | 0.003               | 0.003             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588 | 0.003               | 0.003             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462 | 0.002               | 0.002             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431 | 0.002               | 0.002             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399 | 0.002               | 0.002             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368 | 0.002               | 0.002             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値         |         |                     |                   |         |  |
|                     |                    |           | 57.88778    | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |             |  |     |               |      |        |
|---------------------|-------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県         |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合   |  |     |               |      |        |
| 料率地域区分              | 000         |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分      |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧未被覆E補強 |  |     | 0.003         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.007               | 0.007             |
| 19         | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.006               | 0.006             |
| 18         | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.005               | 0.005             |
| 17         | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.005               | 0.005             |
| 16         | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.005               | 0.005             |
| 15         | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.005               | 0.005             |
| 14         | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.005               | 0.005             |
| 13         | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.005               | 0.005             |
| 12         | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.005               | 0.005             |
| 11         | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.005               | 0.005             |
| 10         | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.005               | 0.005             |
| 09         | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.005               | 0.005             |
| 08         | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.004               | 0.004             |
| 07         | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.004               | 0.004             |
| 06         | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.004               | 0.004             |
| 05         | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.004               | 0.004             |
| 04         | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.004               | 0.004             |
| 03         | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.004               | 0.004             |
| 02         | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.004               | 0.004             |
| 01         | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.004               | 0.004             |
| 00         | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.004               | 0.004             |
| -01        | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.003               | 0.003             |
| -02        | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.003               | 0.003             |
| -03        | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.003               | 0.003             |
| -04        | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.003               | 0.003             |
| -05        | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.003               | 0.003             |
| -06        | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.003               | 0.003             |
| -07        | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.003               | 0.003             |
| -08        | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.003               | 0.003             |
| -09        | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.003               | 0.003             |
| -10        | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.003               | 0.003             |
| -11        | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.002               | 0.002             |
| -12        | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.002               | 0.002             |
| -13        | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.002               | 0.002             |
| -14        | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.002               | 0.002             |
| -15        | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.002               | 0.002             |
| -16        | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.002               | 0.002             |
| -17        | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.002               | 0.002             |
| -18        | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.002               | 0.002             |
| -19        | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.002               | 0.002             |
| -20        | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.001               | 0.001             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆E補強集団 |         |                     |                   | 0.002   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.005               | 0.005             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.004               | 0.004             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.004               | 0.004             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.004               | 0.004             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.004               | 0.004             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.003               | 0.003             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.003               | 0.003             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.003               | 0.003             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.003               | 0.003             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.003               | 0.003             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.003               | 0.003             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.003               | 0.003             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.003               | 0.003             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.003               | 0.003             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.003               | 0.003             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.003               | 0.003             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.003               | 0.003             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.003               | 0.003             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.003               | 0.003             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.002               | 0.002             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.002               | 0.002             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.002               | 0.002             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.002               | 0.002             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.002               | 0.002             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.002               | 0.002             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.002               | 0.002             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.002               | 0.002             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.002               | 0.002             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.002               | 0.002             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.002               | 0.002             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.002               | 0.002             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.002               | 0.002             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.002               | 0.002             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.001               | 0.001             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.001               | 0.001             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.001               | 0.001             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.001               | 0.001             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.001               | 0.001             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.001               | 0.001             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.001               | 0.001             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.001               | 0.001             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆F |         |                     |                   | 0.017   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.040               | 0.040             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.032               | 0.032             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.031               | 0.031             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.030               | 0.030             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.030               | 0.030             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.029               | 0.029             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.029               | 0.029             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.028               | 0.028             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.027               | 0.027             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.027               | 0.027             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.026               | 0.026             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.026               | 0.026             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.025               | 0.025             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.024               | 0.024             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.024               | 0.024             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.023               | 0.023             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.023               | 0.023             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.022               | 0.022             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.021               | 0.021             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.021               | 0.021             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.020               | 0.020             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.020               | 0.020             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.019               | 0.019             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.019               | 0.019             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.018               | 0.018             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.017               | 0.017             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.017               | 0.017             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.016               | 0.016             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.016               | 0.016             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.015               | 0.015             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.014               | 0.014             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.014               | 0.014             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.013               | 0.013             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.013               | 0.013             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.012               | 0.012             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.011               | 0.011             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.011               | 0.011             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.010               | 0.010             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.010               | 0.010             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.009               | 0.009             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.008               | 0.008             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |             |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |             | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |             |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |             | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分      |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆F集団 |         |                     |                   | 0.016   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前         | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151 | 0.038               | 0.038             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467 | 0.030               | 0.030             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435 | 0.029               | 0.029             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404 | 0.029               | 0.029             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372 | 0.028               | 0.028             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341 | 0.028               | 0.028             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310 | 0.027               | 0.027             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278 | 0.026               | 0.026             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247 | 0.026               | 0.026             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215 | 0.025               | 0.025             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184 | 0.025               | 0.025             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153 | 0.024               | 0.024             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121 | 0.024               | 0.024             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090 | 0.023               | 0.023             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058 | 0.022               | 0.022             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027 | 0.022               | 0.022             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996 | 0.021               | 0.021             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964 | 0.021               | 0.021             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933 | 0.020               | 0.020             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901 | 0.020               | 0.020             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870 | 0.019               | 0.019             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839 | 0.019               | 0.019             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807 | 0.018               | 0.018             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776 | 0.017               | 0.017             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744 | 0.017               | 0.017             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713 | 0.016               | 0.016             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682 | 0.016               | 0.016             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650 | 0.015               | 0.015             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619 | 0.015               | 0.015             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588 | 0.014               | 0.014             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556 | 0.013               | 0.013             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525 | 0.013               | 0.013             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493 | 0.012               | 0.012             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462 | 0.012               | 0.012             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431 | 0.011               | 0.011             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399 | 0.011               | 0.011             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368 | 0.010               | 0.010             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336 | 0.010               | 0.010             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305 | 0.009               | 0.009             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274 | 0.008               | 0.008             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000 | 0.008               | 0.008             |         |  |
|                     |                    |           | 平均値         |         |                     |                   |         |  |
|                     |                    |           | 57.88778    | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧未被覆F補強        |           |           | 0.014         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.033               | 0.033             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.026               | 0.026             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.026               | 0.026             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.025               | 0.025             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.025               | 0.025             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.024               | 0.024             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.024               | 0.024             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.023               | 0.023             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.023               | 0.023             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.022               | 0.022             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.022               | 0.022             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.021               | 0.021             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.021               | 0.021             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.020               | 0.020             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.020               | 0.020             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.019               | 0.019             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.019               | 0.019             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.018               | 0.018             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.018               | 0.018             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.017               | 0.017             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.017               | 0.017             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.016               | 0.016             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.016               | 0.016             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.015               | 0.015             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.015               | 0.015             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.014               | 0.014             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.014               | 0.014             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.013               | 0.013             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.013               | 0.013             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.012               | 0.012             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.012               | 0.012             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.011               | 0.011             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.011               | 0.011             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.010               | 0.010             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.010               | 0.010             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.009               | 0.009             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.009               | 0.009             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.008               | 0.008             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.008               | 0.008             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.007               | 0.007             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.007               | 0.007             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |               |         |                     |                   |         |  |
|---------------------|--------------------|-----------|---------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |               | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |               |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |               | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分        |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧未被覆F補強集団 |         |                     |                   | 0.014   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前           | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704     | 4.73151 | 0.033               | 0.033             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000     | 3.72467 | 0.026               | 0.026             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000     | 3.65435 | 0.026               | 0.026             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000     | 3.58404 | 0.025               | 0.025             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000     | 3.51372 | 0.025               | 0.025             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000     | 3.44341 | 0.024               | 0.024             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000     | 3.37310 | 0.024               | 0.024             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000     | 3.30278 | 0.023               | 0.023             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000     | 3.23247 | 0.023               | 0.023             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000     | 3.16215 | 0.022               | 0.022             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000     | 3.09184 | 0.022               | 0.022             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000     | 3.02153 | 0.021               | 0.021             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000     | 2.95121 | 0.021               | 0.021             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000     | 2.88090 | 0.020               | 0.020             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000     | 2.81058 | 0.020               | 0.020             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000     | 2.74027 | 0.019               | 0.019             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000      | 2.66996 | 0.019               | 0.019             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000      | 2.59964 | 0.018               | 0.018             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000      | 2.52933 | 0.018               | 0.018             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000      | 2.45901 | 0.017               | 0.017             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000      | 2.38870 | 0.017               | 0.017             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000      | 2.31839 | 0.016               | 0.016             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000      | 2.24807 | 0.016               | 0.016             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000      | 2.17776 | 0.015               | 0.015             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000      | 2.10744 | 0.015               | 0.015             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000      | 2.03713 | 0.014               | 0.014             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000      | 1.96682 | 0.014               | 0.014             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000      | 1.89650 | 0.013               | 0.013             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000      | 1.82619 | 0.013               | 0.013             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000      | 1.75588 | 0.012               | 0.012             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000      | 1.68556 | 0.012               | 0.012             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000      | 1.61525 | 0.011               | 0.011             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000      | 1.54493 | 0.011               | 0.011             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000      | 1.47462 | 0.010               | 0.010             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000      | 1.40431 | 0.010               | 0.010             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000      | 1.33399 | 0.009               | 0.009             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000      | 1.26368 | 0.009               | 0.009             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000      | 1.19336 | 0.008               | 0.008             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000       | 1.12305 | 0.008               | 0.008             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000       | 1.05274 | 0.007               | 0.007             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000       | 1.00000 | 0.007               | 0.007             |         |  |
|                     |                    |           | 平均値           |         |                     |                   |         |  |
|                     |                    |           | 57.88778      | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆A  |         |                     |                   | 1.267   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 2.997               | 2.997             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 2.360               | 2.360             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 2.315               | 2.315             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 2.270               | 2.270             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 2.226               | 2.226             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 2.181               | 2.181             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 2.137               | 2.137             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 2.092               | 2.092             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 2.048               | 2.048             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 2.003               | 2.003             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 1.959               | 1.959             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 1.914               | 1.914             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 1.870               | 1.870             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 1.825               | 1.825             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 1.781               | 1.781             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 1.736               | 1.736             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 1.691               | 1.691             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 1.647               | 1.647             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 1.602               | 1.602             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 1.558               | 1.558             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 1.513               | 1.513             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 1.469               | 1.469             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 1.424               | 1.424             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 1.380               | 1.380             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 1.335               | 1.335             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 1.291               | 1.291             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 1.246               | 1.246             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 1.201               | 1.201             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 1.157               | 1.157             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 1.112               | 1.112             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 1.068               | 1.068             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 1.023               | 1.023             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.979               | 0.979             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.934               | 0.934             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.890               | 0.890             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.845               | 0.845             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.801               | 0.801             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.756               | 0.756             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.711               | 0.711             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.667               | 0.667             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.633               | 0.633             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |    |            |           |           |                     |                   |       |  |
|---------------------|--------------------|----|------------|-----------|-----------|---------------------|-------------------|-------|--|
| 都道府県名               | 兵庫県                |    |            | 共済事業      |           |                     | 園芸施設共済            |       |  |
| 組合等名                | 兵庫県農業共済組合          |    |            |           |           |                     |                   |       |  |
| 料率地域区分              | 000                |    |            | 地域名       |           | 00000 都道府県の区域       |                   |       |  |
| 施設区分                |                    |    | 共済掛金区分     |           |           |                     | 共済掛金標準率           |       |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |    | プラⅡ復旧被覆A集団 |           |           |                     | 1.204             |       |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |    |            | 危険指数      |           | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |       |  |
|                     |                    |    |            | 圧縮前       | 圧縮後       |                     |                   |       |  |
| 20                  | 197.5              | ≦* | <          | 213.27704 | 4.73151   | 2.848               | 2.848             |       |  |
| 19                  | 192.5              | ≦* | <          | 197.5     | 156.00000 | 3.72467             | 2.242             | 2.242 |  |
| 18                  | 187.5              | ≦* | <          | 192.5     | 152.00000 | 3.65435             | 2.200             | 2.200 |  |
| 17                  | 182.5              | ≦* | <          | 187.5     | 148.00000 | 3.58404             | 2.158             | 2.158 |  |
| 16                  | 177.5              | ≦* | <          | 182.5     | 144.00000 | 3.51372             | 2.115             | 2.115 |  |
| 15                  | 172.5              | ≦* | <          | 177.5     | 140.00000 | 3.44341             | 2.073             | 2.073 |  |
| 14                  | 167.5              | ≦* | <          | 172.5     | 136.00000 | 3.37310             | 2.031             | 2.031 |  |
| 13                  | 162.5              | ≦* | <          | 167.5     | 132.00000 | 3.30278             | 1.988             | 1.988 |  |
| 12                  | 157.5              | ≦* | <          | 162.5     | 128.00000 | 3.23247             | 1.946             | 1.946 |  |
| 11                  | 152.5              | ≦* | <          | 157.5     | 124.00000 | 3.16215             | 1.904             | 1.904 |  |
| 10                  | 147.5              | ≦* | <          | 152.5     | 120.00000 | 3.09184             | 1.861             | 1.861 |  |
| 09                  | 142.5              | ≦* | <          | 147.5     | 116.00000 | 3.02153             | 1.819             | 1.819 |  |
| 08                  | 137.5              | ≦* | <          | 142.5     | 112.00000 | 2.95121             | 1.777             | 1.777 |  |
| 07                  | 132.5              | ≦* | <          | 137.5     | 108.00000 | 2.88090             | 1.734             | 1.734 |  |
| 06                  | 127.5              | ≦* | <          | 132.5     | 104.00000 | 2.81058             | 1.692             | 1.692 |  |
| 05                  | 122.5              | ≦* | <          | 127.5     | 100.00000 | 2.74027             | 1.650             | 1.650 |  |
| 04                  | 117.5              | ≦* | <          | 122.5     | 96.00000  | 2.66996             | 1.607             | 1.607 |  |
| 03                  | 112.5              | ≦* | <          | 117.5     | 92.00000  | 2.59964             | 1.565             | 1.565 |  |
| 02                  | 107.5              | ≦* | <          | 112.5     | 88.00000  | 2.52933             | 1.523             | 1.523 |  |
| 01                  | 102.5              | ≦* | <          | 107.5     | 84.00000  | 2.45901             | 1.480             | 1.480 |  |
| 00                  | 97.5               | ≦* | <          | 102.5     | 80.00000  | 2.38870             | 1.438             | 1.438 |  |
| -01                 | 92.5               | ≦* | <          | 97.5      | 76.00000  | 2.31839             | 1.396             | 1.396 |  |
| -02                 | 87.5               | ≦* | <          | 92.5      | 72.00000  | 2.24807             | 1.353             | 1.353 |  |
| -03                 | 82.5               | ≦* | <          | 87.5      | 68.00000  | 2.17776             | 1.311             | 1.311 |  |
| -04                 | 77.5               | ≦* | <          | 82.5      | 64.00000  | 2.10744             | 1.269             | 1.269 |  |
| -05                 | 72.5               | ≦* | <          | 77.5      | 60.00000  | 2.03713             | 1.226             | 1.226 |  |
| -06                 | 67.5               | ≦* | <          | 72.5      | 56.00000  | 1.96682             | 1.184             | 1.184 |  |
| -07                 | 62.5               | ≦* | <          | 67.5      | 52.00000  | 1.89650             | 1.142             | 1.142 |  |
| -08                 | 57.5               | ≦* | <          | 62.5      | 48.00000  | 1.82619             | 1.099             | 1.099 |  |
| -09                 | 52.5               | ≦* | <          | 57.5      | 44.00000  | 1.75588             | 1.057             | 1.057 |  |
| -10                 | 47.5               | ≦* | <          | 52.5      | 40.00000  | 1.68556             | 1.015             | 1.015 |  |
| -11                 | 42.5               | ≦* | <          | 47.5      | 36.00000  | 1.61525             | 0.972             | 0.972 |  |
| -12                 | 37.5               | ≦* | <          | 42.5      | 32.00000  | 1.54493             | 0.930             | 0.930 |  |
| -13                 | 32.5               | ≦* | <          | 37.5      | 28.00000  | 1.47462             | 0.888             | 0.888 |  |
| -14                 | 27.5               | ≦* | <          | 32.5      | 24.00000  | 1.40431             | 0.845             | 0.845 |  |
| -15                 | 22.5               | ≦* | <          | 27.5      | 20.00000  | 1.33399             | 0.803             | 0.803 |  |
| -16                 | 17.5               | ≦* | <          | 22.5      | 16.00000  | 1.26368             | 0.761             | 0.761 |  |
| -17                 | 12.5               | ≦* | <          | 17.5      | 12.00000  | 1.19336             | 0.718             | 0.718 |  |
| -18                 | 7.5                | ≦* | <          | 12.5      | 8.00000   | 1.12305             | 0.676             | 0.676 |  |
| -19                 | 2.5                | ≦* | <          | 7.5       | 4.00000   | 1.05274             | 0.634             | 0.634 |  |
| -20                 | 0.0                | ≦* | <          | 2.5       | 1.00000   | 1.00000             | 0.602             | 0.602 |  |
|                     |                    |    |            | 平均値       |           |                     |                   |       |  |
|                     |                    |    |            | 57.88778  | 2.00000   |                     |                   |       |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆A補強 |         |                     |                   | 1.077   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 2.548               | 2.548             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 2.006               | 2.006             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 1.968               | 1.968             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 1.930               | 1.930             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 1.892               | 1.892             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 1.854               | 1.854             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 1.816               | 1.816             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 1.779               | 1.779             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 1.741               | 1.741             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 1.703               | 1.703             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 1.665               | 1.665             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 1.627               | 1.627             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 1.589               | 1.589             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 1.551               | 1.551             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 1.513               | 1.513             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 1.476               | 1.476             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 1.438               | 1.438             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 1.400               | 1.400             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 1.362               | 1.362             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 1.324               | 1.324             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 1.286               | 1.286             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 1.248               | 1.248             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 1.211               | 1.211             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 1.173               | 1.173             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 1.135               | 1.135             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 1.097               | 1.097             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 1.059               | 1.059             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 1.021               | 1.021             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.983               | 0.983             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.946               | 0.946             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.908               | 0.908             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.870               | 0.870             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.832               | 0.832             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.794               | 0.794             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.756               | 0.756             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.718               | 0.718             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.680               | 0.680             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.643               | 0.643             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.605               | 0.605             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.567               | 0.567             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.538               | 0.538             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |             |               |                     |                   |
|---------------------|--------------------|-----------|-------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           | 共済事業 園芸施設共済 |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |             | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧被覆A補強集団       |           |             | 1.023         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151       | 2.420               | 2.420             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467       | 1.905               | 1.905             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435       | 1.869               | 1.869             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404       | 1.833               | 1.833             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372       | 1.797               | 1.797             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341       | 1.761               | 1.761             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310       | 1.725               | 1.725             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278       | 1.689               | 1.689             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247       | 1.653               | 1.653             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215       | 1.617               | 1.617             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184       | 1.581               | 1.581             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153       | 1.546               | 1.546             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121       | 1.510               | 1.510             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090       | 1.474               | 1.474             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058       | 1.438               | 1.438             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027       | 1.402               | 1.402             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996       | 1.366               | 1.366             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964       | 1.330               | 1.330             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933       | 1.294               | 1.294             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901       | 1.258               | 1.258             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870       | 1.222               | 1.222             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839       | 1.186               | 1.186             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807       | 1.150               | 1.150             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776       | 1.114               | 1.114             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744       | 1.078               | 1.078             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713       | 1.042               | 1.042             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682       | 1.006               | 1.006             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650       | 0.970               | 0.970             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619       | 0.934               | 0.934             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588       | 0.898               | 0.898             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556       | 0.862               | 0.862             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525       | 0.826               | 0.826             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493       | 0.790               | 0.790             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462       | 0.754               | 0.754             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431       | 0.718               | 0.718             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399       | 0.682               | 0.682             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368       | 0.646               | 0.646             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336       | 0.610               | 0.610             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305       | 0.574               | 0.574             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274       | 0.538               | 0.538             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000       | 0.511               | 0.511             |
|                     |                    |           | 平均値         |               |                     |                   |
|                     |                    |           | 57.88778    | 2.00000       |                     |                   |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧被覆B           |           |           | 0.768         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 1.817               | 1.817             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 1.430               | 1.430             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 1.403               | 1.403             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 1.376               | 1.376             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 1.349               | 1.349             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 1.322               | 1.322             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 1.295               | 1.295             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 1.268               | 1.268             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 1.241               | 1.241             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 1.214               | 1.214             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 1.187               | 1.187             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 1.160               | 1.160             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 1.133               | 1.133             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 1.106               | 1.106             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 1.079               | 1.079             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 1.052               | 1.052             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 1.025               | 1.025             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.998               | 0.998             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.971               | 0.971             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.944               | 0.944             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.917               | 0.917             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.890               | 0.890             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.863               | 0.863             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.836               | 0.836             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.809               | 0.809             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.782               | 0.782             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.755               | 0.755             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.728               | 0.728             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.701               | 0.701             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.674               | 0.674             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.647               | 0.647             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.620               | 0.620             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.593               | 0.593             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.566               | 0.566             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.539               | 0.539             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.512               | 0.512             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.485               | 0.485             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.458               | 0.458             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.431               | 0.431             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.404               | 0.404             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.384               | 0.384             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆B集団 |         |                     |                   | 0.730   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 1.727               | 1.727             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 1.360               | 1.360             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 1.334               | 1.334             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 1.308               | 1.308             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 1.283               | 1.283             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 1.257               | 1.257             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 1.231               | 1.231             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 1.206               | 1.206             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 1.180               | 1.180             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 1.154               | 1.154             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 1.129               | 1.129             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 1.103               | 1.103             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 1.077               | 1.077             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 1.052               | 1.052             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 1.026               | 1.026             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 1.000               | 1.000             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.975               | 0.975             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.949               | 0.949             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.923               | 0.923             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.898               | 0.898             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.872               | 0.872             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.846               | 0.846             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.821               | 0.821             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.795               | 0.795             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.769               | 0.769             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.744               | 0.744             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.718               | 0.718             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.692               | 0.692             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.667               | 0.667             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.641               | 0.641             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.615               | 0.615             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.590               | 0.590             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.564               | 0.564             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.538               | 0.538             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.513               | 0.513             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.487               | 0.487             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.461               | 0.461             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.436               | 0.436             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.410               | 0.410             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.384               | 0.384             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.365               | 0.365             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆B補強 |         |                     |                   | 0.653   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 1.545               | 1.545             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 1.216               | 1.216             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 1.193               | 1.193             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 1.170               | 1.170             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 1.147               | 1.147             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 1.124               | 1.124             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 1.101               | 1.101             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 1.078               | 1.078             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 1.055               | 1.055             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 1.032               | 1.032             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 1.009               | 1.009             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.987               | 0.987             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.964               | 0.964             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.941               | 0.941             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.918               | 0.918             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.895               | 0.895             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.872               | 0.872             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.849               | 0.849             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.826               | 0.826             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.803               | 0.803             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.780               | 0.780             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.757               | 0.757             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.734               | 0.734             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.711               | 0.711             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.688               | 0.688             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.665               | 0.665             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.642               | 0.642             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.619               | 0.619             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.596               | 0.596             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.573               | 0.573             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.550               | 0.550             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.527               | 0.527             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.504               | 0.504             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.481               | 0.481             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.459               | 0.459             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.436               | 0.436             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.413               | 0.413             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.390               | 0.390             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.367               | 0.367             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.344               | 0.344             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.326               | 0.326             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧被覆B補強集団       |           |           | 0.620         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 1.467               | 1.467             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 1.155               | 1.155             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 1.133               | 1.133             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 1.111               | 1.111             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 1.089               | 1.089             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 1.067               | 1.067             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 1.046               | 1.046             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 1.024               | 1.024             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 1.002               | 1.002             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 0.980               | 0.980             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 0.958               | 0.958             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 0.937               | 0.937             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 0.915               | 0.915             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 0.893               | 0.893             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 0.871               | 0.871             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 0.849               | 0.849             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 0.828               | 0.828             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 0.806               | 0.806             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 0.784               | 0.784             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 0.762               | 0.762             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 0.740               | 0.740             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 0.719               | 0.719             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 0.697               | 0.697             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 0.675               | 0.675             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 0.653               | 0.653             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 0.632               | 0.632             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 0.610               | 0.610             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 0.588               | 0.588             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 0.566               | 0.566             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 0.544               | 0.544             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 0.523               | 0.523             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 0.501               | 0.501             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 0.479               | 0.479             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 0.457               | 0.457             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.435               | 0.435             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.414               | 0.414             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.392               | 0.392             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.370               | 0.370             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.348               | 0.348             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.326               | 0.326             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.310               | 0.310             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧被覆C           |           |           | 0.551         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 1.304               | 1.304             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 1.026               | 1.026             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 1.007               | 1.007             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.987               | 0.987             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.968               | 0.968             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.949               | 0.949             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.929               | 0.929             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.910               | 0.910             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.891               | 0.891             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.871               | 0.871             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.852               | 0.852             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.832               | 0.832             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.813               | 0.813             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.794               | 0.794             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.774               | 0.774             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.755               | 0.755             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.736               | 0.736             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.716               | 0.716             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.697               | 0.697             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.677               | 0.677             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.658               | 0.658             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.639               | 0.639             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.619               | 0.619             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.600               | 0.600             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.581               | 0.581             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.561               | 0.561             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.542               | 0.542             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.522               | 0.522             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.503               | 0.503             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.484               | 0.484             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.464               | 0.464             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.445               | 0.445             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.426               | 0.426             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.406               | 0.406             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.387               | 0.387             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.368               | 0.368             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.348               | 0.348             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.329               | 0.329             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.309               | 0.309             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.290               | 0.290             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.275               | 0.275             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧被覆C集団         |           |           | 0.523         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 1.237               | 1.237             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.974               | 0.974             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.956               | 0.956             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.937               | 0.937             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.919               | 0.919             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.900               | 0.900             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.882               | 0.882             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.864               | 0.864             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.845               | 0.845             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.827               | 0.827             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.809               | 0.809             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.790               | 0.790             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.772               | 0.772             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.753               | 0.753             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.735               | 0.735             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.717               | 0.717             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.698               | 0.698             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.680               | 0.680             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.661               | 0.661             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.643               | 0.643             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.625               | 0.625             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.606               | 0.606             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.588               | 0.588             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.569               | 0.569             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.551               | 0.551             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.533               | 0.533             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.514               | 0.514             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.496               | 0.496             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.478               | 0.478             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.459               | 0.459             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.441               | 0.441             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.422               | 0.422             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.404               | 0.404             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.386               | 0.386             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.367               | 0.367             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.349               | 0.349             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.330               | 0.330             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.312               | 0.312             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.294               | 0.294             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.275               | 0.275             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.261               | 0.261             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |             |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|-------------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業 園芸施設共済 |                     |                   |         |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |             |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名         |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |             |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆C補強 |             |                     |                   | 0.468   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |             | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後         |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151     | 1.107               | 1.107             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467     | 0.872               | 0.872             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435     | 0.855               | 0.855             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404     | 0.839               | 0.839             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372     | 0.822               | 0.822             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341     | 0.806               | 0.806             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310     | 0.789               | 0.789             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278     | 0.773               | 0.773             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247     | 0.756               | 0.756             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215     | 0.740               | 0.740             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184     | 0.723               | 0.723             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153     | 0.707               | 0.707             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121     | 0.691               | 0.691             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090     | 0.674               | 0.674             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058     | 0.658               | 0.658             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027     | 0.641               | 0.641             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996     | 0.625               | 0.625             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964     | 0.608               | 0.608             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933     | 0.592               | 0.592             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901     | 0.575               | 0.575             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870     | 0.559               | 0.559             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839     | 0.543               | 0.543             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807     | 0.526               | 0.526             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776     | 0.510               | 0.510             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744     | 0.493               | 0.493             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713     | 0.477               | 0.477             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682     | 0.460               | 0.460             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650     | 0.444               | 0.444             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619     | 0.427               | 0.427             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588     | 0.411               | 0.411             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556     | 0.394               | 0.394             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525     | 0.378               | 0.378             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493     | 0.362               | 0.362             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462     | 0.345               | 0.345             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431     | 0.329               | 0.329             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399     | 0.312               | 0.312             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368     | 0.296               | 0.296             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336     | 0.279               | 0.279             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305     | 0.263               | 0.263             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274     | 0.246               | 0.246             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000     | 0.234               | 0.234             |         |  |
|                     |                    |           | 平均値        |             |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000     |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆C補強集団 |         |                     |                   | 0.445   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 1.053               | 1.053             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.829               | 0.829             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.813               | 0.813             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.797               | 0.797             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.782               | 0.782             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.766               | 0.766             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.751               | 0.751             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.735               | 0.735             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.719               | 0.719             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.704               | 0.704             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.688               | 0.688             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.672               | 0.672             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.657               | 0.657             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.641               | 0.641             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.625               | 0.625             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.610               | 0.610             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.594               | 0.594             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.578               | 0.578             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.563               | 0.563             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.547               | 0.547             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.531               | 0.531             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.516               | 0.516             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.500               | 0.500             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.485               | 0.485             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.469               | 0.469             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.453               | 0.453             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.438               | 0.438             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.422               | 0.422             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.406               | 0.406             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.391               | 0.391             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.375               | 0.375             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.359               | 0.359             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.344               | 0.344             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.328               | 0.328             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.312               | 0.312             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.297               | 0.297             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.281               | 0.281             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.266               | 0.266             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.250               | 0.250             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.234               | 0.234             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.222               | 0.222             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆D  |         |                     |                   | 0.313   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.740               | 0.740             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.583               | 0.583             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.572               | 0.572             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.561               | 0.561             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.550               | 0.550             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.539               | 0.539             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.528               | 0.528             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.517               | 0.517             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.506               | 0.506             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.495               | 0.495             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.484               | 0.484             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.473               | 0.473             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.462               | 0.462             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.451               | 0.451             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.440               | 0.440             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.429               | 0.429             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.418               | 0.418             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.407               | 0.407             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.396               | 0.396             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.385               | 0.385             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.374               | 0.374             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.363               | 0.363             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.352               | 0.352             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.341               | 0.341             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.330               | 0.330             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.319               | 0.319             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.308               | 0.308             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.297               | 0.297             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.286               | 0.286             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.275               | 0.275             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.264               | 0.264             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.253               | 0.253             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.242               | 0.242             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.231               | 0.231             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.220               | 0.220             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.209               | 0.209             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.198               | 0.198             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.187               | 0.187             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.176               | 0.176             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.165               | 0.165             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.156               | 0.156             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆D集団 |         |                     |                   | 0.297   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 0.703               | 0.703             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 0.553               | 0.553             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 0.543               | 0.543             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 0.532               | 0.532             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 0.522               | 0.522             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 0.511               | 0.511             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 0.501               | 0.501             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 0.490               | 0.490             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 0.480               | 0.480             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 0.470               | 0.470             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 0.459               | 0.459             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.449               | 0.449             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.438               | 0.438             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.428               | 0.428             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.417               | 0.417             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.407               | 0.407             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.396               | 0.396             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.386               | 0.386             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.376               | 0.376             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.365               | 0.365             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.355               | 0.355             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.344               | 0.344             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.334               | 0.334             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.323               | 0.323             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.313               | 0.313             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.303               | 0.303             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.292               | 0.292             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.282               | 0.282             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.271               | 0.271             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.261               | 0.261             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.250               | 0.250             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.240               | 0.240             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.229               | 0.229             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.219               | 0.219             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.209               | 0.209             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.198               | 0.198             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.188               | 0.188             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.177               | 0.177             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.167               | 0.167             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.156               | 0.156             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.148               | 0.148             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆D補強 |         |                     |                   | 0.266   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 0.629               | 0.629             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 0.495               | 0.495             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 0.486               | 0.486             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 0.477               | 0.477             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 0.467               | 0.467             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 0.458               | 0.458             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 0.449               | 0.449             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 0.439               | 0.439             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 0.430               | 0.430             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 0.421               | 0.421             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 0.411               | 0.411             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.402               | 0.402             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.393               | 0.393             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.383               | 0.383             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.374               | 0.374             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.364               | 0.364             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.355               | 0.355             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.346               | 0.346             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.336               | 0.336             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.327               | 0.327             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.318               | 0.318             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.308               | 0.308             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.299               | 0.299             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.290               | 0.290             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.280               | 0.280             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.271               | 0.271             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.262               | 0.262             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.252               | 0.252             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.243               | 0.243             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.234               | 0.234             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.224               | 0.224             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.215               | 0.215             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.205               | 0.205             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.196               | 0.196             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.187               | 0.187             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.177               | 0.177             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.168               | 0.168             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.159               | 0.159             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.149               | 0.149             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.140               | 0.140             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.133               | 0.133             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |              |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|--------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |              |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名          | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    |           | 共済掛金区分       | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆D補強集団 | 0.253         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前          | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151       | 0.599               | 0.599             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467       | 0.471               | 0.471             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435       | 0.462               | 0.462             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404       | 0.453               | 0.453             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372       | 0.444               | 0.444             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341       | 0.436               | 0.436             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310       | 0.427               | 0.427             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278       | 0.418               | 0.418             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247       | 0.409               | 0.409             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215       | 0.400               | 0.400             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184       | 0.391               | 0.391             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153       | 0.382               | 0.382             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121       | 0.373               | 0.373             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090       | 0.364               | 0.364             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058       | 0.356               | 0.356             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027       | 0.347               | 0.347             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996       | 0.338               | 0.338             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964       | 0.329               | 0.329             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933       | 0.320               | 0.320             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901       | 0.311               | 0.311             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870       | 0.302               | 0.302             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839       | 0.293               | 0.293             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807       | 0.284               | 0.284             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776       | 0.275               | 0.275             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744       | 0.267               | 0.267             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713       | 0.258               | 0.258             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682       | 0.249               | 0.249             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650       | 0.240               | 0.240             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619       | 0.231               | 0.231             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588       | 0.222               | 0.222             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556       | 0.213               | 0.213             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525       | 0.204               | 0.204             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493       | 0.195               | 0.195             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462       | 0.187               | 0.187             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431       | 0.178               | 0.178             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399       | 0.169               | 0.169             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368       | 0.160               | 0.160             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336       | 0.151               | 0.151             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305       | 0.142               | 0.142             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274       | 0.133               | 0.133             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000       | 0.126               | 0.126             |
|                     |                    |           | 平均値          |               |                     |                   |
|                     |                    |           | 57.88778     | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆E  |         |                     |                   | 0.051   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.121               | 0.121             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.095               | 0.095             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.093               | 0.093             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.091               | 0.091             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.090               | 0.090             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.088               | 0.088             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.086               | 0.086             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.084               | 0.084             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.082               | 0.082             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.081               | 0.081             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.079               | 0.079             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.077               | 0.077             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.075               | 0.075             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.073               | 0.073             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.072               | 0.072             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.070               | 0.070             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.068               | 0.068             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.066               | 0.066             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.064               | 0.064             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.063               | 0.063             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.061               | 0.061             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.059               | 0.059             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.057               | 0.057             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.056               | 0.056             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.054               | 0.054             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.052               | 0.052             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.050               | 0.050             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.048               | 0.048             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.047               | 0.047             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.045               | 0.045             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.043               | 0.043             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.041               | 0.041             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.039               | 0.039             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.038               | 0.038             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.036               | 0.036             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.034               | 0.034             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.032               | 0.032             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.030               | 0.030             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.029               | 0.029             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.027               | 0.027             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.025               | 0.025             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |            |  |     |               |      |        |
|---------------------|------------|--|-----|---------------|------|--------|
| 都道府県名               | 兵庫県        |  |     |               | 共済事業 | 園芸施設共済 |
| 組合等名                | 兵庫県農業共済組合  |  |     |               |      |        |
| 料率地域区分              | 000        |  | 地域名 | 00000 都道府県の区域 |      |        |
| 施設区分                | 共済掛金区分     |  |     | 共済掛金標準率       |      |        |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧被覆E集団 |  |     | 0.048         |      |        |

  

| 危険段階<br>区分 | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|------------|--------------------|-----------|-----------|---------|---------------------|-------------------|
|            |                    |           | 圧縮前       | 圧縮後     |                     |                   |
| 20         | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 0.114               | 0.114             |
| 19         | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 0.089               | 0.089             |
| 18         | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 0.088               | 0.088             |
| 17         | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 0.086               | 0.086             |
| 16         | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 0.084               | 0.084             |
| 15         | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 0.083               | 0.083             |
| 14         | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 0.081               | 0.081             |
| 13         | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 0.079               | 0.079             |
| 12         | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 0.078               | 0.078             |
| 11         | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 0.076               | 0.076             |
| 10         | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 0.074               | 0.074             |
| 09         | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 0.073               | 0.073             |
| 08         | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 0.071               | 0.071             |
| 07         | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 0.069               | 0.069             |
| 06         | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 0.067               | 0.067             |
| 05         | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 0.066               | 0.066             |
| 04         | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 0.064               | 0.064             |
| 03         | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 0.062               | 0.062             |
| 02         | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 0.061               | 0.061             |
| 01         | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 0.059               | 0.059             |
| 00         | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 0.057               | 0.057             |
| -01        | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 0.056               | 0.056             |
| -02        | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 0.054               | 0.054             |
| -03        | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 0.052               | 0.052             |
| -04        | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 0.051               | 0.051             |
| -05        | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 0.049               | 0.049             |
| -06        | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 0.047               | 0.047             |
| -07        | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 0.046               | 0.046             |
| -08        | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 0.044               | 0.044             |
| -09        | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 0.042               | 0.042             |
| -10        | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 0.040               | 0.040             |
| -11        | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 0.039               | 0.039             |
| -12        | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.037               | 0.037             |
| -13        | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.035               | 0.035             |
| -14        | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.034               | 0.034             |
| -15        | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.032               | 0.032             |
| -16        | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.030               | 0.030             |
| -17        | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.029               | 0.029             |
| -18        | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.027               | 0.027             |
| -19        | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.025               | 0.025             |
| -20        | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.024               | 0.024             |
|            |                    |           | 平均値       |         |                     |                   |
|            |                    |           | 57.88778  | 2.00000 |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |             |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|-------------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業 園芸施設共済 |                     |                   |         |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |             |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名         |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |             |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆E補強 |             |                     |                   | 0.043   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |             | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後         |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151     | 0.102               | 0.102             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467     | 0.080               | 0.080             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435     | 0.079               | 0.079             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404     | 0.077               | 0.077             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372     | 0.076               | 0.076             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341     | 0.074               | 0.074             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310     | 0.073               | 0.073             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278     | 0.071               | 0.071             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247     | 0.069               | 0.069             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215     | 0.068               | 0.068             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184     | 0.066               | 0.066             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153     | 0.065               | 0.065             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121     | 0.063               | 0.063             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090     | 0.062               | 0.062             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058     | 0.060               | 0.060             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027     | 0.059               | 0.059             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996     | 0.057               | 0.057             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964     | 0.056               | 0.056             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933     | 0.054               | 0.054             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901     | 0.053               | 0.053             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870     | 0.051               | 0.051             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839     | 0.050               | 0.050             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807     | 0.048               | 0.048             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776     | 0.047               | 0.047             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744     | 0.045               | 0.045             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713     | 0.044               | 0.044             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682     | 0.042               | 0.042             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650     | 0.041               | 0.041             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619     | 0.039               | 0.039             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588     | 0.038               | 0.038             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556     | 0.036               | 0.036             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525     | 0.035               | 0.035             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493     | 0.033               | 0.033             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462     | 0.032               | 0.032             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431     | 0.030               | 0.030             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399     | 0.029               | 0.029             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368     | 0.027               | 0.027             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336     | 0.026               | 0.026             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305     | 0.024               | 0.024             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274     | 0.023               | 0.023             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000     | 0.021               | 0.021             |         |  |
|                     |                    |           | 平均値        |             |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000     |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆E補強集団 |         |                     |                   | 0.041   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 0.097               | 0.097             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.076               | 0.076             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.075               | 0.075             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.073               | 0.073             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.072               | 0.072             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.071               | 0.071             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.069               | 0.069             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.068               | 0.068             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.066               | 0.066             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.065               | 0.065             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.063               | 0.063             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.062               | 0.062             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.060               | 0.060             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.059               | 0.059             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.058               | 0.058             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.056               | 0.056             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.055               | 0.055             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.053               | 0.053             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.052               | 0.052             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.050               | 0.050             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.049               | 0.049             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.048               | 0.048             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.046               | 0.046             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.045               | 0.045             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.043               | 0.043             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.042               | 0.042             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.040               | 0.040             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.039               | 0.039             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.037               | 0.037             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.036               | 0.036             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.035               | 0.035             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.033               | 0.033             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.032               | 0.032             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.030               | 0.030             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.029               | 0.029             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.027               | 0.027             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.026               | 0.026             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.024               | 0.024             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.023               | 0.023             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.022               | 0.022             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.020               | 0.020             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |           |         |                     |                   |         |  |
|---------------------|--------------------|-----------|-----------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |           | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |           |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |           | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分    |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆F  |         |                     |                   | 1.268   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前       | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151 | 3.000               | 3.000             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467 | 2.361               | 2.361             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435 | 2.317               | 2.317             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404 | 2.272               | 2.272             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372 | 2.228               | 2.228             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341 | 2.183               | 2.183             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310 | 2.139               | 2.139             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278 | 2.094               | 2.094             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247 | 2.049               | 2.049             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215 | 2.005               | 2.005             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184 | 1.960               | 1.960             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153 | 1.916               | 1.916             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121 | 1.871               | 1.871             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090 | 1.826               | 1.826             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058 | 1.782               | 1.782             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027 | 1.737               | 1.737             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996 | 1.693               | 1.693             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964 | 1.648               | 1.648             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933 | 1.604               | 1.604             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901 | 1.559               | 1.559             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870 | 1.514               | 1.514             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839 | 1.470               | 1.470             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807 | 1.425               | 1.425             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776 | 1.381               | 1.381             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744 | 1.336               | 1.336             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713 | 1.292               | 1.292             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682 | 1.247               | 1.247             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650 | 1.202               | 1.202             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619 | 1.158               | 1.158             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588 | 1.113               | 1.113             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556 | 1.069               | 1.069             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525 | 1.024               | 1.024             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493 | 0.979               | 0.979             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462 | 0.935               | 0.935             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431 | 0.890               | 0.890             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399 | 0.846               | 0.846             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368 | 0.801               | 0.801             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336 | 0.757               | 0.757             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305 | 0.712               | 0.712             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274 | 0.667               | 0.667             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000 | 0.634               | 0.634             |         |  |
|                     |                    |           | 平均値       |         |                     |                   |         |  |
|                     |                    |           | 57.88778  | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆F集団 |         |                     |                   | 1.205   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 2.851               | 2.851             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 2.244               | 2.244             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 2.202               | 2.202             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 2.159               | 2.159             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 2.117               | 2.117             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 2.075               | 2.075             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 2.032               | 2.032             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 1.990               | 1.990             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 1.948               | 1.948             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 1.905               | 1.905             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 1.863               | 1.863             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 1.820               | 1.820             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 1.778               | 1.778             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 1.736               | 1.736             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 1.693               | 1.693             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 1.651               | 1.651             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 1.609               | 1.609             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 1.566               | 1.566             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 1.524               | 1.524             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 1.482               | 1.482             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 1.439               | 1.439             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 1.397               | 1.397             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 1.354               | 1.354             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 1.312               | 1.312             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 1.270               | 1.270             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 1.227               | 1.227             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 1.185               | 1.185             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 1.143               | 1.143             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 1.100               | 1.100             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 1.058               | 1.058             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 1.016               | 1.016             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.973               | 0.973             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.931               | 0.931             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.888               | 0.888             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.846               | 0.846             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.804               | 0.804             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.761               | 0.761             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.719               | 0.719             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.677               | 0.677             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.634               | 0.634             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.602               | 0.602             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |             |         |                     |                   |  |
|---------------------|--------------------|-----------|------------|-------------|---------|---------------------|-------------------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業 園芸施設共済 |         |                     |                   |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |             |         |                     |                   |  |
| 料率地域区分              |                    | 000       |            | 地域名         |         | 00000 都道府県の区域       |                   |  |
| 施設区分                |                    |           | 共済掛金区分     |             |         |                     | 共済掛金標準率           |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ復旧被覆F補強 |             |         |                     | 1.078             |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           |            | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                     |                    |           |            | 圧縮前         | 圧縮後     |                     |                   |  |
| 20                  | 197.5              | ≦*        | <          | 213.27704   | 4.73151 | 2.550               | 2.550             |  |
| 19                  | 192.5              | ≦*        | <          | 156.00000   | 3.72467 | 2.008               | 2.008             |  |
| 18                  | 187.5              | ≦*        | <          | 152.00000   | 3.65435 | 1.970               | 1.970             |  |
| 17                  | 182.5              | ≦*        | <          | 148.00000   | 3.58404 | 1.932               | 1.932             |  |
| 16                  | 177.5              | ≦*        | <          | 144.00000   | 3.51372 | 1.894               | 1.894             |  |
| 15                  | 172.5              | ≦*        | <          | 140.00000   | 3.44341 | 1.856               | 1.856             |  |
| 14                  | 167.5              | ≦*        | <          | 136.00000   | 3.37310 | 1.818               | 1.818             |  |
| 13                  | 162.5              | ≦*        | <          | 132.00000   | 3.30278 | 1.780               | 1.780             |  |
| 12                  | 157.5              | ≦*        | <          | 128.00000   | 3.23247 | 1.742               | 1.742             |  |
| 11                  | 152.5              | ≦*        | <          | 124.00000   | 3.16215 | 1.704               | 1.704             |  |
| 10                  | 147.5              | ≦*        | <          | 120.00000   | 3.09184 | 1.667               | 1.667             |  |
| 09                  | 142.5              | ≦*        | <          | 116.00000   | 3.02153 | 1.629               | 1.629             |  |
| 08                  | 137.5              | ≦*        | <          | 112.00000   | 2.95121 | 1.591               | 1.591             |  |
| 07                  | 132.5              | ≦*        | <          | 108.00000   | 2.88090 | 1.553               | 1.553             |  |
| 06                  | 127.5              | ≦*        | <          | 104.00000   | 2.81058 | 1.515               | 1.515             |  |
| 05                  | 122.5              | ≦*        | <          | 100.00000   | 2.74027 | 1.477               | 1.477             |  |
| 04                  | 117.5              | ≦*        | <          | 96.00000    | 2.66996 | 1.439               | 1.439             |  |
| 03                  | 112.5              | ≦*        | <          | 92.00000    | 2.59964 | 1.401               | 1.401             |  |
| 02                  | 107.5              | ≦*        | <          | 88.00000    | 2.52933 | 1.363               | 1.363             |  |
| 01                  | 102.5              | ≦*        | <          | 84.00000    | 2.45901 | 1.325               | 1.325             |  |
| 00                  | 97.5               | ≦*        | <          | 80.00000    | 2.38870 | 1.288               | 1.288             |  |
| -01                 | 92.5               | ≦*        | <          | 76.00000    | 2.31839 | 1.250               | 1.250             |  |
| -02                 | 87.5               | ≦*        | <          | 72.00000    | 2.24807 | 1.212               | 1.212             |  |
| -03                 | 82.5               | ≦*        | <          | 68.00000    | 2.17776 | 1.174               | 1.174             |  |
| -04                 | 77.5               | ≦*        | <          | 64.00000    | 2.10744 | 1.136               | 1.136             |  |
| -05                 | 72.5               | ≦*        | <          | 60.00000    | 2.03713 | 1.098               | 1.098             |  |
| -06                 | 67.5               | ≦*        | <          | 56.00000    | 1.96682 | 1.060               | 1.060             |  |
| -07                 | 62.5               | ≦*        | <          | 52.00000    | 1.89650 | 1.022               | 1.022             |  |
| -08                 | 57.5               | ≦*        | <          | 48.00000    | 1.82619 | 0.984               | 0.984             |  |
| -09                 | 52.5               | ≦*        | <          | 44.00000    | 1.75588 | 0.946               | 0.946             |  |
| -10                 | 47.5               | ≦*        | <          | 40.00000    | 1.68556 | 0.909               | 0.909             |  |
| -11                 | 42.5               | ≦*        | <          | 36.00000    | 1.61525 | 0.871               | 0.871             |  |
| -12                 | 37.5               | ≦*        | <          | 32.00000    | 1.54493 | 0.833               | 0.833             |  |
| -13                 | 32.5               | ≦*        | <          | 28.00000    | 1.47462 | 0.795               | 0.795             |  |
| -14                 | 27.5               | ≦*        | <          | 24.00000    | 1.40431 | 0.757               | 0.757             |  |
| -15                 | 22.5               | ≦*        | <          | 20.00000    | 1.33399 | 0.719               | 0.719             |  |
| -16                 | 17.5               | ≦*        | <          | 16.00000    | 1.26368 | 0.681               | 0.681             |  |
| -17                 | 12.5               | ≦*        | <          | 12.00000    | 1.19336 | 0.643               | 0.643             |  |
| -18                 | 7.5                | ≦*        | <          | 8.00000     | 1.12305 | 0.605               | 0.605             |  |
| -19                 | 2.5                | ≦*        | <          | 4.00000     | 1.05274 | 0.567               | 0.567             |  |
| -20                 | 0.0                | ≦*        | <          | 1.00000     | 1.00000 | 0.539               | 0.539             |  |
|                     |                    |           |            | 平均値         |         |                     |                   |  |
|                     |                    |           |            | 57.88778    | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |             |               |                     |                   |
|---------------------|--------------------|-----------|-------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           | 共済事業 園芸施設共済 |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |             | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ復旧被覆F補強集団       |           |             | 1.024         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151       | 2.423               | 2.423             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467       | 1.907               | 1.907             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435       | 1.871               | 1.871             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404       | 1.835               | 1.835             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372       | 1.799               | 1.799             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341       | 1.763               | 1.763             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310       | 1.727               | 1.727             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278       | 1.691               | 1.691             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247       | 1.655               | 1.655             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215       | 1.619               | 1.619             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184       | 1.583               | 1.583             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153       | 1.547               | 1.547             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121       | 1.511               | 1.511             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090       | 1.475               | 1.475             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058       | 1.439               | 1.439             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027       | 1.403               | 1.403             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996       | 1.367               | 1.367             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964       | 1.331               | 1.331             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933       | 1.295               | 1.295             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901       | 1.259               | 1.259             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870       | 1.223               | 1.223             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839       | 1.187               | 1.187             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807       | 1.151               | 1.151             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776       | 1.115               | 1.115             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744       | 1.079               | 1.079             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713       | 1.043               | 1.043             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682       | 1.007               | 1.007             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650       | 0.971               | 0.971             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619       | 0.935               | 0.935             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588       | 0.899               | 0.899             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556       | 0.863               | 0.863             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525       | 0.827               | 0.827             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493       | 0.791               | 0.791             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462       | 0.755               | 0.755             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431       | 0.719               | 0.719             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399       | 0.683               | 0.683             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368       | 0.647               | 0.647             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336       | 0.611               | 0.611             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305       | 0.575               | 0.575             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274       | 0.539               | 0.539             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000       | 0.512               | 0.512             |
|                     |                    |           | 平均値         |               |                     |                   |
|                     |                    |           | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |    |            |           |           |                     |                   |       |  |
|---------------------|--------------------|----|------------|-----------|-----------|---------------------|-------------------|-------|--|
| 都道府県名               | 兵庫県                |    |            | 共済事業      |           |                     | 園芸施設共済            |       |  |
| 組合等名                | 兵庫県農業共済組合          |    |            |           |           |                     |                   |       |  |
| 料率地域区分              | 000                |    |            | 地域名       |           | 00000 都道府県の区域       |                   |       |  |
| 施設区分                |                    |    | 共済掛金区分     |           |           |                     | 共済掛金標準率           |       |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |    | プラⅡ内作事故除外A |           |           |                     | 1.381             |       |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |    |            | 危険指数      |           | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |       |  |
|                     |                    |    |            | 圧縮前       | 圧縮後       |                     |                   |       |  |
| 20                  | 197.5              | ≦* | <          | 213.27704 | 4.73151   | 3.267               | 3.267             |       |  |
| 19                  | 192.5              | ≦* | <          | 197.5     | 156.00000 | 3.72467             | 2.572             | 2.572 |  |
| 18                  | 187.5              | ≦* | <          | 192.5     | 152.00000 | 3.65435             | 2.523             | 2.523 |  |
| 17                  | 182.5              | ≦* | <          | 187.5     | 148.00000 | 3.58404             | 2.475             | 2.475 |  |
| 16                  | 177.5              | ≦* | <          | 182.5     | 144.00000 | 3.51372             | 2.426             | 2.426 |  |
| 15                  | 172.5              | ≦* | <          | 177.5     | 140.00000 | 3.44341             | 2.378             | 2.378 |  |
| 14                  | 167.5              | ≦* | <          | 172.5     | 136.00000 | 3.37310             | 2.329             | 2.329 |  |
| 13                  | 162.5              | ≦* | <          | 167.5     | 132.00000 | 3.30278             | 2.281             | 2.281 |  |
| 12                  | 157.5              | ≦* | <          | 162.5     | 128.00000 | 3.23247             | 2.232             | 2.232 |  |
| 11                  | 152.5              | ≦* | <          | 157.5     | 124.00000 | 3.16215             | 2.183             | 2.183 |  |
| 10                  | 147.5              | ≦* | <          | 152.5     | 120.00000 | 3.09184             | 2.135             | 2.135 |  |
| 09                  | 142.5              | ≦* | <          | 147.5     | 116.00000 | 3.02153             | 2.086             | 2.086 |  |
| 08                  | 137.5              | ≦* | <          | 142.5     | 112.00000 | 2.95121             | 2.038             | 2.038 |  |
| 07                  | 132.5              | ≦* | <          | 137.5     | 108.00000 | 2.88090             | 1.989             | 1.989 |  |
| 06                  | 127.5              | ≦* | <          | 132.5     | 104.00000 | 2.81058             | 1.941             | 1.941 |  |
| 05                  | 122.5              | ≦* | <          | 127.5     | 100.00000 | 2.74027             | 1.892             | 1.892 |  |
| 04                  | 117.5              | ≦* | <          | 122.5     | 96.00000  | 2.66996             | 1.844             | 1.844 |  |
| 03                  | 112.5              | ≦* | <          | 117.5     | 92.00000  | 2.59964             | 1.795             | 1.795 |  |
| 02                  | 107.5              | ≦* | <          | 112.5     | 88.00000  | 2.52933             | 1.747             | 1.747 |  |
| 01                  | 102.5              | ≦* | <          | 107.5     | 84.00000  | 2.45901             | 1.698             | 1.698 |  |
| 00                  | 97.5               | ≦* | <          | 102.5     | 80.00000  | 2.38870             | 1.649             | 1.649 |  |
| -01                 | 92.5               | ≦* | <          | 97.5      | 76.00000  | 2.31839             | 1.601             | 1.601 |  |
| -02                 | 87.5               | ≦* | <          | 92.5      | 72.00000  | 2.24807             | 1.552             | 1.552 |  |
| -03                 | 82.5               | ≦* | <          | 87.5      | 68.00000  | 2.17776             | 1.504             | 1.504 |  |
| -04                 | 77.5               | ≦* | <          | 82.5      | 64.00000  | 2.10744             | 1.455             | 1.455 |  |
| -05                 | 72.5               | ≦* | <          | 77.5      | 60.00000  | 2.03713             | 1.407             | 1.407 |  |
| -06                 | 67.5               | ≦* | <          | 72.5      | 56.00000  | 1.96682             | 1.358             | 1.358 |  |
| -07                 | 62.5               | ≦* | <          | 67.5      | 52.00000  | 1.89650             | 1.310             | 1.310 |  |
| -08                 | 57.5               | ≦* | <          | 62.5      | 48.00000  | 1.82619             | 1.261             | 1.261 |  |
| -09                 | 52.5               | ≦* | <          | 57.5      | 44.00000  | 1.75588             | 1.212             | 1.212 |  |
| -10                 | 47.5               | ≦* | <          | 52.5      | 40.00000  | 1.68556             | 1.164             | 1.164 |  |
| -11                 | 42.5               | ≦* | <          | 47.5      | 36.00000  | 1.61525             | 1.115             | 1.115 |  |
| -12                 | 37.5               | ≦* | <          | 42.5      | 32.00000  | 1.54493             | 1.067             | 1.067 |  |
| -13                 | 32.5               | ≦* | <          | 37.5      | 28.00000  | 1.47462             | 1.018             | 1.018 |  |
| -14                 | 27.5               | ≦* | <          | 32.5      | 24.00000  | 1.40431             | 0.970             | 0.970 |  |
| -15                 | 22.5               | ≦* | <          | 27.5      | 20.00000  | 1.33399             | 0.921             | 0.921 |  |
| -16                 | 17.5               | ≦* | <          | 22.5      | 16.00000  | 1.26368             | 0.873             | 0.873 |  |
| -17                 | 12.5               | ≦* | <          | 17.5      | 12.00000  | 1.19336             | 0.824             | 0.824 |  |
| -18                 | 7.5                | ≦* | <          | 12.5      | 8.00000   | 1.12305             | 0.775             | 0.775 |  |
| -19                 | 2.5                | ≦* | <          | 7.5       | 4.00000   | 1.05274             | 0.727             | 0.727 |  |
| -20                 | 0.0                | ≦* | <          | 2.5       | 1.00000   | 1.00000             | 0.690             | 0.690 |  |
|                     |                    |    |            | 平均値       |           |                     |                   |       |  |
|                     |                    |    |            | 57.88778  | 2.00000   |                     |                   |       |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |             |               |                     |                   |
|---------------------|--------------------|-----------|-------------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           | 共済事業 園芸施設共済 |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |             | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ内作事故除外A集団       |           |             | 1.312         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704   | 4.73151       | 3.104               | 3.104             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000   | 3.72467       | 2.443               | 2.443             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000   | 3.65435       | 2.397               | 2.397             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000   | 3.58404       | 2.351               | 2.351             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000   | 3.51372       | 2.305               | 2.305             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000   | 3.44341       | 2.259               | 2.259             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000   | 3.37310       | 2.213               | 2.213             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000   | 3.30278       | 2.167               | 2.167             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000   | 3.23247       | 2.121               | 2.121             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000   | 3.16215       | 2.074               | 2.074             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000   | 3.09184       | 2.028               | 2.028             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000   | 3.02153       | 1.982               | 1.982             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000   | 2.95121       | 1.936               | 1.936             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000   | 2.88090       | 1.890               | 1.890             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000   | 2.81058       | 1.844               | 1.844             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000   | 2.74027       | 1.798               | 1.798             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000    | 2.66996       | 1.751               | 1.751             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000    | 2.59964       | 1.705               | 1.705             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000    | 2.52933       | 1.659               | 1.659             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000    | 2.45901       | 1.613               | 1.613             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000    | 2.38870       | 1.567               | 1.567             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000    | 2.31839       | 1.521               | 1.521             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000    | 2.24807       | 1.475               | 1.475             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000    | 2.17776       | 1.429               | 1.429             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000    | 2.10744       | 1.382               | 1.382             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000    | 2.03713       | 1.336               | 1.336             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000    | 1.96682       | 1.290               | 1.290             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000    | 1.89650       | 1.244               | 1.244             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000    | 1.82619       | 1.198               | 1.198             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000    | 1.75588       | 1.152               | 1.152             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000    | 1.68556       | 1.106               | 1.106             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000    | 1.61525       | 1.060               | 1.060             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000    | 1.54493       | 1.013               | 1.013             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000    | 1.47462       | 0.967               | 0.967             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000    | 1.40431       | 0.921               | 0.921             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000    | 1.33399       | 0.875               | 0.875             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000    | 1.26368       | 0.829               | 0.829             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000    | 1.19336       | 0.783               | 0.783             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000     | 1.12305       | 0.737               | 0.737             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000     | 1.05274       | 0.691               | 0.691             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000     | 1.00000       | 0.656               | 0.656             |
|                     |                    |           | 平均値         |               |                     |                   |
|                     |                    |           | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作事故除外B |         |                     |                   | 0.885   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 2.094               | 2.094             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 1.648               | 1.648             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 1.617               | 1.617             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 1.586               | 1.586             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 1.555               | 1.555             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 1.524               | 1.524             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 1.493               | 1.493             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 1.461               | 1.461             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 1.430               | 1.430             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 1.399               | 1.399             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 1.368               | 1.368             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 1.337               | 1.337             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 1.306               | 1.306             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 1.275               | 1.275             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 1.244               | 1.244             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 1.213               | 1.213             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 1.181               | 1.181             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 1.150               | 1.150             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 1.119               | 1.119             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 1.088               | 1.088             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 1.057               | 1.057             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 1.026               | 1.026             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.995               | 0.995             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.964               | 0.964             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.933               | 0.933             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.901               | 0.901             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.870               | 0.870             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.839               | 0.839             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.808               | 0.808             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.777               | 0.777             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.746               | 0.746             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.715               | 0.715             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.684               | 0.684             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.653               | 0.653             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.621               | 0.621             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.590               | 0.590             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.559               | 0.559             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.528               | 0.528             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.497               | 0.497             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.466               | 0.466             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.442               | 0.442             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |             |         |                     |                   |  |
|---------------------|--------------------|-----------|--------------|-------------|---------|---------------------|-------------------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業 園芸施設共済 |         |                     |                   |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |             |         |                     |                   |  |
| 料率地域区分              |                    | 000       |              | 地域名         |         | 00000 都道府県の区域       |                   |  |
| 施設区分                |                    |           | 共済掛金区分       |             |         |                     | 共済掛金標準率           |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作事故除外B集団 |             |         |                     | 0.841             |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           |              | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                     |                    |           |              | 圧縮前         | 圧縮後     |                     |                   |  |
| 20                  | 197.5              | ≦*        | <            | 213.27704   | 4.73151 | 1.990               | 1.990             |  |
| 19                  | 192.5              | ≦*        | <            | 156.00000   | 3.72467 | 1.566               | 1.566             |  |
| 18                  | 187.5              | ≦*        | <            | 152.00000   | 3.65435 | 1.537               | 1.537             |  |
| 17                  | 182.5              | ≦*        | <            | 148.00000   | 3.58404 | 1.507               | 1.507             |  |
| 16                  | 177.5              | ≦*        | <            | 144.00000   | 3.51372 | 1.478               | 1.478             |  |
| 15                  | 172.5              | ≦*        | <            | 140.00000   | 3.44341 | 1.448               | 1.448             |  |
| 14                  | 167.5              | ≦*        | <            | 136.00000   | 3.37310 | 1.418               | 1.418             |  |
| 13                  | 162.5              | ≦*        | <            | 132.00000   | 3.30278 | 1.389               | 1.389             |  |
| 12                  | 157.5              | ≦*        | <            | 128.00000   | 3.23247 | 1.359               | 1.359             |  |
| 11                  | 152.5              | ≦*        | <            | 124.00000   | 3.16215 | 1.330               | 1.330             |  |
| 10                  | 147.5              | ≦*        | <            | 120.00000   | 3.09184 | 1.300               | 1.300             |  |
| 09                  | 142.5              | ≦*        | <            | 116.00000   | 3.02153 | 1.271               | 1.271             |  |
| 08                  | 137.5              | ≦*        | <            | 112.00000   | 2.95121 | 1.241               | 1.241             |  |
| 07                  | 132.5              | ≦*        | <            | 108.00000   | 2.88090 | 1.211               | 1.211             |  |
| 06                  | 127.5              | ≦*        | <            | 104.00000   | 2.81058 | 1.182               | 1.182             |  |
| 05                  | 122.5              | ≦*        | <            | 100.00000   | 2.74027 | 1.152               | 1.152             |  |
| 04                  | 117.5              | ≦*        | <            | 96.00000    | 2.66996 | 1.123               | 1.123             |  |
| 03                  | 112.5              | ≦*        | <            | 92.00000    | 2.59964 | 1.093               | 1.093             |  |
| 02                  | 107.5              | ≦*        | <            | 88.00000    | 2.52933 | 1.064               | 1.064             |  |
| 01                  | 102.5              | ≦*        | <            | 84.00000    | 2.45901 | 1.034               | 1.034             |  |
| 00                  | 97.5               | ≦*        | <            | 80.00000    | 2.38870 | 1.004               | 1.004             |  |
| -01                 | 92.5               | ≦*        | <            | 76.00000    | 2.31839 | 0.975               | 0.975             |  |
| -02                 | 87.5               | ≦*        | <            | 72.00000    | 2.24807 | 0.945               | 0.945             |  |
| -03                 | 82.5               | ≦*        | <            | 68.00000    | 2.17776 | 0.916               | 0.916             |  |
| -04                 | 77.5               | ≦*        | <            | 64.00000    | 2.10744 | 0.886               | 0.886             |  |
| -05                 | 72.5               | ≦*        | <            | 60.00000    | 2.03713 | 0.857               | 0.857             |  |
| -06                 | 67.5               | ≦*        | <            | 56.00000    | 1.96682 | 0.827               | 0.827             |  |
| -07                 | 62.5               | ≦*        | <            | 52.00000    | 1.89650 | 0.797               | 0.797             |  |
| -08                 | 57.5               | ≦*        | <            | 48.00000    | 1.82619 | 0.768               | 0.768             |  |
| -09                 | 52.5               | ≦*        | <            | 44.00000    | 1.75588 | 0.738               | 0.738             |  |
| -10                 | 47.5               | ≦*        | <            | 40.00000    | 1.68556 | 0.709               | 0.709             |  |
| -11                 | 42.5               | ≦*        | <            | 36.00000    | 1.61525 | 0.679               | 0.679             |  |
| -12                 | 37.5               | ≦*        | <            | 32.00000    | 1.54493 | 0.650               | 0.650             |  |
| -13                 | 32.5               | ≦*        | <            | 28.00000    | 1.47462 | 0.620               | 0.620             |  |
| -14                 | 27.5               | ≦*        | <            | 24.00000    | 1.40431 | 0.591               | 0.591             |  |
| -15                 | 22.5               | ≦*        | <            | 20.00000    | 1.33399 | 0.561               | 0.561             |  |
| -16                 | 17.5               | ≦*        | <            | 16.00000    | 1.26368 | 0.531               | 0.531             |  |
| -17                 | 12.5               | ≦*        | <            | 12.00000    | 1.19336 | 0.502               | 0.502             |  |
| -18                 | 7.5                | ≦*        | <            | 8.00000     | 1.12305 | 0.472               | 0.472             |  |
| -19                 | 2.5                | ≦*        | <            | 4.00000     | 1.05274 | 0.443               | 0.443             |  |
| -20                 | 0.0                | ≦*        | <            | 1.00000     | 1.00000 | 0.420               | 0.420             |  |
|                     |                    |           |              | 平均値         |         |                     |                   |  |
|                     |                    |           |              | 57.88778    | 2.00000 |                     |                   |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作事故除外C |         |                     |                   | 0.493   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 1.166               | 1.166             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 0.918               | 0.918             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 0.901               | 0.901             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 0.883               | 0.883             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 0.866               | 0.866             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 0.849               | 0.849             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 0.831               | 0.831             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 0.814               | 0.814             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 0.797               | 0.797             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 0.779               | 0.779             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 0.762               | 0.762             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.745               | 0.745             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.727               | 0.727             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.710               | 0.710             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.693               | 0.693             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.675               | 0.675             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.658               | 0.658             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.641               | 0.641             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.623               | 0.623             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.606               | 0.606             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.589               | 0.589             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.571               | 0.571             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.554               | 0.554             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.537               | 0.537             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.519               | 0.519             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.502               | 0.502             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.485               | 0.485             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.467               | 0.467             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.450               | 0.450             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.433               | 0.433             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.415               | 0.415             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.398               | 0.398             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.381               | 0.381             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.363               | 0.363             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.346               | 0.346             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.329               | 0.329             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.311               | 0.311             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.294               | 0.294             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.277               | 0.277             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.260               | 0.260             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.246               | 0.246             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |              |             |               |                     |                   |
|---------------------|--------------------|--------------|-------------|---------------|---------------------|-------------------|
| 都道府県名               | 兵庫県                |              | 共済事業 園芸施設共済 |               |                     |                   |
| 組合等名                | 兵庫県農業共済組合          |              |             |               |                     |                   |
| 料率地域区分              | 000                |              | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    | 共済掛金区分       |             |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    | プラⅡ内作事故除外C集団 |             |               | 0.468               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |              | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |              | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜          | 213.27704   | 4.73151       | 1.107               | 1.107             |
| 19                  | 192.5              | ≦*＜ 197.5    | 156.00000   | 3.72467       | 0.872               | 0.872             |
| 18                  | 187.5              | ≦*＜ 192.5    | 152.00000   | 3.65435       | 0.855               | 0.855             |
| 17                  | 182.5              | ≦*＜ 187.5    | 148.00000   | 3.58404       | 0.839               | 0.839             |
| 16                  | 177.5              | ≦*＜ 182.5    | 144.00000   | 3.51372       | 0.822               | 0.822             |
| 15                  | 172.5              | ≦*＜ 177.5    | 140.00000   | 3.44341       | 0.806               | 0.806             |
| 14                  | 167.5              | ≦*＜ 172.5    | 136.00000   | 3.37310       | 0.789               | 0.789             |
| 13                  | 162.5              | ≦*＜ 167.5    | 132.00000   | 3.30278       | 0.773               | 0.773             |
| 12                  | 157.5              | ≦*＜ 162.5    | 128.00000   | 3.23247       | 0.756               | 0.756             |
| 11                  | 152.5              | ≦*＜ 157.5    | 124.00000   | 3.16215       | 0.740               | 0.740             |
| 10                  | 147.5              | ≦*＜ 152.5    | 120.00000   | 3.09184       | 0.723               | 0.723             |
| 09                  | 142.5              | ≦*＜ 147.5    | 116.00000   | 3.02153       | 0.707               | 0.707             |
| 08                  | 137.5              | ≦*＜ 142.5    | 112.00000   | 2.95121       | 0.691               | 0.691             |
| 07                  | 132.5              | ≦*＜ 137.5    | 108.00000   | 2.88090       | 0.674               | 0.674             |
| 06                  | 127.5              | ≦*＜ 132.5    | 104.00000   | 2.81058       | 0.658               | 0.658             |
| 05                  | 122.5              | ≦*＜ 127.5    | 100.00000   | 2.74027       | 0.641               | 0.641             |
| 04                  | 117.5              | ≦*＜ 122.5    | 96.00000    | 2.66996       | 0.625               | 0.625             |
| 03                  | 112.5              | ≦*＜ 117.5    | 92.00000    | 2.59964       | 0.608               | 0.608             |
| 02                  | 107.5              | ≦*＜ 112.5    | 88.00000    | 2.52933       | 0.592               | 0.592             |
| 01                  | 102.5              | ≦*＜ 107.5    | 84.00000    | 2.45901       | 0.575               | 0.575             |
| 00                  | 97.5               | ≦*＜ 102.5    | 80.00000    | 2.38870       | 0.559               | 0.559             |
| -01                 | 92.5               | ≦*＜ 97.5     | 76.00000    | 2.31839       | 0.543               | 0.543             |
| -02                 | 87.5               | ≦*＜ 92.5     | 72.00000    | 2.24807       | 0.526               | 0.526             |
| -03                 | 82.5               | ≦*＜ 87.5     | 68.00000    | 2.17776       | 0.510               | 0.510             |
| -04                 | 77.5               | ≦*＜ 82.5     | 64.00000    | 2.10744       | 0.493               | 0.493             |
| -05                 | 72.5               | ≦*＜ 77.5     | 60.00000    | 2.03713       | 0.477               | 0.477             |
| -06                 | 67.5               | ≦*＜ 72.5     | 56.00000    | 1.96682       | 0.460               | 0.460             |
| -07                 | 62.5               | ≦*＜ 67.5     | 52.00000    | 1.89650       | 0.444               | 0.444             |
| -08                 | 57.5               | ≦*＜ 62.5     | 48.00000    | 1.82619       | 0.427               | 0.427             |
| -09                 | 52.5               | ≦*＜ 57.5     | 44.00000    | 1.75588       | 0.411               | 0.411             |
| -10                 | 47.5               | ≦*＜ 52.5     | 40.00000    | 1.68556       | 0.394               | 0.394             |
| -11                 | 42.5               | ≦*＜ 47.5     | 36.00000    | 1.61525       | 0.378               | 0.378             |
| -12                 | 37.5               | ≦*＜ 42.5     | 32.00000    | 1.54493       | 0.362               | 0.362             |
| -13                 | 32.5               | ≦*＜ 37.5     | 28.00000    | 1.47462       | 0.345               | 0.345             |
| -14                 | 27.5               | ≦*＜ 32.5     | 24.00000    | 1.40431       | 0.329               | 0.329             |
| -15                 | 22.5               | ≦*＜ 27.5     | 20.00000    | 1.33399       | 0.312               | 0.312             |
| -16                 | 17.5               | ≦*＜ 22.5     | 16.00000    | 1.26368       | 0.296               | 0.296             |
| -17                 | 12.5               | ≦*＜ 17.5     | 12.00000    | 1.19336       | 0.279               | 0.279             |
| -18                 | 7.5                | ≦*＜ 12.5     | 8.00000     | 1.12305       | 0.263               | 0.263             |
| -19                 | 2.5                | ≦*＜ 7.5      | 4.00000     | 1.05274       | 0.246               | 0.246             |
| -20                 | 0.0                | ≦*＜ 2.5      | 1.00000     | 1.00000       | 0.234               | 0.234             |
|                     |                    |              | 平均値         |               |                     |                   |
|                     |                    |              | 57.88778    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ内作事故除外D         |           |           | 0.192         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜       | 213.27704 | 4.73151       | 0.454               | 0.454             |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000 | 3.72467       | 0.358               | 0.358             |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000 | 3.65435       | 0.351               | 0.351             |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000 | 3.58404       | 0.344               | 0.344             |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000 | 3.51372       | 0.337               | 0.337             |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000 | 3.44341       | 0.331               | 0.331             |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000 | 3.37310       | 0.324               | 0.324             |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000 | 3.30278       | 0.317               | 0.317             |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000 | 3.23247       | 0.310               | 0.310             |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000 | 3.16215       | 0.304               | 0.304             |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000 | 3.09184       | 0.297               | 0.297             |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000 | 3.02153       | 0.290               | 0.290             |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000 | 2.95121       | 0.283               | 0.283             |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000 | 2.88090       | 0.277               | 0.277             |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000 | 2.81058       | 0.270               | 0.270             |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000 | 2.74027       | 0.263               | 0.263             |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000  | 2.66996       | 0.256               | 0.256             |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000  | 2.59964       | 0.250               | 0.250             |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000  | 2.52933       | 0.243               | 0.243             |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000  | 2.45901       | 0.236               | 0.236             |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000  | 2.38870       | 0.229               | 0.229             |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000  | 2.31839       | 0.223               | 0.223             |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000  | 2.24807       | 0.216               | 0.216             |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000  | 2.17776       | 0.209               | 0.209             |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000  | 2.10744       | 0.202               | 0.202             |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000  | 2.03713       | 0.196               | 0.196             |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000  | 1.96682       | 0.189               | 0.189             |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000  | 1.89650       | 0.182               | 0.182             |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000  | 1.82619       | 0.175               | 0.175             |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000  | 1.75588       | 0.169               | 0.169             |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000  | 1.68556       | 0.162               | 0.162             |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000  | 1.61525       | 0.155               | 0.155             |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000  | 1.54493       | 0.148               | 0.148             |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000  | 1.47462       | 0.142               | 0.142             |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000  | 1.40431       | 0.135               | 0.135             |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000  | 1.33399       | 0.128               | 0.128             |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000  | 1.26368       | 0.121               | 0.121             |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000  | 1.19336       | 0.115               | 0.115             |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000   | 1.12305       | 0.108               | 0.108             |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000   | 1.05274       | 0.101               | 0.101             |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000   | 1.00000       | 0.096               | 0.096             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作事故除外D集団 |         |                     |                   | 0.182   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 0.431               | 0.431             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.339               | 0.339             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.333               | 0.333             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.326               | 0.326             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.320               | 0.320             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.313               | 0.313             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.307               | 0.307             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.301               | 0.301             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.294               | 0.294             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.288               | 0.288             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.281               | 0.281             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.275               | 0.275             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.269               | 0.269             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.262               | 0.262             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.256               | 0.256             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.249               | 0.249             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.243               | 0.243             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.237               | 0.237             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.230               | 0.230             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.224               | 0.224             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.217               | 0.217             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.211               | 0.211             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.205               | 0.205             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.198               | 0.198             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.192               | 0.192             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.185               | 0.185             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.179               | 0.179             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.173               | 0.173             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.166               | 0.166             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.160               | 0.160             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.153               | 0.153             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.147               | 0.147             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.141               | 0.141             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.134               | 0.134             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.128               | 0.128             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.121               | 0.121             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.115               | 0.115             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.109               | 0.109             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.102               | 0.102             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.096               | 0.096             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.091               | 0.091             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |            |         |                     |                   |         |  |
|---------------------|--------------------|-----------|------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |            | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |            |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |            | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分     |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作事故除外E |         |                     |                   | 0.004   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数       |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前        | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704  | 4.73151 | 0.009               | 0.009             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000  | 3.72467 | 0.007               | 0.007             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000  | 3.65435 | 0.007               | 0.007             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000  | 3.58404 | 0.007               | 0.007             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000  | 3.51372 | 0.007               | 0.007             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000  | 3.44341 | 0.007               | 0.007             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000  | 3.37310 | 0.007               | 0.007             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000  | 3.30278 | 0.007               | 0.007             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000  | 3.23247 | 0.006               | 0.006             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000  | 3.16215 | 0.006               | 0.006             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000  | 3.09184 | 0.006               | 0.006             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000  | 3.02153 | 0.006               | 0.006             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000  | 2.95121 | 0.006               | 0.006             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000  | 2.88090 | 0.006               | 0.006             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000  | 2.81058 | 0.006               | 0.006             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000  | 2.74027 | 0.005               | 0.005             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000   | 2.66996 | 0.005               | 0.005             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000   | 2.59964 | 0.005               | 0.005             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000   | 2.52933 | 0.005               | 0.005             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000   | 2.45901 | 0.005               | 0.005             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000   | 2.38870 | 0.005               | 0.005             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000   | 2.31839 | 0.005               | 0.005             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000   | 2.24807 | 0.004               | 0.004             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000   | 2.17776 | 0.004               | 0.004             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000   | 2.10744 | 0.004               | 0.004             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000   | 2.03713 | 0.004               | 0.004             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000   | 1.96682 | 0.004               | 0.004             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000   | 1.89650 | 0.004               | 0.004             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000   | 1.82619 | 0.004               | 0.004             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000   | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000   | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000   | 1.61525 | 0.003               | 0.003             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000   | 1.54493 | 0.003               | 0.003             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000   | 1.47462 | 0.003               | 0.003             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000   | 1.40431 | 0.003               | 0.003             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000   | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000   | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000   | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000    | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000    | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000    | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値        |         |                     |                   |         |  |
|                     |                    |           | 57.88778   | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |           |              |         |                     |                   |         |  |
|---------------------|--------------------|-----------|--------------|---------|---------------------|-------------------|---------|--|
| 都道府県名               |                    | 兵庫県       |              | 共済事業    |                     |                   | 園芸施設共済  |  |
| 組合等名                |                    | 兵庫県農業共済組合 |              |         |                     |                   |         |  |
| 料率地域区分              |                    | 000       |              | 地域名     |                     | 00000 都道府県の区域     |         |  |
| 施設区分                |                    |           | 共済掛金区分       |         |                     |                   | 共済掛金標準率 |  |
| 40 プラスチックハウスⅡ類(パイプ) |                    |           | プラⅡ内作事故除外E集団 |         |                     |                   | 0.004   |  |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数         |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |  |
|                     |                    |           | 圧縮前          | 圧縮後     |                     |                   |         |  |
| 20                  | 197.5              | ≦*＜       | 213.27704    | 4.73151 | 0.009               | 0.009             |         |  |
| 19                  | 192.5              | ≦*＜ 197.5 | 156.00000    | 3.72467 | 0.007               | 0.007             |         |  |
| 18                  | 187.5              | ≦*＜ 192.5 | 152.00000    | 3.65435 | 0.007               | 0.007             |         |  |
| 17                  | 182.5              | ≦*＜ 187.5 | 148.00000    | 3.58404 | 0.007               | 0.007             |         |  |
| 16                  | 177.5              | ≦*＜ 182.5 | 144.00000    | 3.51372 | 0.007               | 0.007             |         |  |
| 15                  | 172.5              | ≦*＜ 177.5 | 140.00000    | 3.44341 | 0.007               | 0.007             |         |  |
| 14                  | 167.5              | ≦*＜ 172.5 | 136.00000    | 3.37310 | 0.007               | 0.007             |         |  |
| 13                  | 162.5              | ≦*＜ 167.5 | 132.00000    | 3.30278 | 0.007               | 0.007             |         |  |
| 12                  | 157.5              | ≦*＜ 162.5 | 128.00000    | 3.23247 | 0.006               | 0.006             |         |  |
| 11                  | 152.5              | ≦*＜ 157.5 | 124.00000    | 3.16215 | 0.006               | 0.006             |         |  |
| 10                  | 147.5              | ≦*＜ 152.5 | 120.00000    | 3.09184 | 0.006               | 0.006             |         |  |
| 09                  | 142.5              | ≦*＜ 147.5 | 116.00000    | 3.02153 | 0.006               | 0.006             |         |  |
| 08                  | 137.5              | ≦*＜ 142.5 | 112.00000    | 2.95121 | 0.006               | 0.006             |         |  |
| 07                  | 132.5              | ≦*＜ 137.5 | 108.00000    | 2.88090 | 0.006               | 0.006             |         |  |
| 06                  | 127.5              | ≦*＜ 132.5 | 104.00000    | 2.81058 | 0.006               | 0.006             |         |  |
| 05                  | 122.5              | ≦*＜ 127.5 | 100.00000    | 2.74027 | 0.005               | 0.005             |         |  |
| 04                  | 117.5              | ≦*＜ 122.5 | 96.00000     | 2.66996 | 0.005               | 0.005             |         |  |
| 03                  | 112.5              | ≦*＜ 117.5 | 92.00000     | 2.59964 | 0.005               | 0.005             |         |  |
| 02                  | 107.5              | ≦*＜ 112.5 | 88.00000     | 2.52933 | 0.005               | 0.005             |         |  |
| 01                  | 102.5              | ≦*＜ 107.5 | 84.00000     | 2.45901 | 0.005               | 0.005             |         |  |
| 00                  | 97.5               | ≦*＜ 102.5 | 80.00000     | 2.38870 | 0.005               | 0.005             |         |  |
| -01                 | 92.5               | ≦*＜ 97.5  | 76.00000     | 2.31839 | 0.005               | 0.005             |         |  |
| -02                 | 87.5               | ≦*＜ 92.5  | 72.00000     | 2.24807 | 0.004               | 0.004             |         |  |
| -03                 | 82.5               | ≦*＜ 87.5  | 68.00000     | 2.17776 | 0.004               | 0.004             |         |  |
| -04                 | 77.5               | ≦*＜ 82.5  | 64.00000     | 2.10744 | 0.004               | 0.004             |         |  |
| -05                 | 72.5               | ≦*＜ 77.5  | 60.00000     | 2.03713 | 0.004               | 0.004             |         |  |
| -06                 | 67.5               | ≦*＜ 72.5  | 56.00000     | 1.96682 | 0.004               | 0.004             |         |  |
| -07                 | 62.5               | ≦*＜ 67.5  | 52.00000     | 1.89650 | 0.004               | 0.004             |         |  |
| -08                 | 57.5               | ≦*＜ 62.5  | 48.00000     | 1.82619 | 0.004               | 0.004             |         |  |
| -09                 | 52.5               | ≦*＜ 57.5  | 44.00000     | 1.75588 | 0.004               | 0.004             |         |  |
| -10                 | 47.5               | ≦*＜ 52.5  | 40.00000     | 1.68556 | 0.003               | 0.003             |         |  |
| -11                 | 42.5               | ≦*＜ 47.5  | 36.00000     | 1.61525 | 0.003               | 0.003             |         |  |
| -12                 | 37.5               | ≦*＜ 42.5  | 32.00000     | 1.54493 | 0.003               | 0.003             |         |  |
| -13                 | 32.5               | ≦*＜ 37.5  | 28.00000     | 1.47462 | 0.003               | 0.003             |         |  |
| -14                 | 27.5               | ≦*＜ 32.5  | 24.00000     | 1.40431 | 0.003               | 0.003             |         |  |
| -15                 | 22.5               | ≦*＜ 27.5  | 20.00000     | 1.33399 | 0.003               | 0.003             |         |  |
| -16                 | 17.5               | ≦*＜ 22.5  | 16.00000     | 1.26368 | 0.003               | 0.003             |         |  |
| -17                 | 12.5               | ≦*＜ 17.5  | 12.00000     | 1.19336 | 0.002               | 0.002             |         |  |
| -18                 | 7.5                | ≦*＜ 12.5  | 8.00000      | 1.12305 | 0.002               | 0.002             |         |  |
| -19                 | 2.5                | ≦*＜ 7.5   | 4.00000      | 1.05274 | 0.002               | 0.002             |         |  |
| -20                 | 0.0                | ≦*＜ 2.5   | 1.00000      | 1.00000 | 0.002               | 0.002             |         |  |
|                     |                    |           | 平均値          |         |                     |                   |         |  |
|                     |                    |           | 57.88778     | 2.00000 |                     |                   |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

| 都道府県名               | 兵庫県                |           |           |               | 共済事業                | 園芸施設共済            |
|---------------------|--------------------|-----------|-----------|---------------|---------------------|-------------------|
| 組合等名                | 兵庫県農業共済組合          |           |           |               |                     |                   |
| 料率地域区分              | 000                |           | 地域名       | 00000 都道府県の区域 |                     |                   |
| 施設区分                | 共済掛金区分             |           |           | 共済掛金標準率       |                     |                   |
| 40 プラスチックハウスⅡ類(パイプ) | プラⅡ内作事故除外F         |           |           | 1.385         |                     |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |           | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |           | 圧縮前       | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≤*＜       | 213.27704 | 4.73151       | 3.277               | 3.277             |
| 19                  | 192.5              | ≤*＜ 197.5 | 156.00000 | 3.72467       | 2.579               | 2.579             |
| 18                  | 187.5              | ≤*＜ 192.5 | 152.00000 | 3.65435       | 2.531               | 2.531             |
| 17                  | 182.5              | ≤*＜ 187.5 | 148.00000 | 3.58404       | 2.482               | 2.482             |
| 16                  | 177.5              | ≤*＜ 182.5 | 144.00000 | 3.51372       | 2.433               | 2.433             |
| 15                  | 172.5              | ≤*＜ 177.5 | 140.00000 | 3.44341       | 2.385               | 2.385             |
| 14                  | 167.5              | ≤*＜ 172.5 | 136.00000 | 3.37310       | 2.336               | 2.336             |
| 13                  | 162.5              | ≤*＜ 167.5 | 132.00000 | 3.30278       | 2.287               | 2.287             |
| 12                  | 157.5              | ≤*＜ 162.5 | 128.00000 | 3.23247       | 2.238               | 2.238             |
| 11                  | 152.5              | ≤*＜ 157.5 | 124.00000 | 3.16215       | 2.190               | 2.190             |
| 10                  | 147.5              | ≤*＜ 152.5 | 120.00000 | 3.09184       | 2.141               | 2.141             |
| 09                  | 142.5              | ≤*＜ 147.5 | 116.00000 | 3.02153       | 2.092               | 2.092             |
| 08                  | 137.5              | ≤*＜ 142.5 | 112.00000 | 2.95121       | 2.044               | 2.044             |
| 07                  | 132.5              | ≤*＜ 137.5 | 108.00000 | 2.88090       | 1.995               | 1.995             |
| 06                  | 127.5              | ≤*＜ 132.5 | 104.00000 | 2.81058       | 1.946               | 1.946             |
| 05                  | 122.5              | ≤*＜ 127.5 | 100.00000 | 2.74027       | 1.898               | 1.898             |
| 04                  | 117.5              | ≤*＜ 122.5 | 96.00000  | 2.66996       | 1.849               | 1.849             |
| 03                  | 112.5              | ≤*＜ 117.5 | 92.00000  | 2.59964       | 1.800               | 1.800             |
| 02                  | 107.5              | ≤*＜ 112.5 | 88.00000  | 2.52933       | 1.752               | 1.752             |
| 01                  | 102.5              | ≤*＜ 107.5 | 84.00000  | 2.45901       | 1.703               | 1.703             |
| 00                  | 97.5               | ≤*＜ 102.5 | 80.00000  | 2.38870       | 1.654               | 1.654             |
| -01                 | 92.5               | ≤*＜ 97.5  | 76.00000  | 2.31839       | 1.605               | 1.605             |
| -02                 | 87.5               | ≤*＜ 92.5  | 72.00000  | 2.24807       | 1.557               | 1.557             |
| -03                 | 82.5               | ≤*＜ 87.5  | 68.00000  | 2.17776       | 1.508               | 1.508             |
| -04                 | 77.5               | ≤*＜ 82.5  | 64.00000  | 2.10744       | 1.459               | 1.459             |
| -05                 | 72.5               | ≤*＜ 77.5  | 60.00000  | 2.03713       | 1.411               | 1.411             |
| -06                 | 67.5               | ≤*＜ 72.5  | 56.00000  | 1.96682       | 1.362               | 1.362             |
| -07                 | 62.5               | ≤*＜ 67.5  | 52.00000  | 1.89650       | 1.313               | 1.313             |
| -08                 | 57.5               | ≤*＜ 62.5  | 48.00000  | 1.82619       | 1.265               | 1.265             |
| -09                 | 52.5               | ≤*＜ 57.5  | 44.00000  | 1.75588       | 1.216               | 1.216             |
| -10                 | 47.5               | ≤*＜ 52.5  | 40.00000  | 1.68556       | 1.167               | 1.167             |
| -11                 | 42.5               | ≤*＜ 47.5  | 36.00000  | 1.61525       | 1.119               | 1.119             |
| -12                 | 37.5               | ≤*＜ 42.5  | 32.00000  | 1.54493       | 1.070               | 1.070             |
| -13                 | 32.5               | ≤*＜ 37.5  | 28.00000  | 1.47462       | 1.021               | 1.021             |
| -14                 | 27.5               | ≤*＜ 32.5  | 24.00000  | 1.40431       | 0.972               | 0.972             |
| -15                 | 22.5               | ≤*＜ 27.5  | 20.00000  | 1.33399       | 0.924               | 0.924             |
| -16                 | 17.5               | ≤*＜ 22.5  | 16.00000  | 1.26368       | 0.875               | 0.875             |
| -17                 | 12.5               | ≤*＜ 17.5  | 12.00000  | 1.19336       | 0.826               | 0.826             |
| -18                 | 7.5                | ≤*＜ 12.5  | 8.00000   | 1.12305       | 0.778               | 0.778             |
| -19                 | 2.5                | ≤*＜ 7.5   | 4.00000   | 1.05274       | 0.729               | 0.729             |
| -20                 | 0.0                | ≤*＜ 2.5   | 1.00000   | 1.00000       | 0.692               | 0.692             |
|                     |                    |           | 平均値       |               |                     |                   |
|                     |                    |           | 57.88778  | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 16日

|                     |                    |              |             |               |                     |                   |
|---------------------|--------------------|--------------|-------------|---------------|---------------------|-------------------|
| 都道府県名               | 兵庫県                |              | 共済事業 園芸施設共済 |               |                     |                   |
| 組合等名                | 兵庫県農業共済組合          |              |             |               |                     |                   |
| 料率地域区分              | 000                |              | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分                |                    | 共済掛金区分       |             |               | 共済掛金標準率             |                   |
| 40 プラスチックハウスⅡ類(パイプ) |                    | プラⅡ内作事故除外F集団 |             |               | 1.316               |                   |
| 危険段階<br>区分          | 平均損害率(*)<br>の範囲(%) |              | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                     |                    |              | 圧縮前         | 圧縮後           |                     |                   |
| 20                  | 197.5              | ≦*＜          | 213.27704   | 4.73151       | 3.113               | 3.113             |
| 19                  | 192.5              | ≦*＜ 197.5    | 156.00000   | 3.72467       | 2.451               | 2.451             |
| 18                  | 187.5              | ≦*＜ 192.5    | 152.00000   | 3.65435       | 2.405               | 2.405             |
| 17                  | 182.5              | ≦*＜ 187.5    | 148.00000   | 3.58404       | 2.358               | 2.358             |
| 16                  | 177.5              | ≦*＜ 182.5    | 144.00000   | 3.51372       | 2.312               | 2.312             |
| 15                  | 172.5              | ≦*＜ 177.5    | 140.00000   | 3.44341       | 2.266               | 2.266             |
| 14                  | 167.5              | ≦*＜ 172.5    | 136.00000   | 3.37310       | 2.219               | 2.219             |
| 13                  | 162.5              | ≦*＜ 167.5    | 132.00000   | 3.30278       | 2.173               | 2.173             |
| 12                  | 157.5              | ≦*＜ 162.5    | 128.00000   | 3.23247       | 2.127               | 2.127             |
| 11                  | 152.5              | ≦*＜ 157.5    | 124.00000   | 3.16215       | 2.081               | 2.081             |
| 10                  | 147.5              | ≦*＜ 152.5    | 120.00000   | 3.09184       | 2.034               | 2.034             |
| 09                  | 142.5              | ≦*＜ 147.5    | 116.00000   | 3.02153       | 1.988               | 1.988             |
| 08                  | 137.5              | ≦*＜ 142.5    | 112.00000   | 2.95121       | 1.942               | 1.942             |
| 07                  | 132.5              | ≦*＜ 137.5    | 108.00000   | 2.88090       | 1.896               | 1.896             |
| 06                  | 127.5              | ≦*＜ 132.5    | 104.00000   | 2.81058       | 1.849               | 1.849             |
| 05                  | 122.5              | ≦*＜ 127.5    | 100.00000   | 2.74027       | 1.803               | 1.803             |
| 04                  | 117.5              | ≦*＜ 122.5    | 96.00000    | 2.66996       | 1.757               | 1.757             |
| 03                  | 112.5              | ≦*＜ 117.5    | 92.00000    | 2.59964       | 1.711               | 1.711             |
| 02                  | 107.5              | ≦*＜ 112.5    | 88.00000    | 2.52933       | 1.664               | 1.664             |
| 01                  | 102.5              | ≦*＜ 107.5    | 84.00000    | 2.45901       | 1.618               | 1.618             |
| 00                  | 97.5               | ≦*＜ 102.5    | 80.00000    | 2.38870       | 1.572               | 1.572             |
| -01                 | 92.5               | ≦*＜ 97.5     | 76.00000    | 2.31839       | 1.526               | 1.526             |
| -02                 | 87.5               | ≦*＜ 92.5     | 72.00000    | 2.24807       | 1.479               | 1.479             |
| -03                 | 82.5               | ≦*＜ 87.5     | 68.00000    | 2.17776       | 1.433               | 1.433             |
| -04                 | 77.5               | ≦*＜ 82.5     | 64.00000    | 2.10744       | 1.387               | 1.387             |
| -05                 | 72.5               | ≦*＜ 77.5     | 60.00000    | 2.03713       | 1.340               | 1.340             |
| -06                 | 67.5               | ≦*＜ 72.5     | 56.00000    | 1.96682       | 1.294               | 1.294             |
| -07                 | 62.5               | ≦*＜ 67.5     | 52.00000    | 1.89650       | 1.248               | 1.248             |
| -08                 | 57.5               | ≦*＜ 62.5     | 48.00000    | 1.82619       | 1.202               | 1.202             |
| -09                 | 52.5               | ≦*＜ 57.5     | 44.00000    | 1.75588       | 1.155               | 1.155             |
| -10                 | 47.5               | ≦*＜ 52.5     | 40.00000    | 1.68556       | 1.109               | 1.109             |
| -11                 | 42.5               | ≦*＜ 47.5     | 36.00000    | 1.61525       | 1.063               | 1.063             |
| -12                 | 37.5               | ≦*＜ 42.5     | 32.00000    | 1.54493       | 1.017               | 1.017             |
| -13                 | 32.5               | ≦*＜ 37.5     | 28.00000    | 1.47462       | 0.970               | 0.970             |
| -14                 | 27.5               | ≦*＜ 32.5     | 24.00000    | 1.40431       | 0.924               | 0.924             |
| -15                 | 22.5               | ≦*＜ 27.5     | 20.00000    | 1.33399       | 0.878               | 0.878             |
| -16                 | 17.5               | ≦*＜ 22.5     | 16.00000    | 1.26368       | 0.832               | 0.832             |
| -17                 | 12.5               | ≦*＜ 17.5     | 12.00000    | 1.19336       | 0.785               | 0.785             |
| -18                 | 7.5                | ≦*＜ 12.5     | 8.00000     | 1.12305       | 0.739               | 0.739             |
| -19                 | 2.5                | ≦*＜ 7.5      | 4.00000     | 1.05274       | 0.693               | 0.693             |
| -20                 | 0.0                | ≦*＜ 2.5      | 1.00000     | 1.00000       | 0.658               | 0.658             |
|                     |                    |              | 平均値         |               |                     |                   |
|                     |                    |              | 57.88778    | 2.00000       |                     |                   |