

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                                     | 共済掛金標準率<br>(%) |
|----------------|-------------------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.082          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.124                   | 0.124                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.121                   | 0.121                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.119                   | 0.119                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.117                   | 0.117                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.115                   | 0.115                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.113                   | 0.113                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.111                   | 0.111                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.109                   | 0.109                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.107                   | 0.107                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.105                   | 0.105                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.103                   | 0.103                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.101                   | 0.101                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.099                   | 0.099                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.097                   | 0.097                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.094                   | 0.094                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.092                   | 0.092                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.090                   | 0.090                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.088                   | 0.088                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.086                   | 0.086                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.084                   | 0.084                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.082                   | 0.082                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.080                   | 0.080                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.078                   | 0.078                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.076                   | 0.076                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.074                   | 0.074                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.072                   | 0.072                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.070                   | 0.070                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.067                   | 0.067                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.065                   | 0.065                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.063                   | 0.063                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.061                   | 0.061                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.059                   | 0.059                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.057                   | 0.057                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.055                   | 0.055                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.053                   | 0.053                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.051                   | 0.051                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.049                   | 0.049                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.047                   | 0.047                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.045                   | 0.045                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.043                   | 0.043                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.041                   | 0.041                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.024          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.036                   | 0.036                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.036                   | 0.036                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.035                   | 0.035                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.034                   | 0.034                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.034                   | 0.034                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.033                   | 0.033                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.033                   | 0.033                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.032                   | 0.032                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.031                   | 0.031                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.031                   | 0.031                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.030                   | 0.030                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.029                   | 0.029                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.029                   | 0.029                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.028                   | 0.028                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.028                   | 0.028                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.027                   | 0.027                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.026                   | 0.026                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.026                   | 0.026                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.025                   | 0.025                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.025                   | 0.025                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.024                   | 0.024                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.023                   | 0.023                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.023                   | 0.023                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.022                   | 0.022                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.022                   | 0.022                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.021                   | 0.021                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.020                   | 0.020                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.020                   | 0.020                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.019                   | 0.019                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.019                   | 0.019                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.018                   | 0.018                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.017                   | 0.017                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.017                   | 0.017                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.016                   | 0.016                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.015                   | 0.015                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.015                   | 0.015                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.014                   | 0.014                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.014                   | 0.014                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.013                   | 0.013                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.012                   | 0.012                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.012                   | 0.012                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.023          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.035                   | 0.035                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.034                   | 0.034                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.033                   | 0.033                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.033                   | 0.033                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.032                   | 0.032                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.032                   | 0.032                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.031                   | 0.031                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.031                   | 0.031                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.030                   | 0.030                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.029                   | 0.029                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.029                   | 0.029                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.028                   | 0.028                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.028                   | 0.028                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.027                   | 0.027                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.026                   | 0.026                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.026                   | 0.026                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.025                   | 0.025                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.025                   | 0.025                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.024                   | 0.024                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.024                   | 0.024                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.023                   | 0.023                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.022                   | 0.022                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.022                   | 0.022                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.021                   | 0.021                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.021                   | 0.021                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.020                   | 0.020                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.020                   | 0.020                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.019                   | 0.019                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.018                   | 0.018                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.018                   | 0.018                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.017                   | 0.017                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.017                   | 0.017                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.016                   | 0.016                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.015                   | 0.015                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.015                   | 0.015                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.014                   | 0.014                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.014                   | 0.014                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.013                   | 0.013                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.013                   | 0.013                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.012                   | 0.012                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.012                   | 0.012                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|----------------|-----------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/施設内農作物有一般//小損害不填<br>補の金額が3万円又は共済価額の20分の1 | 3.385          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 5.099                   | 5.099                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 5.013                   | 5.013                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 4.928                   | 4.928                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 4.842                   | 4.842                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 4.756                   | 4.756                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 4.670                   | 4.670                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 4.585                   | 4.585                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 4.499                   | 4.499                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 4.413                   | 4.413                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 4.328                   | 4.328                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 4.242                   | 4.242                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 4.156                   | 4.156                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 4.071                   | 4.071                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 3.985                   | 3.985                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 3.899                   | 3.899                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 3.813                   | 3.813                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 3.728                   | 3.728                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 3.642                   | 3.642                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 3.556                   | 3.556                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 3.471                   | 3.471                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 3.385                   | 3.385                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 3.299                   | 3.299                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 3.214                   | 3.214                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 3.128                   | 3.128                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 3.042                   | 3.042                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 2.957                   | 2.957                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 2.871                   | 2.871                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 2.785                   | 2.785                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 2.699                   | 2.699                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 2.614                   | 2.614                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 2.528                   | 2.528                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 2.442                   | 2.442                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 2.357                   | 2.357                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 2.271                   | 2.271                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 2.185                   | 2.185                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 2.100                   | 2.100                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 2.014                   | 2.014                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 1.928                   | 1.928                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 1.842                   | 1.842                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 1.757                   | 1.757                 |
| -20        | 0 ≧ * < 2.5        | 1           | 1.693                   | 1.693                 |
|            |                    | 平均値<br>2.00 |                         |                       |



【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                  | 共済掛金標準率<br>(%) |
|----------------|------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/施設内農作物有一般//小損害不填<br>補の金額が10万円 | 3.206          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 4.829                   | 4.829                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 4.748                   | 4.748                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 4.667                   | 4.667                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 4.586                   | 4.586                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 4.505                   | 4.505                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 4.423                   | 4.423                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 4.342                   | 4.342                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 4.261                   | 4.261                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 4.180                   | 4.180                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 4.099                   | 4.099                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 4.018                   | 4.018                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 3.936                   | 3.936                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 3.855                   | 3.855                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 3.774                   | 3.774                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 3.693                   | 3.693                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 3.612                   | 3.612                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 3.531                   | 3.531                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 3.449                   | 3.449                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 3.368                   | 3.368                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 3.287                   | 3.287                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 3.206                   | 3.206                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 3.125                   | 3.125                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 3.044                   | 3.044                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 2.963                   | 2.963                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 2.881                   | 2.881                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 2.800                   | 2.800                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 2.719                   | 2.719                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 2.638                   | 2.638                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 2.557                   | 2.557                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 2.476                   | 2.476                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 2.394                   | 2.394                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 2.313                   | 2.313                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 2.232                   | 2.232                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 2.151                   | 2.151                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 2.070                   | 2.070                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 1.989                   | 1.989                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 1.907                   | 1.907                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 1.826                   | 1.826                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 1.745                   | 1.745                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 1.664                   | 1.664                 |
| -20        | 0 ≦ * < 2.5        | 1           | 1.603                   | 1.603                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                                     | 共済掛金標準率<br>(%) |
|----------------|-------------------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.082          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.124                   | 0.124                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.121                   | 0.121                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.119                   | 0.119                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.117                   | 0.117                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.115                   | 0.115                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.113                   | 0.113                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.111                   | 0.111                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.109                   | 0.109                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.107                   | 0.107                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.105                   | 0.105                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.103                   | 0.103                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.101                   | 0.101                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.099                   | 0.099                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.097                   | 0.097                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.094                   | 0.094                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.092                   | 0.092                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.090                   | 0.090                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.088                   | 0.088                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.086                   | 0.086                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.084                   | 0.084                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.082                   | 0.082                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.080                   | 0.080                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.078                   | 0.078                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.076                   | 0.076                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.074                   | 0.074                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.072                   | 0.072                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.070                   | 0.070                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.067                   | 0.067                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.065                   | 0.065                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.063                   | 0.063                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.061                   | 0.061                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.059                   | 0.059                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.057                   | 0.057                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.055                   | 0.055                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.053                   | 0.053                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.051                   | 0.051                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.049                   | 0.049                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.047                   | 0.047                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.045                   | 0.045                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.043                   | 0.043                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.041                   | 0.041                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.024          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.036                   | 0.036                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.036                   | 0.036                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.035                   | 0.035                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.034                   | 0.034                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.034                   | 0.034                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.033                   | 0.033                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.033                   | 0.033                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.032                   | 0.032                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.031                   | 0.031                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.031                   | 0.031                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.030                   | 0.030                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.029                   | 0.029                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.029                   | 0.029                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.028                   | 0.028                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.028                   | 0.028                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.027                   | 0.027                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.026                   | 0.026                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.026                   | 0.026                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.025                   | 0.025                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.025                   | 0.025                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.024                   | 0.024                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.023                   | 0.023                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.023                   | 0.023                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.022                   | 0.022                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.022                   | 0.022                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.021                   | 0.021                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.020                   | 0.020                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.020                   | 0.020                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.019                   | 0.019                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.019                   | 0.019                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.018                   | 0.018                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.017                   | 0.017                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.017                   | 0.017                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.016                   | 0.016                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.015                   | 0.015                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.015                   | 0.015                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.014                   | 0.014                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.014                   | 0.014                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.013                   | 0.013                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.012                   | 0.012                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.012                   | 0.012                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.023          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.035                   | 0.035                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.034                   | 0.034                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.033                   | 0.033                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.033                   | 0.033                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.032                   | 0.032                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.032                   | 0.032                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.031                   | 0.031                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.031                   | 0.031                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.030                   | 0.030                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.029                   | 0.029                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.029                   | 0.029                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.028                   | 0.028                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.028                   | 0.028                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.027                   | 0.027                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.026                   | 0.026                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.026                   | 0.026                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.025                   | 0.025                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.025                   | 0.025                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.024                   | 0.024                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.024                   | 0.024                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.023                   | 0.023                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.022                   | 0.022                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.022                   | 0.022                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.021                   | 0.021                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.021                   | 0.021                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.020                   | 0.020                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.020                   | 0.020                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.019                   | 0.019                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.018                   | 0.018                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.018                   | 0.018                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.017                   | 0.017                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.017                   | 0.017                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.016                   | 0.016                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.015                   | 0.015                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.015                   | 0.015                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.014                   | 0.014                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.014                   | 0.014                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.013                   | 0.013                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.013                   | 0.013                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.012                   | 0.012                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.012                   | 0.012                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|----------------|-----------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/施設内農作物有一般//小損害不填<br>補の金額が3万円又は共済価額の20分の1 | 3.385          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 5.099                   | 5.099                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 5.013                   | 5.013                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 4.928                   | 4.928                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 4.842                   | 4.842                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 4.756                   | 4.756                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 4.670                   | 4.670                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 4.585                   | 4.585                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 4.499                   | 4.499                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 4.413                   | 4.413                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 4.328                   | 4.328                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 4.242                   | 4.242                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 4.156                   | 4.156                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 4.071                   | 4.071                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 3.985                   | 3.985                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 3.899                   | 3.899                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 3.813                   | 3.813                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 3.728                   | 3.728                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 3.642                   | 3.642                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 3.556                   | 3.556                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 3.471                   | 3.471                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 3.385                   | 3.385                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 3.299                   | 3.299                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 3.214                   | 3.214                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 3.128                   | 3.128                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 3.042                   | 3.042                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 2.957                   | 2.957                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 2.871                   | 2.871                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 2.785                   | 2.785                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 2.699                   | 2.699                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 2.614                   | 2.614                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 2.528                   | 2.528                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 2.442                   | 2.442                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 2.357                   | 2.357                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 2.271                   | 2.271                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 2.185                   | 2.185                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 2.100                   | 2.100                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 2.014                   | 2.014                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 1.928                   | 1.928                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 1.842                   | 1.842                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 1.757                   | 1.757                 |
| -20        | 0 ≧ * < 2.5        | 1        | 1.693                   | 1.693                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                  | 共済掛金標準率<br>(%) |
|----------------|------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/施設内農作物有一般//小損害不填<br>補の金額が10万円 | 3.206          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 4.829                   | 4.829                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 4.748                   | 4.748                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 4.667                   | 4.667                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 4.586                   | 4.586                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 4.505                   | 4.505                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 4.423                   | 4.423                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 4.342                   | 4.342                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 4.261                   | 4.261                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 4.180                   | 4.180                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 4.099                   | 4.099                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 4.018                   | 4.018                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 3.936                   | 3.936                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 3.855                   | 3.855                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 3.774                   | 3.774                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 3.693                   | 3.693                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 3.612                   | 3.612                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 3.531                   | 3.531                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 3.449                   | 3.449                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 3.368                   | 3.368                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 3.287                   | 3.287                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 3.206                   | 3.206                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 3.125                   | 3.125                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 3.044                   | 3.044                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 2.963                   | 2.963                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 2.881                   | 2.881                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 2.800                   | 2.800                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 2.719                   | 2.719                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 2.638                   | 2.638                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 2.557                   | 2.557                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 2.476                   | 2.476                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 2.394                   | 2.394                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 2.313                   | 2.313                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 2.232                   | 2.232                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 2.151                   | 2.151                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 2.070                   | 2.070                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 1.989                   | 1.989                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 1.907                   | 1.907                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 1.826                   | 1.826                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 1.745                   | 1.745                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 1.664                   | 1.664                 |
| -20        | 0 ≦ * < 2.5        | 1           | 1.603                   | 1.603                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                  | 共済掛金標準率<br>(%) |
|----------------|------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/施設内農作物有一般//小損害不填<br>補の金額が20万円 | 2.345          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 3.532                   | 3.532                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 3.473                   | 3.473                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 3.414                   | 3.414                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 3.354                   | 3.354                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 3.295                   | 3.295                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 3.236                   | 3.236                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 3.176                   | 3.176                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 3.117                   | 3.117                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 3.057                   | 3.057                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 2.998                   | 2.998                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 2.939                   | 2.939                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 2.879                   | 2.879                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 2.820                   | 2.820                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 2.761                   | 2.761                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 2.701                   | 2.701                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 2.642                   | 2.642                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 2.582                   | 2.582                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 2.523                   | 2.523                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 2.464                   | 2.464                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 2.404                   | 2.404                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 2.345                   | 2.345                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 2.286                   | 2.286                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 2.226                   | 2.226                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 2.167                   | 2.167                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 2.108                   | 2.108                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 2.048                   | 2.048                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 1.989                   | 1.989                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 1.929                   | 1.929                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 1.870                   | 1.870                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 1.811                   | 1.811                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 1.751                   | 1.751                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 1.692                   | 1.692                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 1.633                   | 1.633                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 1.573                   | 1.573                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 1.514                   | 1.514                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 1.454                   | 1.454                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 1.395                   | 1.395                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 1.336                   | 1.336                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 1.276                   | 1.276                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 1.217                   | 1.217                 |
| -20        | 0 ≦ * < 2.5        | 1           | 1.173                   | 1.173                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                               | 共済掛金標準率<br>(%) |
|----------------|-------------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/施設内農作物有事故除外//小損害<br>不填補の金額が3万円又は共済価額の20分の1 | 0.939          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.414                   | 1.414                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.391                   | 1.391                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.367                   | 1.367                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.343                   | 1.343                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.319                   | 1.319                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.296                   | 1.296                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.272                   | 1.272                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.248                   | 1.248                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.224                   | 1.224                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.200                   | 1.200                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.177                   | 1.177                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.153                   | 1.153                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.129                   | 1.129                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.105                   | 1.105                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.082                   | 1.082                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.058                   | 1.058                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.034                   | 1.034                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 1.010                   | 1.010                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.987                   | 0.987                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.963                   | 0.963                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.939                   | 0.939                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.915                   | 0.915                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.891                   | 0.891                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.868                   | 0.868                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.844                   | 0.844                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.820                   | 0.820                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.796                   | 0.796                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.773                   | 0.773                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.749                   | 0.749                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.725                   | 0.725                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.701                   | 0.701                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.678                   | 0.678                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.654                   | 0.654                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.630                   | 0.630                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.606                   | 0.606                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.582                   | 0.582                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.559                   | 0.559                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.535                   | 0.535                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.511                   | 0.511                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.487                   | 0.487                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.470                   | 0.470                 |
|            |                    | 平均値<br>2.00 |                         |                       |



【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                    | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/施設内農作物有事故除外//小損害<br>不填補の金額が10万円 | 0.938          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.413                   | 1.413                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.389                   | 1.389                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.365                   | 1.365                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.342                   | 1.342                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.318                   | 1.318                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.294                   | 1.294                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.270                   | 1.270                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.247                   | 1.247                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.223                   | 1.223                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.199                   | 1.199                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.175                   | 1.175                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.152                   | 1.152                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.128                   | 1.128                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.104                   | 1.104                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.080                   | 1.080                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.057                   | 1.057                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.033                   | 1.033                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 1.009                   | 1.009                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.985                   | 0.985                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.962                   | 0.962                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.938                   | 0.938                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.914                   | 0.914                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.891                   | 0.891                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.867                   | 0.867                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.843                   | 0.843                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.819                   | 0.819                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.796                   | 0.796                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.772                   | 0.772                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.748                   | 0.748                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.724                   | 0.724                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.701                   | 0.701                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.677                   | 0.677                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.653                   | 0.653                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.629                   | 0.629                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.606                   | 0.606                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.582                   | 0.582                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.558                   | 0.558                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.534                   | 0.534                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.511                   | 0.511                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.487                   | 0.487                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.469                   | 0.469                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                    | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/施設内農作物有事故除外//小損害<br>不填補の金額が20万円 | 0.772          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 1.163                   | 1.163                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 1.143                   | 1.143                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 1.124                   | 1.124                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 1.104                   | 1.104                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 1.085                   | 1.085                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 1.065                   | 1.065                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 1.046                   | 1.046                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 1.026                   | 1.026                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 1.007                   | 1.007                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 0.987                   | 0.987                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 0.967                   | 0.967                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 0.948                   | 0.948                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 0.928                   | 0.928                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 0.909                   | 0.909                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 0.889                   | 0.889                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 0.870                   | 0.870                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 0.850                   | 0.850                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 0.831                   | 0.831                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 0.811                   | 0.811                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 0.792                   | 0.792                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 0.772                   | 0.772                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 0.752                   | 0.752                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 0.733                   | 0.733                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 0.713                   | 0.713                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 0.694                   | 0.694                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 0.674                   | 0.674                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 0.655                   | 0.655                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 0.635                   | 0.635                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 0.616                   | 0.616                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 0.596                   | 0.596                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 0.577                   | 0.577                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 0.557                   | 0.557                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 0.537                   | 0.537                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 0.518                   | 0.518                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 0.498                   | 0.498                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 0.479                   | 0.479                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 0.459                   | 0.459                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 0.440                   | 0.440                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 0.420                   | 0.420                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 0.401                   | 0.401                 |
| -20        | 0 ≦ * < 2.5        | 1        | 0.386                   | 0.386                 |

平均値  
2.00

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/特定園芸施設撤去費用額に係るもの<br>/被覆期間/小損害不填補の金額が3万円又は共済価額の<br>20分の1 | 0.057          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 0.086                   | 0.086                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 0.084                   | 0.084                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 0.083                   | 0.083                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 0.082                   | 0.082                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 0.080                   | 0.080                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 0.079                   | 0.079                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 0.077                   | 0.077                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 0.076                   | 0.076                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 0.074                   | 0.074                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 0.073                   | 0.073                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 0.071                   | 0.071                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 0.070                   | 0.070                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 0.069                   | 0.069                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 0.067                   | 0.067                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 0.066                   | 0.066                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 0.064                   | 0.064                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 0.063                   | 0.063                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 0.061                   | 0.061                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 0.060                   | 0.060                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 0.058                   | 0.058                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 0.057                   | 0.057                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 0.056                   | 0.056                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 0.054                   | 0.054                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 0.053                   | 0.053                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 0.051                   | 0.051                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 0.050                   | 0.050                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 0.048                   | 0.048                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 0.047                   | 0.047                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 0.045                   | 0.045                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 0.044                   | 0.044                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 0.043                   | 0.043                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 0.041                   | 0.041                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 0.040                   | 0.040                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 0.038                   | 0.038                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 0.037                   | 0.037                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 0.035                   | 0.035                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 0.034                   | 0.034                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 0.032                   | 0.032                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 0.031                   | 0.031                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 0.030                   | 0.030                 |
| -20        | 0 ≦ * < 2.5        | 1        | 0.029                   | 0.029                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|----------------|-----------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/特定園芸施設撤去費用額に係るもの<br>/被覆期間/小損害不填補の金額が10万円 | 0.017          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.026                   | 0.026                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.025                   | 0.025                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.025                   | 0.025                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.024                   | 0.024                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.024                   | 0.024                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.023                   | 0.023                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.023                   | 0.023                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.023                   | 0.023                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.022                   | 0.022                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.022                   | 0.022                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.021                   | 0.021                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.021                   | 0.021                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.020                   | 0.020                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.020                   | 0.020                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.020                   | 0.020                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.019                   | 0.019                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.019                   | 0.019                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.018                   | 0.018                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.018                   | 0.018                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.017                   | 0.017                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.017                   | 0.017                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.017                   | 0.017                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.016                   | 0.016                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.016                   | 0.016                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.015                   | 0.015                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.015                   | 0.015                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.014                   | 0.014                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.014                   | 0.014                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.014                   | 0.014                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.013                   | 0.013                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.013                   | 0.013                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.012                   | 0.012                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.012                   | 0.012                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.011                   | 0.011                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.011                   | 0.011                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.011                   | 0.011                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.010                   | 0.010                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.010                   | 0.010                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.009                   | 0.009                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.009                   | 0.009                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.009                   | 0.009                 |

平均値  
2.00

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|----------------|-----------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/特定園芸施設撤去費用額に係るもの<br>/被覆期間/小損害不填補の金額が20万円 | 0.016          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.024                   | 0.024                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.024                   | 0.024                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.023                   | 0.023                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.023                   | 0.023                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.022                   | 0.022                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.022                   | 0.022                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.022                   | 0.022                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.021                   | 0.021                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.021                   | 0.021                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.020                   | 0.020                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.020                   | 0.020                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.020                   | 0.020                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.019                   | 0.019                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.019                   | 0.019                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.018                   | 0.018                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.018                   | 0.018                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.018                   | 0.018                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.017                   | 0.017                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.017                   | 0.017                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.016                   | 0.016                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.016                   | 0.016                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.016                   | 0.016                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.015                   | 0.015                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.015                   | 0.015                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.014                   | 0.014                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.014                   | 0.014                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.014                   | 0.014                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.013                   | 0.013                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.013                   | 0.013                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.012                   | 0.012                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.012                   | 0.012                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.012                   | 0.012                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.011                   | 0.011                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.011                   | 0.011                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.010                   | 0.010                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.010                   | 0.010                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.010                   | 0.010                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.009                   | 0.009                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.009                   | 0.009                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.008                   | 0.008                 |
| -20        | 0 ≧ *              | 1        | 0.008                   | 0.008                 |

平均値  
2.00

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|----------------|------------------------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/園芸施設復旧費用額に係るもの/被<br>覆期間/小損害不填補の金額が3万円又は共済価額の20分<br>の1 | 0.033          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.050                   | 0.050                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.049                   | 0.049                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.048                   | 0.048                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.047                   | 0.047                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.046                   | 0.046                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.046                   | 0.046                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.045                   | 0.045                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.044                   | 0.044                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.043                   | 0.043                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.042                   | 0.042                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.041                   | 0.041                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.041                   | 0.041                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.040                   | 0.040                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.039                   | 0.039                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.038                   | 0.038                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.037                   | 0.037                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.036                   | 0.036                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.036                   | 0.036                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.035                   | 0.035                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.034                   | 0.034                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.033                   | 0.033                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.032                   | 0.032                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.031                   | 0.031                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.030                   | 0.030                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.030                   | 0.030                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.029                   | 0.029                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.028                   | 0.028                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.027                   | 0.027                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.026                   | 0.026                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.025                   | 0.025                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.025                   | 0.025                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.024                   | 0.024                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.023                   | 0.023                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.022                   | 0.022                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.021                   | 0.021                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.020                   | 0.020                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.020                   | 0.020                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.019                   | 0.019                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.018                   | 0.018                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.017                   | 0.017                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.017                   | 0.017                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|----------------|---------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/園芸施設復旧費用額に係るもの/被<br>覆期間/小損害不填補の金額が10万円 | 0.010          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 0.015                   | 0.015                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 0.015                   | 0.015                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 0.015                   | 0.015                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 0.014                   | 0.014                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 0.014                   | 0.014                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 0.014                   | 0.014                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 0.014                   | 0.014                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 0.013                   | 0.013                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 0.013                   | 0.013                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 0.013                   | 0.013                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 0.013                   | 0.013                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 0.012                   | 0.012                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 0.012                   | 0.012                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 0.012                   | 0.012                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 0.012                   | 0.012                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 0.011                   | 0.011                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 0.011                   | 0.011                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 0.011                   | 0.011                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 0.011                   | 0.011                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 0.010                   | 0.010                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 0.010                   | 0.010                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 0.010                   | 0.010                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 0.009                   | 0.009                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 0.009                   | 0.009                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 0.009                   | 0.009                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 0.009                   | 0.009                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 0.008                   | 0.008                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 0.008                   | 0.008                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 0.008                   | 0.008                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 0.008                   | 0.008                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 0.007                   | 0.007                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 0.007                   | 0.007                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 0.007                   | 0.007                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 0.007                   | 0.007                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 0.006                   | 0.006                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 0.006                   | 0.006                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 0.006                   | 0.006                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 0.006                   | 0.006                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 0.005                   | 0.005                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 0.005                   | 0.005                 |
| -20        | 0 ≦ * < 2.5        | 1        | 0.005                   | 0.005                 |

平均値  
2.00

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|----------------|---------------------------------------------------|----------------|
| ガラス室木<br>造(10) | ガラス室Ⅰ類(木造)/園芸施設復旧費用額に係るもの/被<br>覆期間/小損害不填補の金額が20万円 | 0.009          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.014                   | 0.014                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.013                   | 0.013                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.013                   | 0.013                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.013                   | 0.013                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.013                   | 0.013                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.012                   | 0.012                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.012                   | 0.012                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.012                   | 0.012                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.012                   | 0.012                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.012                   | 0.012                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.011                   | 0.011                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.011                   | 0.011                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.011                   | 0.011                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.011                   | 0.011                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.010                   | 0.010                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.010                   | 0.010                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.010                   | 0.010                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.010                   | 0.010                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.009                   | 0.009                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.009                   | 0.009                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.009                   | 0.009                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.009                   | 0.009                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.009                   | 0.009                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.008                   | 0.008                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.008                   | 0.008                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.008                   | 0.008                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.008                   | 0.008                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.007                   | 0.007                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.007                   | 0.007                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.007                   | 0.007                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.007                   | 0.007                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.006                   | 0.006                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.006                   | 0.006                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.006                   | 0.006                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.006                   | 0.006                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.006                   | 0.006                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.005                   | 0.005                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.005                   | 0.005                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.005                   | 0.005                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.005                   | 0.005                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.005                   | 0.005                 |

平均値  
2.00



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                                     | 共済掛金標準率<br>(%) |
|----------------|-------------------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.106          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.160                   | 0.160                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.157                   | 0.157                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.154                   | 0.154                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.152                   | 0.152                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.149                   | 0.149                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.146                   | 0.146                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.144                   | 0.144                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.141                   | 0.141                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.138                   | 0.138                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.136                   | 0.136                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.133                   | 0.133                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.130                   | 0.130                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.127                   | 0.127                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.125                   | 0.125                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.122                   | 0.122                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.119                   | 0.119                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.117                   | 0.117                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.114                   | 0.114                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.111                   | 0.111                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.109                   | 0.109                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.106                   | 0.106                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.103                   | 0.103                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.101                   | 0.101                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.098                   | 0.098                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.095                   | 0.095                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.093                   | 0.093                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.090                   | 0.090                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.087                   | 0.087                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.085                   | 0.085                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.082                   | 0.082                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.079                   | 0.079                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.076                   | 0.076                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.074                   | 0.074                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.071                   | 0.071                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.068                   | 0.068                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.066                   | 0.066                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.063                   | 0.063                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.060                   | 0.060                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.058                   | 0.058                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.055                   | 0.055                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.053                   | 0.053                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.081          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.122                   | 0.122                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.120                   | 0.120                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.118                   | 0.118                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.116                   | 0.116                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.114                   | 0.114                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.112                   | 0.112                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.110                   | 0.110                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.108                   | 0.108                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.106                   | 0.106                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.104                   | 0.104                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.102                   | 0.102                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.099                   | 0.099                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.097                   | 0.097                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.095                   | 0.095                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.093                   | 0.093                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.091                   | 0.091                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.089                   | 0.089                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.087                   | 0.087                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.085                   | 0.085                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.083                   | 0.083                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.081                   | 0.081                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.079                   | 0.079                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.077                   | 0.077                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.075                   | 0.075                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.073                   | 0.073                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.071                   | 0.071                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.069                   | 0.069                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.067                   | 0.067                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.065                   | 0.065                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.063                   | 0.063                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.060                   | 0.060                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.058                   | 0.058                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.056                   | 0.056                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.054                   | 0.054                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.052                   | 0.052                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.050                   | 0.050                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.048                   | 0.048                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.046                   | 0.046                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.044                   | 0.044                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.042                   | 0.042                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.041                   | 0.041                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.067          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.101                   | 0.101                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.099                   | 0.099                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.098                   | 0.098                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.096                   | 0.096                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.094                   | 0.094                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.092                   | 0.092                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.091                   | 0.091                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.089                   | 0.089                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.087                   | 0.087                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.086                   | 0.086                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.084                   | 0.084                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.082                   | 0.082                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.081                   | 0.081                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.079                   | 0.079                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.077                   | 0.077                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.075                   | 0.075                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.074                   | 0.074                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.072                   | 0.072                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.070                   | 0.070                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.069                   | 0.069                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.067                   | 0.067                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.065                   | 0.065                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.064                   | 0.064                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.062                   | 0.062                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.060                   | 0.060                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.059                   | 0.059                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.057                   | 0.057                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.055                   | 0.055                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.053                   | 0.053                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.052                   | 0.052                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.050                   | 0.050                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.048                   | 0.048                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.047                   | 0.047                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.045                   | 0.045                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.043                   | 0.043                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.042                   | 0.042                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.040                   | 0.040                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.038                   | 0.038                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.036                   | 0.036                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.035                   | 0.035                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.034                   | 0.034                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|----------------|-----------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有一般//小損害不填<br>補の金額が3万円又は共済価額の20分の1 | 0.968          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.458                   | 1.458                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.434                   | 1.434                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.409                   | 1.409                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.385                   | 1.385                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.360                   | 1.360                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.336                   | 1.336                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.311                   | 1.311                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.287                   | 1.287                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.262                   | 1.262                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.238                   | 1.238                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.213                   | 1.213                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.189                   | 1.189                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.164                   | 1.164                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.140                   | 1.140                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.115                   | 1.115                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.091                   | 1.091                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.066                   | 1.066                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 1.042                   | 1.042                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 1.017                   | 1.017                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.993                   | 0.993                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.968                   | 0.968                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.943                   | 0.943                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.919                   | 0.919                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.894                   | 0.894                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.870                   | 0.870                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.845                   | 0.845                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.821                   | 0.821                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.796                   | 0.796                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.772                   | 0.772                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.747                   | 0.747                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.723                   | 0.723                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.698                   | 0.698                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.674                   | 0.674                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.649                   | 0.649                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.625                   | 0.625                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.600                   | 0.600                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.576                   | 0.576                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.551                   | 0.551                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.527                   | 0.527                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.502                   | 0.502                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.484                   | 0.484                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                  | 共済掛金標準率<br>(%) |
|----------------|------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有一般//小損害不填<br>補の金額が10万円 | 0.959          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 1.445                   | 1.445                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 1.420                   | 1.420                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 1.396                   | 1.396                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 1.372                   | 1.372                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 1.347                   | 1.347                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 1.323                   | 1.323                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 1.299                   | 1.299                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 1.275                   | 1.275                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 1.250                   | 1.250                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 1.226                   | 1.226                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 1.202                   | 1.202                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 1.178                   | 1.178                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 1.153                   | 1.153                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 1.129                   | 1.129                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 1.105                   | 1.105                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 1.080                   | 1.080                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 1.056                   | 1.056                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 1.032                   | 1.032                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 1.008                   | 1.008                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.983                   | 0.983                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.959                   | 0.959                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.935                   | 0.935                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.910                   | 0.910                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.886                   | 0.886                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.862                   | 0.862                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.838                   | 0.838                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.813                   | 0.813                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.789                   | 0.789                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.765                   | 0.765                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.740                   | 0.740                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.716                   | 0.716                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.692                   | 0.692                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.668                   | 0.668                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.643                   | 0.643                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.619                   | 0.619                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.595                   | 0.595                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.571                   | 0.571                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.546                   | 0.546                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.522                   | 0.522                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.498                   | 0.498                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.480                   | 0.480                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                  | 共済掛金標準率<br>(%) |
|----------------|------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有一般//小損害不填<br>補の金額が20万円 | 0.890          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.341                   | 1.341                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.318                   | 1.318                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.296                   | 1.296                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.273                   | 1.273                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.251                   | 1.251                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.228                   | 1.228                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.205                   | 1.205                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.183                   | 1.183                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.160                   | 1.160                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.138                   | 1.138                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.115                   | 1.115                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.093                   | 1.093                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.070                   | 1.070                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.048                   | 1.048                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.025                   | 1.025                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.003                   | 1.003                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.980                   | 0.980                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.958                   | 0.958                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.935                   | 0.935                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.913                   | 0.913                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.890                   | 0.890                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.867                   | 0.867                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.845                   | 0.845                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.822                   | 0.822                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.800                   | 0.800                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.777                   | 0.777                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.755                   | 0.755                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.732                   | 0.732                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.710                   | 0.710                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.687                   | 0.687                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.665                   | 0.665                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.642                   | 0.642                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.620                   | 0.620                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.597                   | 0.597                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.575                   | 0.575                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.552                   | 0.552                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.529                   | 0.529                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.507                   | 0.507                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.484                   | 0.484                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.462                   | 0.462                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.445                   | 0.445                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                               | 共済掛金標準率<br>(%) |
|----------------|-------------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有事故除外//小損害<br>不填補の金額が3万円又は共済価額の20分の1 | 0.095          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.143                   | 0.143                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.141                   | 0.141                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.138                   | 0.138                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.136                   | 0.136                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.133                   | 0.133                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.131                   | 0.131                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.129                   | 0.129                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.126                   | 0.126                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.124                   | 0.124                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.121                   | 0.121                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.119                   | 0.119                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.117                   | 0.117                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.114                   | 0.114                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.112                   | 0.112                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.109                   | 0.109                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.107                   | 0.107                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.105                   | 0.105                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.102                   | 0.102                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.100                   | 0.100                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.097                   | 0.097                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.095                   | 0.095                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.093                   | 0.093                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.090                   | 0.090                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.088                   | 0.088                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.085                   | 0.085                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.083                   | 0.083                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.081                   | 0.081                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.078                   | 0.078                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.076                   | 0.076                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.073                   | 0.073                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.071                   | 0.071                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.069                   | 0.069                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.066                   | 0.066                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.064                   | 0.064                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.061                   | 0.061                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.059                   | 0.059                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.057                   | 0.057                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.054                   | 0.054                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.052                   | 0.052                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.049                   | 0.049                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.048                   | 0.048                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                    | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有事故除外//小損害<br>不填補の金額が10万円 | 0.094          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 0.142                   | 0.142                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 0.139                   | 0.139                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 0.137                   | 0.137                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 0.134                   | 0.134                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 0.132                   | 0.132                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 0.130                   | 0.130                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 0.127                   | 0.127                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 0.125                   | 0.125                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 0.123                   | 0.123                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 0.120                   | 0.120                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 0.118                   | 0.118                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 0.115                   | 0.115                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 0.113                   | 0.113                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 0.111                   | 0.111                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 0.108                   | 0.108                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 0.106                   | 0.106                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.104                   | 0.104                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.101                   | 0.101                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.099                   | 0.099                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.096                   | 0.096                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.094                   | 0.094                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.092                   | 0.092                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.089                   | 0.089                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.087                   | 0.087                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.084                   | 0.084                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.082                   | 0.082                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.080                   | 0.080                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.077                   | 0.077                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.075                   | 0.075                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.073                   | 0.073                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.070                   | 0.070                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.068                   | 0.068                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.065                   | 0.065                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.063                   | 0.063                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.061                   | 0.061                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.058                   | 0.058                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.056                   | 0.056                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.054                   | 0.054                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.051                   | 0.051                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.049                   | 0.049                 |
| -20        | 0 ≧ * < 0          | 1        | 0.047                   | 0.047                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                    | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有事故除外//小損害<br>不填補の金額が20万円 | 0.087          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.131                   | 0.131                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.129                   | 0.129                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.127                   | 0.127                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.124                   | 0.124                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.122                   | 0.122                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.120                   | 0.120                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.118                   | 0.118                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.116                   | 0.116                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.113                   | 0.113                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.111                   | 0.111                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.109                   | 0.109                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.107                   | 0.107                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.105                   | 0.105                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.102                   | 0.102                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.100                   | 0.100                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.098                   | 0.098                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.096                   | 0.096                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.094                   | 0.094                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.091                   | 0.091                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.089                   | 0.089                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.087                   | 0.087                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.085                   | 0.085                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.083                   | 0.083                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.080                   | 0.080                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.078                   | 0.078                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.076                   | 0.076                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.074                   | 0.074                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.072                   | 0.072                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.069                   | 0.069                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.067                   | 0.067                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.065                   | 0.065                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.063                   | 0.063                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.061                   | 0.061                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.058                   | 0.058                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.056                   | 0.056                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.054                   | 0.054                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.052                   | 0.052                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.050                   | 0.050                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.047                   | 0.047                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.045                   | 0.045                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.044                   | 0.044                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|----------------|--------------------------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設撤去費用額に係るもの<br>/被覆期間/小損害不填補の金額が3万円又は共済価額の<br>20分の1 | 0.021          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.032                   | 0.032                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.031                   | 0.031                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.031                   | 0.031                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.030                   | 0.030                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.030                   | 0.030                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.029                   | 0.029                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.028                   | 0.028                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.028                   | 0.028                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.027                   | 0.027                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.027                   | 0.027                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.026                   | 0.026                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.026                   | 0.026                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.025                   | 0.025                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.025                   | 0.025                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.024                   | 0.024                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.024                   | 0.024                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.023                   | 0.023                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.023                   | 0.023                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.022                   | 0.022                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.022                   | 0.022                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.021                   | 0.021                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.020                   | 0.020                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.020                   | 0.020                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.019                   | 0.019                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.019                   | 0.019                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.018                   | 0.018                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.018                   | 0.018                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.017                   | 0.017                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.017                   | 0.017                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.016                   | 0.016                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.016                   | 0.016                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.015                   | 0.015                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.015                   | 0.015                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.014                   | 0.014                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.014                   | 0.014                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.013                   | 0.013                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.012                   | 0.012                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.012                   | 0.012                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.011                   | 0.011                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.011                   | 0.011                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.011                   | 0.011                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|----------------|-----------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設撤去費用額に係るもの<br>/被覆期間/小損害不填補の金額が10万円 | 0.016          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.024                   | 0.024                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.024                   | 0.024                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.023                   | 0.023                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.023                   | 0.023                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.022                   | 0.022                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.022                   | 0.022                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.022                   | 0.022                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.021                   | 0.021                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.021                   | 0.021                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.020                   | 0.020                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.020                   | 0.020                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.020                   | 0.020                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.019                   | 0.019                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.019                   | 0.019                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.018                   | 0.018                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.018                   | 0.018                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.018                   | 0.018                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.017                   | 0.017                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.017                   | 0.017                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.016                   | 0.016                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.016                   | 0.016                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.016                   | 0.016                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.015                   | 0.015                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.015                   | 0.015                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.014                   | 0.014                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.014                   | 0.014                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.014                   | 0.014                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.013                   | 0.013                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.013                   | 0.013                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.012                   | 0.012                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.012                   | 0.012                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.012                   | 0.012                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.011                   | 0.011                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.011                   | 0.011                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.010                   | 0.010                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.010                   | 0.010                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.010                   | 0.010                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.009                   | 0.009                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.009                   | 0.009                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.008                   | 0.008                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.008                   | 0.008                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|----------------|-----------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設撤去費用額に係るもの<br>/被覆期間/小損害不填補の金額が20万円 | 0.013          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 0.020                   | 0.020                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 0.019                   | 0.019                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 0.019                   | 0.019                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 0.019                   | 0.019                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 0.018                   | 0.018                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 0.018                   | 0.018                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 0.018                   | 0.018                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 0.017                   | 0.017                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 0.017                   | 0.017                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 0.017                   | 0.017                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 0.016                   | 0.016                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 0.016                   | 0.016                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 0.016                   | 0.016                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 0.015                   | 0.015                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 0.015                   | 0.015                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 0.015                   | 0.015                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 0.014                   | 0.014                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 0.014                   | 0.014                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 0.014                   | 0.014                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 0.013                   | 0.013                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 0.013                   | 0.013                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 0.013                   | 0.013                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 0.012                   | 0.012                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 0.012                   | 0.012                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 0.012                   | 0.012                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 0.011                   | 0.011                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 0.011                   | 0.011                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 0.011                   | 0.011                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 0.010                   | 0.010                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 0.010                   | 0.010                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 0.010                   | 0.010                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 0.009                   | 0.009                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 0.009                   | 0.009                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 0.009                   | 0.009                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 0.008                   | 0.008                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 0.008                   | 0.008                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 0.008                   | 0.008                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 0.007                   | 0.007                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 0.007                   | 0.007                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 0.007                   | 0.007                 |
| -20        | 0 ≦ * < 2.5        | 1        | 0.007                   | 0.007                 |

平均値  
2.00

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|----------------|------------------------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/園芸施設復旧費用額に係るもの/被<br>覆期間/小損害不填補の金額が3万円又は共済価額の20分<br>の1 | 0.102          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.154                   | 0.154                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.151                   | 0.151                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.148                   | 0.148                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.146                   | 0.146                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.143                   | 0.143                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.141                   | 0.141                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.138                   | 0.138                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.136                   | 0.136                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.133                   | 0.133                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.130                   | 0.130                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.128                   | 0.128                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.125                   | 0.125                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.123                   | 0.123                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.120                   | 0.120                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.117                   | 0.117                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.115                   | 0.115                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.112                   | 0.112                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.110                   | 0.110                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.107                   | 0.107                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.105                   | 0.105                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.102                   | 0.102                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.099                   | 0.099                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.097                   | 0.097                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.094                   | 0.094                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.092                   | 0.092                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.089                   | 0.089                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.087                   | 0.087                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.084                   | 0.084                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.081                   | 0.081                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.079                   | 0.079                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.076                   | 0.076                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.074                   | 0.074                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.071                   | 0.071                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.068                   | 0.068                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.066                   | 0.066                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.063                   | 0.063                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.061                   | 0.061                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.058                   | 0.058                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.056                   | 0.056                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.053                   | 0.053                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.051                   | 0.051                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|----------------|---------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/園芸施設復旧費用額に係るもの/被<br>覆期間/小損害不填補の金額が10万円 | 0.078          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.117                   | 0.117                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.116                   | 0.116                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.114                   | 0.114                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.112                   | 0.112                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.110                   | 0.110                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.108                   | 0.108                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.106                   | 0.106                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.104                   | 0.104                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.102                   | 0.102                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.100                   | 0.100                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.098                   | 0.098                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.096                   | 0.096                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.094                   | 0.094                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.092                   | 0.092                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.090                   | 0.090                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.088                   | 0.088                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.086                   | 0.086                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.084                   | 0.084                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.082                   | 0.082                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.080                   | 0.080                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.078                   | 0.078                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.076                   | 0.076                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.074                   | 0.074                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.072                   | 0.072                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.070                   | 0.070                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.068                   | 0.068                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.066                   | 0.066                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.064                   | 0.064                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.062                   | 0.062                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.060                   | 0.060                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.058                   | 0.058                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.056                   | 0.056                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.054                   | 0.054                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.052                   | 0.052                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.050                   | 0.050                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.048                   | 0.048                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.046                   | 0.046                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.044                   | 0.044                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.042                   | 0.042                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.040                   | 0.040                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.039                   | 0.039                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類    | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|----------------|---------------------------------------------------|----------------|
| ガラス室鉄<br>骨(20) | ガラス室Ⅱ類(鉄骨)/園芸施設復旧費用額に係るもの/被<br>覆期間/小損害不填補の金額が20万円 | 0.064          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.096                   | 0.096                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.095                   | 0.095                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.093                   | 0.093                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.092                   | 0.092                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.090                   | 0.090                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.088                   | 0.088                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.087                   | 0.087                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.085                   | 0.085                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.083                   | 0.083                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.082                   | 0.082                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.080                   | 0.080                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.079                   | 0.079                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.077                   | 0.077                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.075                   | 0.075                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.074                   | 0.074                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.072                   | 0.072                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.070                   | 0.070                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.069                   | 0.069                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.067                   | 0.067                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.066                   | 0.066                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.064                   | 0.064                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.062                   | 0.062                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.061                   | 0.061                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.059                   | 0.059                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.058                   | 0.058                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.056                   | 0.056                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.054                   | 0.054                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.053                   | 0.053                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.051                   | 0.051                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.049                   | 0.049                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.048                   | 0.048                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.046                   | 0.046                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.045                   | 0.045                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.043                   | 0.043                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.041                   | 0.041                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.040                   | 0.040                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.038                   | 0.038                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.036                   | 0.036                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.035                   | 0.035                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.033                   | 0.033                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.032                   | 0.032                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.894          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 1.347                   | 1.347                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 1.324                   | 1.324                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 1.301                   | 1.301                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 1.279                   | 1.279                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 1.256                   | 1.256                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 1.233                   | 1.233                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 1.211                   | 1.211                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 1.188                   | 1.188                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 1.166                   | 1.166                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 1.143                   | 1.143                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 1.120                   | 1.120                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 1.098                   | 1.098                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 1.075                   | 1.075                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 1.052                   | 1.052                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 1.030                   | 1.030                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 1.007                   | 1.007                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 0.985                   | 0.985                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 0.962                   | 0.962                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 0.939                   | 0.939                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 0.917                   | 0.917                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 0.894                   | 0.894                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 0.871                   | 0.871                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 0.849                   | 0.849                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 0.826                   | 0.826                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 0.803                   | 0.803                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 0.781                   | 0.781                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 0.758                   | 0.758                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 0.736                   | 0.736                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 0.713                   | 0.713                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 0.690                   | 0.690                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 0.668                   | 0.668                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 0.645                   | 0.645                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 0.622                   | 0.622                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 0.600                   | 0.600                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 0.577                   | 0.577                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 0.555                   | 0.555                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 0.532                   | 0.532                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 0.509                   | 0.509                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 0.487                   | 0.487                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 0.464                   | 0.464                 |
| -20        | 0 ≦ * < 2.5        | 1        | 0.447                   | 0.447                 |

平均値  
2.00



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設及び附帯施<br>設に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.317          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.478                   | 0.478                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.469                   | 0.469                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.461                   | 0.461                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.453                   | 0.453                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.445                   | 0.445                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.437                   | 0.437                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.429                   | 0.429                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.421                   | 0.421                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.413                   | 0.413                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.405                   | 0.405                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.397                   | 0.397                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.389                   | 0.389                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.381                   | 0.381                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.373                   | 0.373                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.365                   | 0.365                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.357                   | 0.357                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.349                   | 0.349                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.341                   | 0.341                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.333                   | 0.333                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.325                   | 0.325                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.317                   | 0.317                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.309                   | 0.309                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.301                   | 0.301                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.293                   | 0.293                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.285                   | 0.285                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.277                   | 0.277                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.269                   | 0.269                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.261                   | 0.261                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.253                   | 0.253                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.245                   | 0.245                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.237                   | 0.237                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.229                   | 0.229                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.221                   | 0.221                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.213                   | 0.213                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.205                   | 0.205                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.197                   | 0.197                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.189                   | 0.189                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.181                   | 0.181                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.173                   | 0.173                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.165                   | 0.165                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.159                   | 0.159                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設及び附帯施<br>設に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.316          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.476                   | 0.476                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.468                   | 0.468                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.460                   | 0.460                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.452                   | 0.452                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.444                   | 0.444                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.436                   | 0.436                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.428                   | 0.428                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.420                   | 0.420                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.412                   | 0.412                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.404                   | 0.404                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.396                   | 0.396                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.388                   | 0.388                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.380                   | 0.380                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.372                   | 0.372                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.364                   | 0.364                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.356                   | 0.356                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.348                   | 0.348                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.340                   | 0.340                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.332                   | 0.332                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.324                   | 0.324                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.316                   | 0.316                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.308                   | 0.308                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.300                   | 0.300                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.292                   | 0.292                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.284                   | 0.284                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.276                   | 0.276                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.268                   | 0.268                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.260                   | 0.260                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.252                   | 0.252                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.244                   | 0.244                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.236                   | 0.236                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.228                   | 0.228                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.220                   | 0.220                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.212                   | 0.212                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.204                   | 0.204                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.196                   | 0.196                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.188                   | 0.188                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.180                   | 0.180                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.172                   | 0.172                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.164                   | 0.164                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.158                   | 0.158                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                   | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設及び附帯施<br>設に係るもの/未被覆期間/小損害不填補の金額が3万円又<br>は共済価額の20分の1 | 0.011          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.017                   | 0.017                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.016                   | 0.016                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.016                   | 0.016                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.016                   | 0.016                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.015                   | 0.015                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.015                   | 0.015                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.015                   | 0.015                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.015                   | 0.015                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.014                   | 0.014                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.014                   | 0.014                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.014                   | 0.014                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.014                   | 0.014                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.013                   | 0.013                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.013                   | 0.013                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.013                   | 0.013                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.012                   | 0.012                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.012                   | 0.012                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.012                   | 0.012                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.012                   | 0.012                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.011                   | 0.011                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.011                   | 0.011                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.011                   | 0.011                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.010                   | 0.010                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.010                   | 0.010                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.010                   | 0.010                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.010                   | 0.010                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.009                   | 0.009                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.009                   | 0.009                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.009                   | 0.009                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.008                   | 0.008                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.008                   | 0.008                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.008                   | 0.008                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.008                   | 0.008                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.007                   | 0.007                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.007                   | 0.007                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.007                   | 0.007                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.007                   | 0.007                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.006                   | 0.006                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.006                   | 0.006                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.006                   | 0.006                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.006                   | 0.006                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設及び附帯施<br>設に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ * < 197.5  | 3.013    | 0.006                   | 0.006                 |
| 19         | 192.5 ≦ * < 192.5  | 2.962    | 0.006                   | 0.006                 |
| 18         | 187.5 ≦ * < 187.5  | 2.911    | 0.006                   | 0.006                 |
| 17         | 182.5 ≦ * < 182.5  | 2.861    | 0.006                   | 0.006                 |
| 16         | 177.5 ≦ * < 177.5  | 2.81     | 0.006                   | 0.006                 |
| 15         | 172.5 ≦ * < 172.5  | 2.76     | 0.006                   | 0.006                 |
| 14         | 167.5 ≦ * < 167.5  | 2.709    | 0.005                   | 0.005                 |
| 13         | 162.5 ≦ * < 162.5  | 2.658    | 0.005                   | 0.005                 |
| 12         | 157.5 ≦ * < 157.5  | 2.608    | 0.005                   | 0.005                 |
| 11         | 152.5 ≦ * < 152.5  | 2.557    | 0.005                   | 0.005                 |
| 10         | 147.5 ≦ * < 147.5  | 2.506    | 0.005                   | 0.005                 |
| 9          | 142.5 ≦ * < 142.5  | 2.456    | 0.005                   | 0.005                 |
| 8          | 137.5 ≦ * < 137.5  | 2.405    | 0.005                   | 0.005                 |
| 7          | 132.5 ≦ * < 132.5  | 2.354    | 0.005                   | 0.005                 |
| 6          | 127.5 ≦ * < 127.5  | 2.304    | 0.005                   | 0.005                 |
| 5          | 122.5 ≦ * < 122.5  | 2.253    | 0.005                   | 0.005                 |
| 4          | 117.5 ≦ * < 117.5  | 2.203    | 0.004                   | 0.004                 |
| 3          | 112.5 ≦ * < 112.5  | 2.152    | 0.004                   | 0.004                 |
| 2          | 107.5 ≦ * < 107.5  | 2.101    | 0.004                   | 0.004                 |
| 1          | 102.5 ≦ * < 102.5  | 2.051    | 0.004                   | 0.004                 |
| 0          | 97.5 ≦ * < 97.5    | 2        | 0.004                   | 0.004                 |
| -1         | 92.5 ≦ * < 92.5    | 1.949    | 0.004                   | 0.004                 |
| -2         | 87.5 ≦ * < 87.5    | 1.899    | 0.004                   | 0.004                 |
| -3         | 82.5 ≦ * < 82.5    | 1.848    | 0.004                   | 0.004                 |
| -4         | 77.5 ≦ * < 77.5    | 1.797    | 0.004                   | 0.004                 |
| -5         | 72.5 ≦ * < 72.5    | 1.747    | 0.003                   | 0.003                 |
| -6         | 67.5 ≦ * < 67.5    | 1.696    | 0.003                   | 0.003                 |
| -7         | 62.5 ≦ * < 62.5    | 1.646    | 0.003                   | 0.003                 |
| -8         | 57.5 ≦ * < 57.5    | 1.595    | 0.003                   | 0.003                 |
| -9         | 52.5 ≦ * < 52.5    | 1.544    | 0.003                   | 0.003                 |
| -10        | 47.5 ≦ * < 47.5    | 1.494    | 0.003                   | 0.003                 |
| -11        | 42.5 ≦ * < 42.5    | 1.443    | 0.003                   | 0.003                 |
| -12        | 37.5 ≦ * < 37.5    | 1.392    | 0.003                   | 0.003                 |
| -13        | 32.5 ≦ * < 32.5    | 1.342    | 0.003                   | 0.003                 |
| -14        | 27.5 ≦ * < 27.5    | 1.291    | 0.003                   | 0.003                 |
| -15        | 22.5 ≦ * < 22.5    | 1.241    | 0.002                   | 0.002                 |
| -16        | 17.5 ≦ * < 17.5    | 1.19     | 0.002                   | 0.002                 |
| -17        | 12.5 ≦ * < 12.5    | 1.139    | 0.002                   | 0.002                 |
| -18        | 7.5 ≦ * < 7.5      | 1.089    | 0.002                   | 0.002                 |
| -19        | 2.5 ≦ * < 2.5      | 1.038    | 0.002                   | 0.002                 |
| -20        | 0 ≦ * < 0          | 1        | 0.002                   | 0.002                 |
|            | 平均値<br>2.00        |          |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                  | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/施設内農作物有一般//小<br>損害不填補の金額が3万円又は共済価額の20分の1 | 1.163          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 1.752                   | 1.752                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 1.722                   | 1.722                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 1.693                   | 1.693                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 1.664                   | 1.664                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 1.634                   | 1.634                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 1.605                   | 1.605                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 1.575                   | 1.575                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 1.546                   | 1.546                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 1.516                   | 1.516                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 1.487                   | 1.487                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 1.457                   | 1.457                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 1.428                   | 1.428                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 1.399                   | 1.399                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 1.369                   | 1.369                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 1.340                   | 1.340                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 1.310                   | 1.310                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 1.281                   | 1.281                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 1.251                   | 1.251                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 1.222                   | 1.222                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 1.192                   | 1.192                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 1.163                   | 1.163                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 1.134                   | 1.134                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 1.104                   | 1.104                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 1.075                   | 1.075                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 1.045                   | 1.045                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 1.016                   | 1.016                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 0.986                   | 0.986                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 0.957                   | 0.957                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 0.927                   | 0.927                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 0.898                   | 0.898                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 0.869                   | 0.869                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 0.839                   | 0.839                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 0.810                   | 0.810                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 0.780                   | 0.780                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 0.751                   | 0.751                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 0.721                   | 0.721                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 0.692                   | 0.692                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 0.662                   | 0.662                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 0.633                   | 0.633                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 0.604                   | 0.604                 |
| -20        | 0 ≦ * < 2.5        | 1        | 0.582                   | 0.582                 |

平均値  
2.00

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                       | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/施設内農作物有一般//小<br>損害不填補の金額が10万円 | 1.038          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.564                   | 1.564                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.537                   | 1.537                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.511                   | 1.511                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.485                   | 1.485                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.458                   | 1.458                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.432                   | 1.432                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.406                   | 1.406                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.380                   | 1.380                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.353                   | 1.353                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.327                   | 1.327                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.301                   | 1.301                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.275                   | 1.275                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.248                   | 1.248                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.222                   | 1.222                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.196                   | 1.196                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.169                   | 1.169                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.143                   | 1.143                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 1.117                   | 1.117                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 1.091                   | 1.091                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 1.064                   | 1.064                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 1.038                   | 1.038                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 1.012                   | 1.012                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.985                   | 0.985                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.959                   | 0.959                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.933                   | 0.933                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.907                   | 0.907                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.880                   | 0.880                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.854                   | 0.854                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.828                   | 0.828                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.801                   | 0.801                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.775                   | 0.775                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.749                   | 0.749                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.723                   | 0.723                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.696                   | 0.696                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.670                   | 0.670                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.644                   | 0.644                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.618                   | 0.618                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.591                   | 0.591                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.565                   | 0.565                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.539                   | 0.539                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.519                   | 0.519                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                       | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/施設内農作物有一般//小<br>損害不填補の金額が20万円 | 0.892          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 1.344                   | 1.344                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 1.321                   | 1.321                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 1.298                   | 1.298                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 1.276                   | 1.276                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 1.253                   | 1.253                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 1.231                   | 1.231                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 1.208                   | 1.208                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 1.186                   | 1.186                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 1.163                   | 1.163                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 1.140                   | 1.140                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 1.118                   | 1.118                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 1.095                   | 1.095                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 1.073                   | 1.073                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 1.050                   | 1.050                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 1.027                   | 1.027                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 1.005                   | 1.005                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.982                   | 0.982                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.960                   | 0.960                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.937                   | 0.937                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.915                   | 0.915                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.892                   | 0.892                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.869                   | 0.869                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.847                   | 0.847                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.824                   | 0.824                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.802                   | 0.802                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.779                   | 0.779                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.757                   | 0.757                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.734                   | 0.734                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.711                   | 0.711                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.689                   | 0.689                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.666                   | 0.666                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.644                   | 0.644                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.621                   | 0.621                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.598                   | 0.598                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.576                   | 0.576                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.553                   | 0.553                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.531                   | 0.531                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.508                   | 0.508                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.486                   | 0.486                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.463                   | 0.463                 |
| -20        | 0 ≧ * < 0          | 1        | 0.446                   | 0.446                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/施設内農作物有事故除外<br>//小損害不填補の金額が3万円又は共済価額の20分の1 | 0.261          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.393                   | 0.393                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.387                   | 0.387                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.380                   | 0.380                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.373                   | 0.373                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.367                   | 0.367                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.360                   | 0.360                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.354                   | 0.354                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.347                   | 0.347                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.340                   | 0.340                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.334                   | 0.334                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.327                   | 0.327                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.320                   | 0.320                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.314                   | 0.314                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.307                   | 0.307                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.301                   | 0.301                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.294                   | 0.294                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.287                   | 0.287                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.281                   | 0.281                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.274                   | 0.274                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.268                   | 0.268                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.261                   | 0.261                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.254                   | 0.254                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.248                   | 0.248                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.241                   | 0.241                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.235                   | 0.235                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.228                   | 0.228                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.221                   | 0.221                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.215                   | 0.215                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.208                   | 0.208                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.202                   | 0.202                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.195                   | 0.195                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.188                   | 0.188                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.182                   | 0.182                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.175                   | 0.175                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.168                   | 0.168                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.162                   | 0.162                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.155                   | 0.155                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.149                   | 0.149                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.142                   | 0.142                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.135                   | 0.135                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.131                   | 0.131                 |
| 平均値        |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                         | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/施設内農作物有事故除外<br>//小損害不填補の金額が10万円 | 0.233          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.351                   | 0.351                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.345                   | 0.345                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.339                   | 0.339                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.333                   | 0.333                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.327                   | 0.327                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.321                   | 0.321                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.316                   | 0.316                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.310                   | 0.310                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.304                   | 0.304                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.298                   | 0.298                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.292                   | 0.292                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.286                   | 0.286                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.280                   | 0.280                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.274                   | 0.274                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.268                   | 0.268                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.262                   | 0.262                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.257                   | 0.257                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.251                   | 0.251                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.245                   | 0.245                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.239                   | 0.239                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.233                   | 0.233                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.227                   | 0.227                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.221                   | 0.221                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.215                   | 0.215                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.209                   | 0.209                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.204                   | 0.204                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.198                   | 0.198                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.192                   | 0.192                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.186                   | 0.186                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.180                   | 0.180                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.174                   | 0.174                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.168                   | 0.168                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.162                   | 0.162                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.156                   | 0.156                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.150                   | 0.150                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.145                   | 0.145                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.139                   | 0.139                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.133                   | 0.133                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.127                   | 0.127                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.121                   | 0.121                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.117                   | 0.117                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                         | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/施設内農作物有事故除外<br>//小損害不填補の金額が20万円 | 0.232          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.349                   | 0.349                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.344                   | 0.344                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.338                   | 0.338                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.332                   | 0.332                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.326                   | 0.326                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.320                   | 0.320                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.314                   | 0.314                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.308                   | 0.308                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.302                   | 0.302                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.297                   | 0.297                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.291                   | 0.291                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.285                   | 0.285                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.279                   | 0.279                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.273                   | 0.273                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.267                   | 0.267                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.261                   | 0.261                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.255                   | 0.255                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.250                   | 0.250                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.244                   | 0.244                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.238                   | 0.238                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.232                   | 0.232                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.226                   | 0.226                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.220                   | 0.220                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.214                   | 0.214                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.209                   | 0.209                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.203                   | 0.203                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.197                   | 0.197                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.191                   | 0.191                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.185                   | 0.185                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.179                   | 0.179                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.173                   | 0.173                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.167                   | 0.167                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.162                   | 0.162                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.156                   | 0.156                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.150                   | 0.150                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.144                   | 0.144                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.138                   | 0.138                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.132                   | 0.132                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.126                   | 0.126                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.120                   | 0.120                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.116                   | 0.116                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                 | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設撤去費用額<br>に係るもの/被覆期間/小損害不填補の金額が3万円又は共<br>済価額の20分の1 | 0.042          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.063                   | 0.063                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.062                   | 0.062                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.061                   | 0.061                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.060                   | 0.060                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.059                   | 0.059                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.058                   | 0.058                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.057                   | 0.057                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.056                   | 0.056                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.055                   | 0.055                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.054                   | 0.054                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.053                   | 0.053                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.052                   | 0.052                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.051                   | 0.051                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.049                   | 0.049                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.048                   | 0.048                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.047                   | 0.047                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.046                   | 0.046                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.045                   | 0.045                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.044                   | 0.044                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.043                   | 0.043                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.042                   | 0.042                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.041                   | 0.041                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.040                   | 0.040                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.039                   | 0.039                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.038                   | 0.038                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.037                   | 0.037                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.036                   | 0.036                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.035                   | 0.035                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.033                   | 0.033                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.032                   | 0.032                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.031                   | 0.031                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.030                   | 0.030                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.029                   | 0.029                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.028                   | 0.028                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.027                   | 0.027                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.026                   | 0.026                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.025                   | 0.025                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.024                   | 0.024                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.023                   | 0.023                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.022                   | 0.022                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.021                   | 0.021                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                  | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設撤去費用額<br>に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.015          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.023                   | 0.023                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.022                   | 0.022                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.022                   | 0.022                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.021                   | 0.021                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.021                   | 0.021                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.021                   | 0.021                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.020                   | 0.020                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.020                   | 0.020                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.020                   | 0.020                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.019                   | 0.019                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.019                   | 0.019                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.018                   | 0.018                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.018                   | 0.018                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.018                   | 0.018                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.017                   | 0.017                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.017                   | 0.017                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.017                   | 0.017                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.016                   | 0.016                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.016                   | 0.016                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.015                   | 0.015                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.015                   | 0.015                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.015                   | 0.015                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.014                   | 0.014                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.014                   | 0.014                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.013                   | 0.013                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.013                   | 0.013                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.013                   | 0.013                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.012                   | 0.012                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.012                   | 0.012                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.012                   | 0.012                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.011                   | 0.011                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.011                   | 0.011                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.010                   | 0.010                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.010                   | 0.010                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.010                   | 0.010                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.009                   | 0.009                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.009                   | 0.009                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.009                   | 0.009                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.008                   | 0.008                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.008                   | 0.008                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.008                   | 0.008                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                  | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設撤去費用額<br>に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.014          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.021                   | 0.021                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.021                   | 0.021                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.020                   | 0.020                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.020                   | 0.020                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.020                   | 0.020                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.019                   | 0.019                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.019                   | 0.019                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.019                   | 0.019                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.018                   | 0.018                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.018                   | 0.018                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.018                   | 0.018                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.017                   | 0.017                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.017                   | 0.017                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.016                   | 0.016                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.016                   | 0.016                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.016                   | 0.016                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.015                   | 0.015                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.015                   | 0.015                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.015                   | 0.015                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.014                   | 0.014                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.014                   | 0.014                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.014                   | 0.014                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.013                   | 0.013                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.013                   | 0.013                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.013                   | 0.013                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.012                   | 0.012                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.012                   | 0.012                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.012                   | 0.012                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.011                   | 0.011                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.011                   | 0.011                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.010                   | 0.010                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.010                   | 0.010                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.010                   | 0.010                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.009                   | 0.009                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.009                   | 0.009                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.009                   | 0.009                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.008                   | 0.008                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.008                   | 0.008                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.008                   | 0.008                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.007                   | 0.007                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.007                   | 0.007                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                  | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設撤去費用額<br>に係るもの/未被覆期間/小損害不填補の金額が3万円又は<br>共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設撤去費用額<br>に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設撤去費用額<br>に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                 | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設復旧費用額<br>に係るもの/被覆期間/小損害不填補の金額が3万円又は共<br>済価額の20分の1 | 0.386          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.581                   | 0.581                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.572                   | 0.572                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.562                   | 0.562                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.552                   | 0.552                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.542                   | 0.542                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.533                   | 0.533                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.523                   | 0.523                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.513                   | 0.513                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.503                   | 0.503                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.493                   | 0.493                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.484                   | 0.484                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.474                   | 0.474                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.464                   | 0.464                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.454                   | 0.454                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.445                   | 0.445                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.435                   | 0.435                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.425                   | 0.425                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.415                   | 0.415                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.406                   | 0.406                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.396                   | 0.396                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.386                   | 0.386                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.376                   | 0.376                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.366                   | 0.366                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.357                   | 0.357                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.347                   | 0.347                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.337                   | 0.337                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.327                   | 0.327                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.318                   | 0.318                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.308                   | 0.308                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.298                   | 0.298                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.288                   | 0.288                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.279                   | 0.279                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.269                   | 0.269                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.259                   | 0.259                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.249                   | 0.249                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.239                   | 0.239                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.230                   | 0.230                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.220                   | 0.220                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.210                   | 0.210                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.200                   | 0.200                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.193                   | 0.193                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                  | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設復旧費用額<br>に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.137          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.206                   | 0.206                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.203                   | 0.203                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.199                   | 0.199                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.196                   | 0.196                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.192                   | 0.192                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.189                   | 0.189                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.186                   | 0.186                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.182                   | 0.182                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.179                   | 0.179                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.175                   | 0.175                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.172                   | 0.172                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.168                   | 0.168                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.165                   | 0.165                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.161                   | 0.161                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.158                   | 0.158                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.154                   | 0.154                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.151                   | 0.151                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.147                   | 0.147                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.144                   | 0.144                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.140                   | 0.140                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.137                   | 0.137                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.134                   | 0.134                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.130                   | 0.130                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.127                   | 0.127                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.123                   | 0.123                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.120                   | 0.120                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.116                   | 0.116                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.113                   | 0.113                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.109                   | 0.109                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.106                   | 0.106                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.102                   | 0.102                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.099                   | 0.099                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.095                   | 0.095                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.092                   | 0.092                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.088                   | 0.088                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.085                   | 0.085                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.082                   | 0.082                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.078                   | 0.078                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.075                   | 0.075                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.071                   | 0.071                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.069                   | 0.069                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                  | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設復旧費用額<br>に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.136          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 0.205                   | 0.205                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 0.201                   | 0.201                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 0.198                   | 0.198                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 0.195                   | 0.195                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 0.191                   | 0.191                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 0.188                   | 0.188                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 0.184                   | 0.184                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 0.181                   | 0.181                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 0.177                   | 0.177                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 0.174                   | 0.174                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 0.170                   | 0.170                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 0.167                   | 0.167                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 0.164                   | 0.164                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 0.160                   | 0.160                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 0.157                   | 0.157                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 0.153                   | 0.153                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.150                   | 0.150                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.146                   | 0.146                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.143                   | 0.143                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.139                   | 0.139                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.136                   | 0.136                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.133                   | 0.133                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.129                   | 0.129                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.126                   | 0.126                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.122                   | 0.122                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.119                   | 0.119                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.115                   | 0.115                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.112                   | 0.112                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.108                   | 0.108                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.105                   | 0.105                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.102                   | 0.102                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.098                   | 0.098                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.095                   | 0.095                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.091                   | 0.091                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.088                   | 0.088                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.084                   | 0.084                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.081                   | 0.081                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.077                   | 0.077                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.074                   | 0.074                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.071                   | 0.071                 |
| -20        | 0 ≧ * < 0          | 1        | 0.068                   | 0.068                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                  | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設復旧費用額<br>に係るもの/未被覆期間/小損害不填補の金額が3万円又は<br>共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設復旧費用額<br>に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅠ類<br>(30) | プラスチックハウスⅠ類(木竹)/特定園芸施設復旧費用額<br>に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                   | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施<br>設に係るもの/被覆期間/小損害不填補の金額が3万円又は<br>共済価額の20分の1 | 3.048          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659    | 7.100                   | 7.100                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843    | 5.856                   | 5.856                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769    | 5.744                   | 5.744                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696    | 5.633                   | 5.633                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623    | 5.521                   | 5.521                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549    | 5.409                   | 5.409                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476    | 5.297                   | 5.297                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403    | 5.185                   | 5.185                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329    | 5.074                   | 5.074                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256    | 4.962                   | 4.962                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182    | 4.850                   | 4.850                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109    | 4.738                   | 4.738                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036    | 4.626                   | 4.626                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962    | 4.515                   | 4.515                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889    | 4.403                   | 4.403                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816    | 4.291                   | 4.291                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742    | 4.179                   | 4.179                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669    | 4.067                   | 4.067                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596    | 3.956                   | 3.956                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522    | 3.844                   | 3.844                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449    | 3.732                   | 3.732                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376    | 3.620                   | 3.620                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302    | 3.508                   | 3.508                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229    | 3.397                   | 3.397                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155    | 3.285                   | 3.285                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082    | 3.173                   | 3.173                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009    | 3.061                   | 3.061                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935    | 2.949                   | 2.949                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862    | 2.838                   | 2.838                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789    | 2.726                   | 2.726                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715    | 2.614                   | 2.614                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642    | 2.502                   | 2.502                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569    | 2.390                   | 2.390                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495    | 2.279                   | 2.279                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422    | 2.167                   | 2.167                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348    | 2.055                   | 2.055                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275    | 1.943                   | 1.943                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202    | 1.831                   | 1.831                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128    | 1.720                   | 1.720                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055    | 1.608                   | 1.608                 |
| -20        | 0 ≧ * < 2.5        | 1        | 1.524                   | 1.524                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施<br>設に係るもの/被覆期間/小損害不填補の金額が10万円 | 1.636          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 4.659       | 3.811                   | 3.811                 |
| 19         | 192.5 ≦ * < 197.5  | 3.843       | 3.143                   | 3.143                 |
| 18         | 187.5 ≦ * < 192.5  | 3.769       | 3.083                   | 3.083                 |
| 17         | 182.5 ≦ * < 187.5  | 3.696       | 3.023                   | 3.023                 |
| 16         | 177.5 ≦ * < 182.5  | 3.623       | 2.963                   | 2.963                 |
| 15         | 172.5 ≦ * < 177.5  | 3.549       | 2.903                   | 2.903                 |
| 14         | 167.5 ≦ * < 172.5  | 3.476       | 2.843                   | 2.843                 |
| 13         | 162.5 ≦ * < 167.5  | 3.403       | 2.783                   | 2.783                 |
| 12         | 157.5 ≦ * < 162.5  | 3.329       | 2.723                   | 2.723                 |
| 11         | 152.5 ≦ * < 157.5  | 3.256       | 2.663                   | 2.663                 |
| 10         | 147.5 ≦ * < 152.5  | 3.182       | 2.603                   | 2.603                 |
| 9          | 142.5 ≦ * < 147.5  | 3.109       | 2.543                   | 2.543                 |
| 8          | 137.5 ≦ * < 142.5  | 3.036       | 2.483                   | 2.483                 |
| 7          | 132.5 ≦ * < 137.5  | 2.962       | 2.423                   | 2.423                 |
| 6          | 127.5 ≦ * < 132.5  | 2.889       | 2.363                   | 2.363                 |
| 5          | 122.5 ≦ * < 127.5  | 2.816       | 2.303                   | 2.303                 |
| 4          | 117.5 ≦ * < 122.5  | 2.742       | 2.243                   | 2.243                 |
| 3          | 112.5 ≦ * < 117.5  | 2.669       | 2.183                   | 2.183                 |
| 2          | 107.5 ≦ * < 112.5  | 2.596       | 2.123                   | 2.123                 |
| 1          | 102.5 ≦ * < 107.5  | 2.522       | 2.063                   | 2.063                 |
| 0          | 97.5 ≦ * < 102.5   | 2.449       | 2.003                   | 2.003                 |
| -1         | 92.5 ≦ * < 97.5    | 2.376       | 1.943                   | 1.943                 |
| -2         | 87.5 ≦ * < 92.5    | 2.302       | 1.883                   | 1.883                 |
| -3         | 82.5 ≦ * < 87.5    | 2.229       | 1.823                   | 1.823                 |
| -4         | 77.5 ≦ * < 82.5    | 2.155       | 1.763                   | 1.763                 |
| -5         | 72.5 ≦ * < 77.5    | 2.082       | 1.703                   | 1.703                 |
| -6         | 67.5 ≦ * < 72.5    | 2.009       | 1.643                   | 1.643                 |
| -7         | 62.5 ≦ * < 67.5    | 1.935       | 1.583                   | 1.583                 |
| -8         | 57.5 ≦ * < 62.5    | 1.862       | 1.523                   | 1.523                 |
| -9         | 52.5 ≦ * < 57.5    | 1.789       | 1.463                   | 1.463                 |
| -10        | 47.5 ≦ * < 52.5    | 1.715       | 1.403                   | 1.403                 |
| -11        | 42.5 ≦ * < 47.5    | 1.642       | 1.343                   | 1.343                 |
| -12        | 37.5 ≦ * < 42.5    | 1.569       | 1.283                   | 1.283                 |
| -13        | 32.5 ≦ * < 37.5    | 1.495       | 1.223                   | 1.223                 |
| -14        | 27.5 ≦ * < 32.5    | 1.422       | 1.163                   | 1.163                 |
| -15        | 22.5 ≦ * < 27.5    | 1.348       | 1.103                   | 1.103                 |
| -16        | 17.5 ≦ * < 22.5    | 1.275       | 1.043                   | 1.043                 |
| -17        | 12.5 ≦ * < 17.5    | 1.202       | 0.983                   | 0.983                 |
| -18        | 7.5 ≦ * < 12.5     | 1.128       | 0.923                   | 0.923                 |
| -19        | 2.5 ≦ * < 7.5      | 1.055       | 0.863                   | 0.863                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.818                   | 0.818                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が20万円 | 1.022          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 4.659       | 2.381                   | 2.381                 |
| 19         | 192.5 ≦ * < 197.5  | 3.843       | 1.964                   | 1.964                 |
| 18         | 187.5 ≦ * < 192.5  | 3.769       | 1.926                   | 1.926                 |
| 17         | 182.5 ≦ * < 187.5  | 3.696       | 1.889                   | 1.889                 |
| 16         | 177.5 ≦ * < 182.5  | 3.623       | 1.851                   | 1.851                 |
| 15         | 172.5 ≦ * < 177.5  | 3.549       | 1.814                   | 1.814                 |
| 14         | 167.5 ≦ * < 172.5  | 3.476       | 1.776                   | 1.776                 |
| 13         | 162.5 ≦ * < 167.5  | 3.403       | 1.739                   | 1.739                 |
| 12         | 157.5 ≦ * < 162.5  | 3.329       | 1.701                   | 1.701                 |
| 11         | 152.5 ≦ * < 157.5  | 3.256       | 1.664                   | 1.664                 |
| 10         | 147.5 ≦ * < 152.5  | 3.182       | 1.626                   | 1.626                 |
| 9          | 142.5 ≦ * < 147.5  | 3.109       | 1.589                   | 1.589                 |
| 8          | 137.5 ≦ * < 142.5  | 3.036       | 1.551                   | 1.551                 |
| 7          | 132.5 ≦ * < 137.5  | 2.962       | 1.514                   | 1.514                 |
| 6          | 127.5 ≦ * < 132.5  | 2.889       | 1.476                   | 1.476                 |
| 5          | 122.5 ≦ * < 127.5  | 2.816       | 1.439                   | 1.439                 |
| 4          | 117.5 ≦ * < 122.5  | 2.742       | 1.401                   | 1.401                 |
| 3          | 112.5 ≦ * < 117.5  | 2.669       | 1.364                   | 1.364                 |
| 2          | 107.5 ≦ * < 112.5  | 2.596       | 1.326                   | 1.326                 |
| 1          | 102.5 ≦ * < 107.5  | 2.522       | 1.289                   | 1.289                 |
| 0          | 97.5 ≦ * < 102.5   | 2.449       | 1.251                   | 1.251                 |
| -1         | 92.5 ≦ * < 97.5    | 2.376       | 1.214                   | 1.214                 |
| -2         | 87.5 ≦ * < 92.5    | 2.302       | 1.176                   | 1.176                 |
| -3         | 82.5 ≦ * < 87.5    | 2.229       | 1.139                   | 1.139                 |
| -4         | 77.5 ≦ * < 82.5    | 2.155       | 1.101                   | 1.101                 |
| -5         | 72.5 ≦ * < 77.5    | 2.082       | 1.064                   | 1.064                 |
| -6         | 67.5 ≦ * < 72.5    | 2.009       | 1.026                   | 1.026                 |
| -7         | 62.5 ≦ * < 67.5    | 1.935       | 0.989                   | 0.989                 |
| -8         | 57.5 ≦ * < 62.5    | 1.862       | 0.951                   | 0.951                 |
| -9         | 52.5 ≦ * < 57.5    | 1.789       | 0.914                   | 0.914                 |
| -10        | 47.5 ≦ * < 52.5    | 1.715       | 0.876                   | 0.876                 |
| -11        | 42.5 ≦ * < 47.5    | 1.642       | 0.839                   | 0.839                 |
| -12        | 37.5 ≦ * < 42.5    | 1.569       | 0.802                   | 0.802                 |
| -13        | 32.5 ≦ * < 37.5    | 1.495       | 0.764                   | 0.764                 |
| -14        | 27.5 ≦ * < 32.5    | 1.422       | 0.727                   | 0.727                 |
| -15        | 22.5 ≦ * < 27.5    | 1.348       | 0.689                   | 0.689                 |
| -16        | 17.5 ≦ * < 22.5    | 1.275       | 0.652                   | 0.652                 |
| -17        | 12.5 ≦ * < 17.5    | 1.202       | 0.614                   | 0.614                 |
| -18        | 7.5 ≦ * < 12.5     | 1.128       | 0.577                   | 0.577                 |
| -19        | 2.5 ≦ * < 7.5      | 1.055       | 0.539                   | 0.539                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.511                   | 0.511                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                    | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施<br>設に係るもの/未被覆期間/小損害不填補の金額が3万円又<br>は共済価額の20分の1 | 0.036          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659       | 0.084                   | 0.084                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843       | 0.069                   | 0.069                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769       | 0.068                   | 0.068                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696       | 0.067                   | 0.067                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623       | 0.065                   | 0.065                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549       | 0.064                   | 0.064                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476       | 0.063                   | 0.063                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403       | 0.061                   | 0.061                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329       | 0.060                   | 0.060                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256       | 0.059                   | 0.059                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182       | 0.057                   | 0.057                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109       | 0.056                   | 0.056                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036       | 0.055                   | 0.055                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962       | 0.053                   | 0.053                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889       | 0.052                   | 0.052                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816       | 0.051                   | 0.051                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742       | 0.049                   | 0.049                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669       | 0.048                   | 0.048                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596       | 0.047                   | 0.047                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522       | 0.045                   | 0.045                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449       | 0.044                   | 0.044                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376       | 0.043                   | 0.043                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302       | 0.041                   | 0.041                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229       | 0.040                   | 0.040                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155       | 0.039                   | 0.039                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082       | 0.037                   | 0.037                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009       | 0.036                   | 0.036                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935       | 0.035                   | 0.035                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862       | 0.034                   | 0.034                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789       | 0.032                   | 0.032                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715       | 0.031                   | 0.031                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642       | 0.030                   | 0.030                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569       | 0.028                   | 0.028                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495       | 0.027                   | 0.027                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422       | 0.026                   | 0.026                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348       | 0.024                   | 0.024                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275       | 0.023                   | 0.023                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202       | 0.022                   | 0.022                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128       | 0.020                   | 0.020                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055       | 0.019                   | 0.019                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.018                   | 0.018                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                 | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.019          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 4.659    | 0.044                   | 0.044                 |
| 19         | 192.5 ≧ * < 192.5  | 3.843    | 0.037                   | 0.037                 |
| 18         | 187.5 ≧ * < 187.5  | 3.769    | 0.036                   | 0.036                 |
| 17         | 182.5 ≧ * < 182.5  | 3.696    | 0.035                   | 0.035                 |
| 16         | 177.5 ≧ * < 177.5  | 3.623    | 0.034                   | 0.034                 |
| 15         | 172.5 ≧ * < 172.5  | 3.549    | 0.034                   | 0.034                 |
| 14         | 167.5 ≧ * < 167.5  | 3.476    | 0.033                   | 0.033                 |
| 13         | 162.5 ≧ * < 162.5  | 3.403    | 0.032                   | 0.032                 |
| 12         | 157.5 ≧ * < 157.5  | 3.329    | 0.032                   | 0.032                 |
| 11         | 152.5 ≧ * < 152.5  | 3.256    | 0.031                   | 0.031                 |
| 10         | 147.5 ≧ * < 147.5  | 3.182    | 0.030                   | 0.030                 |
| 9          | 142.5 ≧ * < 142.5  | 3.109    | 0.030                   | 0.030                 |
| 8          | 137.5 ≧ * < 137.5  | 3.036    | 0.029                   | 0.029                 |
| 7          | 132.5 ≧ * < 132.5  | 2.962    | 0.028                   | 0.028                 |
| 6          | 127.5 ≧ * < 127.5  | 2.889    | 0.027                   | 0.027                 |
| 5          | 122.5 ≧ * < 122.5  | 2.816    | 0.027                   | 0.027                 |
| 4          | 117.5 ≧ * < 117.5  | 2.742    | 0.026                   | 0.026                 |
| 3          | 112.5 ≧ * < 112.5  | 2.669    | 0.025                   | 0.025                 |
| 2          | 107.5 ≧ * < 107.5  | 2.596    | 0.025                   | 0.025                 |
| 1          | 102.5 ≧ * < 102.5  | 2.522    | 0.024                   | 0.024                 |
| 0          | 97.5 ≧ * < 97.5    | 2.449    | 0.023                   | 0.023                 |
| -1         | 92.5 ≧ * < 92.5    | 2.376    | 0.023                   | 0.023                 |
| -2         | 87.5 ≧ * < 87.5    | 2.302    | 0.022                   | 0.022                 |
| -3         | 82.5 ≧ * < 82.5    | 2.229    | 0.021                   | 0.021                 |
| -4         | 77.5 ≧ * < 77.5    | 2.155    | 0.020                   | 0.020                 |
| -5         | 72.5 ≧ * < 72.5    | 2.082    | 0.020                   | 0.020                 |
| -6         | 67.5 ≧ * < 67.5    | 2.009    | 0.019                   | 0.019                 |
| -7         | 62.5 ≧ * < 62.5    | 1.935    | 0.018                   | 0.018                 |
| -8         | 57.5 ≧ * < 57.5    | 1.862    | 0.018                   | 0.018                 |
| -9         | 52.5 ≧ * < 52.5    | 1.789    | 0.017                   | 0.017                 |
| -10        | 47.5 ≧ * < 47.5    | 1.715    | 0.016                   | 0.016                 |
| -11        | 42.5 ≧ * < 42.5    | 1.642    | 0.016                   | 0.016                 |
| -12        | 37.5 ≧ * < 37.5    | 1.569    | 0.015                   | 0.015                 |
| -13        | 32.5 ≧ * < 32.5    | 1.495    | 0.014                   | 0.014                 |
| -14        | 27.5 ≧ * < 27.5    | 1.422    | 0.014                   | 0.014                 |
| -15        | 22.5 ≧ * < 22.5    | 1.348    | 0.013                   | 0.013                 |
| -16        | 17.5 ≧ * < 17.5    | 1.275    | 0.012                   | 0.012                 |
| -17        | 12.5 ≧ * < 12.5    | 1.202    | 0.011                   | 0.011                 |
| -18        | 7.5 ≧ * < 7.5      | 1.128    | 0.011                   | 0.011                 |
| -19        | 2.5 ≧ * < 2.5      | 1.055    | 0.010                   | 0.010                 |
| -20        | 0 ≧ * < 0          | 1        | 0.010                   | 0.010                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                 | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.012          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 4.659       | 0.028                   | 0.028                 |
| 19         | 192.5 ≦ * < 197.5  | 3.843       | 0.023                   | 0.023                 |
| 18         | 187.5 ≦ * < 192.5  | 3.769       | 0.023                   | 0.023                 |
| 17         | 182.5 ≦ * < 187.5  | 3.696       | 0.022                   | 0.022                 |
| 16         | 177.5 ≦ * < 182.5  | 3.623       | 0.022                   | 0.022                 |
| 15         | 172.5 ≦ * < 177.5  | 3.549       | 0.021                   | 0.021                 |
| 14         | 167.5 ≦ * < 172.5  | 3.476       | 0.021                   | 0.021                 |
| 13         | 162.5 ≦ * < 167.5  | 3.403       | 0.020                   | 0.020                 |
| 12         | 157.5 ≦ * < 162.5  | 3.329       | 0.020                   | 0.020                 |
| 11         | 152.5 ≦ * < 157.5  | 3.256       | 0.020                   | 0.020                 |
| 10         | 147.5 ≦ * < 152.5  | 3.182       | 0.019                   | 0.019                 |
| 9          | 142.5 ≦ * < 147.5  | 3.109       | 0.019                   | 0.019                 |
| 8          | 137.5 ≦ * < 142.5  | 3.036       | 0.018                   | 0.018                 |
| 7          | 132.5 ≦ * < 137.5  | 2.962       | 0.018                   | 0.018                 |
| 6          | 127.5 ≦ * < 132.5  | 2.889       | 0.017                   | 0.017                 |
| 5          | 122.5 ≦ * < 127.5  | 2.816       | 0.017                   | 0.017                 |
| 4          | 117.5 ≦ * < 122.5  | 2.742       | 0.016                   | 0.016                 |
| 3          | 112.5 ≦ * < 117.5  | 2.669       | 0.016                   | 0.016                 |
| 2          | 107.5 ≦ * < 112.5  | 2.596       | 0.016                   | 0.016                 |
| 1          | 102.5 ≦ * < 107.5  | 2.522       | 0.015                   | 0.015                 |
| 0          | 97.5 ≦ * < 102.5   | 2.449       | 0.015                   | 0.015                 |
| -1         | 92.5 ≦ * < 97.5    | 2.376       | 0.014                   | 0.014                 |
| -2         | 87.5 ≦ * < 92.5    | 2.302       | 0.014                   | 0.014                 |
| -3         | 82.5 ≦ * < 87.5    | 2.229       | 0.013                   | 0.013                 |
| -4         | 77.5 ≦ * < 82.5    | 2.155       | 0.013                   | 0.013                 |
| -5         | 72.5 ≦ * < 77.5    | 2.082       | 0.012                   | 0.012                 |
| -6         | 67.5 ≦ * < 72.5    | 2.009       | 0.012                   | 0.012                 |
| -7         | 62.5 ≦ * < 67.5    | 1.935       | 0.012                   | 0.012                 |
| -8         | 57.5 ≦ * < 62.5    | 1.862       | 0.011                   | 0.011                 |
| -9         | 52.5 ≦ * < 57.5    | 1.789       | 0.011                   | 0.011                 |
| -10        | 47.5 ≦ * < 52.5    | 1.715       | 0.010                   | 0.010                 |
| -11        | 42.5 ≦ * < 47.5    | 1.642       | 0.010                   | 0.010                 |
| -12        | 37.5 ≦ * < 42.5    | 1.569       | 0.009                   | 0.009                 |
| -13        | 32.5 ≦ * < 37.5    | 1.495       | 0.009                   | 0.009                 |
| -14        | 27.5 ≦ * < 32.5    | 1.422       | 0.009                   | 0.009                 |
| -15        | 22.5 ≦ * < 27.5    | 1.348       | 0.008                   | 0.008                 |
| -16        | 17.5 ≦ * < 22.5    | 1.275       | 0.008                   | 0.008                 |
| -17        | 12.5 ≦ * < 17.5    | 1.202       | 0.007                   | 0.007                 |
| -18        | 7.5 ≦ * < 12.5     | 1.128       | 0.007                   | 0.007                 |
| -19        | 2.5 ≦ * < 7.5      | 1.055       | 0.006                   | 0.006                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.006                   | 0.006                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有一般//小<br>損害不填補の金額が3万円又は共済価額の20分の1 | 2.235          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659       | 5.206                   | 5.206                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843       | 4.294                   | 4.294                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769       | 4.212                   | 4.212                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696       | 4.130                   | 4.130                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623       | 4.048                   | 4.048                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549       | 3.966                   | 3.966                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476       | 3.884                   | 3.884                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403       | 3.802                   | 3.802                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329       | 3.720                   | 3.720                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256       | 3.638                   | 3.638                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182       | 3.556                   | 3.556                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109       | 3.474                   | 3.474                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036       | 3.392                   | 3.392                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962       | 3.310                   | 3.310                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889       | 3.228                   | 3.228                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816       | 3.147                   | 3.147                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742       | 3.065                   | 3.065                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669       | 2.983                   | 2.983                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596       | 2.901                   | 2.901                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522       | 2.819                   | 2.819                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449       | 2.737                   | 2.737                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376       | 2.655                   | 2.655                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302       | 2.573                   | 2.573                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229       | 2.491                   | 2.491                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155       | 2.409                   | 2.409                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082       | 2.327                   | 2.327                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009       | 2.245                   | 2.245                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935       | 2.163                   | 2.163                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862       | 2.081                   | 2.081                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789       | 1.999                   | 1.999                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715       | 1.917                   | 1.917                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642       | 1.835                   | 1.835                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569       | 1.753                   | 1.753                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495       | 1.671                   | 1.671                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422       | 1.589                   | 1.589                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348       | 1.507                   | 1.507                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275       | 1.425                   | 1.425                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202       | 1.343                   | 1.343                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128       | 1.261                   | 1.261                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055       | 1.179                   | 1.179                 |
| -20        | 0 ≧ * < 2.5        | 1           | 1.118                   | 1.118                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                        | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有一般//小<br>損害不填補の金額が10万円 | 1.662          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659       | 3.871                   | 3.871                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843       | 3.193                   | 3.193                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769       | 3.132                   | 3.132                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696       | 3.071                   | 3.071                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623       | 3.010                   | 3.010                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549       | 2.949                   | 2.949                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476       | 2.888                   | 2.888                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403       | 2.828                   | 2.828                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329       | 2.767                   | 2.767                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256       | 2.706                   | 2.706                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182       | 2.645                   | 2.645                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109       | 2.584                   | 2.584                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036       | 2.523                   | 2.523                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962       | 2.462                   | 2.462                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889       | 2.401                   | 2.401                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816       | 2.340                   | 2.340                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742       | 2.279                   | 2.279                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669       | 2.218                   | 2.218                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596       | 2.157                   | 2.157                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522       | 2.096                   | 2.096                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449       | 2.035                   | 2.035                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376       | 1.974                   | 1.974                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302       | 1.913                   | 1.913                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229       | 1.852                   | 1.852                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155       | 1.791                   | 1.791                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082       | 1.730                   | 1.730                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009       | 1.669                   | 1.669                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935       | 1.608                   | 1.608                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862       | 1.547                   | 1.547                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789       | 1.486                   | 1.486                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715       | 1.425                   | 1.425                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642       | 1.364                   | 1.364                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569       | 1.303                   | 1.303                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495       | 1.242                   | 1.242                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422       | 1.182                   | 1.182                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348       | 1.121                   | 1.121                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275       | 1.060                   | 1.060                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202       | 0.999                   | 0.999                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128       | 0.938                   | 0.938                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055       | 0.877                   | 0.877                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.831                   | 0.831                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                        | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有一般//小<br>損害不填補の金額が20万円 | 0.905          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 4.659       | 2.108                   | 2.108                 |
| 19         | 192.5 ≦ * < 197.5  | 3.843       | 1.739                   | 1.739                 |
| 18         | 187.5 ≦ * < 192.5  | 3.769       | 1.706                   | 1.706                 |
| 17         | 182.5 ≦ * < 187.5  | 3.696       | 1.672                   | 1.672                 |
| 16         | 177.5 ≦ * < 182.5  | 3.623       | 1.639                   | 1.639                 |
| 15         | 172.5 ≦ * < 177.5  | 3.549       | 1.606                   | 1.606                 |
| 14         | 167.5 ≦ * < 172.5  | 3.476       | 1.573                   | 1.573                 |
| 13         | 162.5 ≦ * < 167.5  | 3.403       | 1.540                   | 1.540                 |
| 12         | 157.5 ≦ * < 162.5  | 3.329       | 1.506                   | 1.506                 |
| 11         | 152.5 ≦ * < 157.5  | 3.256       | 1.473                   | 1.473                 |
| 10         | 147.5 ≦ * < 152.5  | 3.182       | 1.440                   | 1.440                 |
| 9          | 142.5 ≦ * < 147.5  | 3.109       | 1.407                   | 1.407                 |
| 8          | 137.5 ≦ * < 142.5  | 3.036       | 1.374                   | 1.374                 |
| 7          | 132.5 ≦ * < 137.5  | 2.962       | 1.340                   | 1.340                 |
| 6          | 127.5 ≦ * < 132.5  | 2.889       | 1.307                   | 1.307                 |
| 5          | 122.5 ≦ * < 127.5  | 2.816       | 1.274                   | 1.274                 |
| 4          | 117.5 ≦ * < 122.5  | 2.742       | 1.241                   | 1.241                 |
| 3          | 112.5 ≦ * < 117.5  | 2.669       | 1.208                   | 1.208                 |
| 2          | 107.5 ≦ * < 112.5  | 2.596       | 1.175                   | 1.175                 |
| 1          | 102.5 ≦ * < 107.5  | 2.522       | 1.141                   | 1.141                 |
| 0          | 97.5 ≦ * < 102.5   | 2.449       | 1.108                   | 1.108                 |
| -1         | 92.5 ≦ * < 97.5    | 2.376       | 1.075                   | 1.075                 |
| -2         | 87.5 ≦ * < 92.5    | 2.302       | 1.042                   | 1.042                 |
| -3         | 82.5 ≦ * < 87.5    | 2.229       | 1.009                   | 1.009                 |
| -4         | 77.5 ≦ * < 82.5    | 2.155       | 0.975                   | 0.975                 |
| -5         | 72.5 ≦ * < 77.5    | 2.082       | 0.942                   | 0.942                 |
| -6         | 67.5 ≦ * < 72.5    | 2.009       | 0.909                   | 0.909                 |
| -7         | 62.5 ≦ * < 67.5    | 1.935       | 0.876                   | 0.876                 |
| -8         | 57.5 ≦ * < 62.5    | 1.862       | 0.843                   | 0.843                 |
| -9         | 52.5 ≦ * < 57.5    | 1.789       | 0.809                   | 0.809                 |
| -10        | 47.5 ≦ * < 52.5    | 1.715       | 0.776                   | 0.776                 |
| -11        | 42.5 ≦ * < 47.5    | 1.642       | 0.743                   | 0.743                 |
| -12        | 37.5 ≦ * < 42.5    | 1.569       | 0.710                   | 0.710                 |
| -13        | 32.5 ≦ * < 37.5    | 1.495       | 0.677                   | 0.677                 |
| -14        | 27.5 ≦ * < 32.5    | 1.422       | 0.643                   | 0.643                 |
| -15        | 22.5 ≦ * < 27.5    | 1.348       | 0.610                   | 0.610                 |
| -16        | 17.5 ≦ * < 22.5    | 1.275       | 0.577                   | 0.577                 |
| -17        | 12.5 ≦ * < 17.5    | 1.202       | 0.544                   | 0.544                 |
| -18        | 7.5 ≦ * < 12.5     | 1.128       | 0.511                   | 0.511                 |
| -19        | 2.5 ≦ * < 7.5      | 1.055       | 0.477                   | 0.477                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.453                   | 0.453                 |
|            |                    | 平均値<br>2.00 |                         |                       |



【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                     | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有事故除外<br>//小損害不填補の金額が3万円又は共済価額の20分の1 | 1.435          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 4.659       | 3.343                   | 3.343                 |
| 19         | 192.5 ≦ * < 197.5  | 3.843       | 2.757                   | 2.757                 |
| 18         | 187.5 ≦ * < 192.5  | 3.769       | 2.705                   | 2.705                 |
| 17         | 182.5 ≦ * < 187.5  | 3.696       | 2.652                   | 2.652                 |
| 16         | 177.5 ≦ * < 182.5  | 3.623       | 2.599                   | 2.599                 |
| 15         | 172.5 ≦ * < 177.5  | 3.549       | 2.547                   | 2.547                 |
| 14         | 167.5 ≦ * < 172.5  | 3.476       | 2.494                   | 2.494                 |
| 13         | 162.5 ≦ * < 167.5  | 3.403       | 2.441                   | 2.441                 |
| 12         | 157.5 ≦ * < 162.5  | 3.329       | 2.389                   | 2.389                 |
| 11         | 152.5 ≦ * < 157.5  | 3.256       | 2.336                   | 2.336                 |
| 10         | 147.5 ≦ * < 152.5  | 3.182       | 2.283                   | 2.283                 |
| 9          | 142.5 ≦ * < 147.5  | 3.109       | 2.231                   | 2.231                 |
| 8          | 137.5 ≦ * < 142.5  | 3.036       | 2.178                   | 2.178                 |
| 7          | 132.5 ≦ * < 137.5  | 2.962       | 2.126                   | 2.126                 |
| 6          | 127.5 ≦ * < 132.5  | 2.889       | 2.073                   | 2.073                 |
| 5          | 122.5 ≦ * < 127.5  | 2.816       | 2.020                   | 2.020                 |
| 4          | 117.5 ≦ * < 122.5  | 2.742       | 1.968                   | 1.968                 |
| 3          | 112.5 ≦ * < 117.5  | 2.669       | 1.915                   | 1.915                 |
| 2          | 107.5 ≦ * < 112.5  | 2.596       | 1.862                   | 1.862                 |
| 1          | 102.5 ≦ * < 107.5  | 2.522       | 1.810                   | 1.810                 |
| 0          | 97.5 ≦ * < 102.5   | 2.449       | 1.757                   | 1.757                 |
| -1         | 92.5 ≦ * < 97.5    | 2.376       | 1.704                   | 1.704                 |
| -2         | 87.5 ≦ * < 92.5    | 2.302       | 1.652                   | 1.652                 |
| -3         | 82.5 ≦ * < 87.5    | 2.229       | 1.599                   | 1.599                 |
| -4         | 77.5 ≦ * < 82.5    | 2.155       | 1.547                   | 1.547                 |
| -5         | 72.5 ≦ * < 77.5    | 2.082       | 1.494                   | 1.494                 |
| -6         | 67.5 ≦ * < 72.5    | 2.009       | 1.441                   | 1.441                 |
| -7         | 62.5 ≦ * < 67.5    | 1.935       | 1.389                   | 1.389                 |
| -8         | 57.5 ≦ * < 62.5    | 1.862       | 1.336                   | 1.336                 |
| -9         | 52.5 ≦ * < 57.5    | 1.789       | 1.283                   | 1.283                 |
| -10        | 47.5 ≦ * < 52.5    | 1.715       | 1.231                   | 1.231                 |
| -11        | 42.5 ≦ * < 47.5    | 1.642       | 1.178                   | 1.178                 |
| -12        | 37.5 ≦ * < 42.5    | 1.569       | 1.125                   | 1.125                 |
| -13        | 32.5 ≦ * < 37.5    | 1.495       | 1.073                   | 1.073                 |
| -14        | 27.5 ≦ * < 32.5    | 1.422       | 1.020                   | 1.020                 |
| -15        | 22.5 ≦ * < 27.5    | 1.348       | 0.968                   | 0.968                 |
| -16        | 17.5 ≦ * < 22.5    | 1.275       | 0.915                   | 0.915                 |
| -17        | 12.5 ≦ * < 17.5    | 1.202       | 0.862                   | 0.862                 |
| -18        | 7.5 ≦ * < 12.5     | 1.128       | 0.810                   | 0.810                 |
| -19        | 2.5 ≦ * < 7.5      | 1.055       | 0.757                   | 0.757                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.718                   | 0.718                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有事故除外<br>//小損害不填補の金額が10万円 | 1.037          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 4.659       | 2.416                   | 2.416                 |
| 19         | 192.5 ≦ * < 197.5  | 3.843       | 1.992                   | 1.992                 |
| 18         | 187.5 ≦ * < 192.5  | 3.769       | 1.954                   | 1.954                 |
| 17         | 182.5 ≦ * < 187.5  | 3.696       | 1.916                   | 1.916                 |
| 16         | 177.5 ≦ * < 182.5  | 3.623       | 1.878                   | 1.878                 |
| 15         | 172.5 ≦ * < 177.5  | 3.549       | 1.840                   | 1.840                 |
| 14         | 167.5 ≦ * < 172.5  | 3.476       | 1.802                   | 1.802                 |
| 13         | 162.5 ≦ * < 167.5  | 3.403       | 1.764                   | 1.764                 |
| 12         | 157.5 ≦ * < 162.5  | 3.329       | 1.726                   | 1.726                 |
| 11         | 152.5 ≦ * < 157.5  | 3.256       | 1.688                   | 1.688                 |
| 10         | 147.5 ≦ * < 152.5  | 3.182       | 1.650                   | 1.650                 |
| 9          | 142.5 ≦ * < 147.5  | 3.109       | 1.612                   | 1.612                 |
| 8          | 137.5 ≦ * < 142.5  | 3.036       | 1.574                   | 1.574                 |
| 7          | 132.5 ≦ * < 137.5  | 2.962       | 1.536                   | 1.536                 |
| 6          | 127.5 ≦ * < 132.5  | 2.889       | 1.498                   | 1.498                 |
| 5          | 122.5 ≦ * < 127.5  | 2.816       | 1.460                   | 1.460                 |
| 4          | 117.5 ≦ * < 122.5  | 2.742       | 1.422                   | 1.422                 |
| 3          | 112.5 ≦ * < 117.5  | 2.669       | 1.384                   | 1.384                 |
| 2          | 107.5 ≦ * < 112.5  | 2.596       | 1.346                   | 1.346                 |
| 1          | 102.5 ≦ * < 107.5  | 2.522       | 1.308                   | 1.308                 |
| 0          | 97.5 ≦ * < 102.5   | 2.449       | 1.270                   | 1.270                 |
| -1         | 92.5 ≦ * < 97.5    | 2.376       | 1.232                   | 1.232                 |
| -2         | 87.5 ≦ * < 92.5    | 2.302       | 1.194                   | 1.194                 |
| -3         | 82.5 ≦ * < 87.5    | 2.229       | 1.156                   | 1.156                 |
| -4         | 77.5 ≦ * < 82.5    | 2.155       | 1.118                   | 1.118                 |
| -5         | 72.5 ≦ * < 77.5    | 2.082       | 1.080                   | 1.080                 |
| -6         | 67.5 ≦ * < 72.5    | 2.009       | 1.042                   | 1.042                 |
| -7         | 62.5 ≦ * < 67.5    | 1.935       | 1.003                   | 1.003                 |
| -8         | 57.5 ≦ * < 62.5    | 1.862       | 0.965                   | 0.965                 |
| -9         | 52.5 ≦ * < 57.5    | 1.789       | 0.927                   | 0.927                 |
| -10        | 47.5 ≦ * < 52.5    | 1.715       | 0.889                   | 0.889                 |
| -11        | 42.5 ≦ * < 47.5    | 1.642       | 0.851                   | 0.851                 |
| -12        | 37.5 ≦ * < 42.5    | 1.569       | 0.813                   | 0.813                 |
| -13        | 32.5 ≦ * < 37.5    | 1.495       | 0.775                   | 0.775                 |
| -14        | 27.5 ≦ * < 32.5    | 1.422       | 0.737                   | 0.737                 |
| -15        | 22.5 ≦ * < 27.5    | 1.348       | 0.699                   | 0.699                 |
| -16        | 17.5 ≦ * < 22.5    | 1.275       | 0.661                   | 0.661                 |
| -17        | 12.5 ≦ * < 17.5    | 1.202       | 0.623                   | 0.623                 |
| -18        | 7.5 ≦ * < 12.5     | 1.128       | 0.585                   | 0.585                 |
| -19        | 2.5 ≦ * < 7.5      | 1.055       | 0.547                   | 0.547                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.519                   | 0.519                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/施設内農作物有事故除外<br>//小損害不填補の金額が20万円 | 0.533          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 4.659       | 1.242                   | 1.242                 |
| 19         | 192.5 ≧ * < 192.5  | 3.843       | 1.024                   | 1.024                 |
| 18         | 187.5 ≧ * < 187.5  | 3.769       | 1.005                   | 1.005                 |
| 17         | 182.5 ≧ * < 182.5  | 3.696       | 0.985                   | 0.985                 |
| 16         | 177.5 ≧ * < 177.5  | 3.623       | 0.965                   | 0.965                 |
| 15         | 172.5 ≧ * < 172.5  | 3.549       | 0.946                   | 0.946                 |
| 14         | 167.5 ≧ * < 167.5  | 3.476       | 0.926                   | 0.926                 |
| 13         | 162.5 ≧ * < 162.5  | 3.403       | 0.907                   | 0.907                 |
| 12         | 157.5 ≧ * < 157.5  | 3.329       | 0.887                   | 0.887                 |
| 11         | 152.5 ≧ * < 152.5  | 3.256       | 0.868                   | 0.868                 |
| 10         | 147.5 ≧ * < 147.5  | 3.182       | 0.848                   | 0.848                 |
| 9          | 142.5 ≧ * < 142.5  | 3.109       | 0.829                   | 0.829                 |
| 8          | 137.5 ≧ * < 137.5  | 3.036       | 0.809                   | 0.809                 |
| 7          | 132.5 ≧ * < 132.5  | 2.962       | 0.789                   | 0.789                 |
| 6          | 127.5 ≧ * < 127.5  | 2.889       | 0.770                   | 0.770                 |
| 5          | 122.5 ≧ * < 122.5  | 2.816       | 0.750                   | 0.750                 |
| 4          | 117.5 ≧ * < 117.5  | 2.742       | 0.731                   | 0.731                 |
| 3          | 112.5 ≧ * < 112.5  | 2.669       | 0.711                   | 0.711                 |
| 2          | 107.5 ≧ * < 107.5  | 2.596       | 0.692                   | 0.692                 |
| 1          | 102.5 ≧ * < 102.5  | 2.522       | 0.672                   | 0.672                 |
| 0          | 97.5 ≧ * < 97.5    | 2.449       | 0.653                   | 0.653                 |
| -1         | 92.5 ≧ * < 92.5    | 2.376       | 0.633                   | 0.633                 |
| -2         | 87.5 ≧ * < 87.5    | 2.302       | 0.614                   | 0.614                 |
| -3         | 82.5 ≧ * < 82.5    | 2.229       | 0.594                   | 0.594                 |
| -4         | 77.5 ≧ * < 77.5    | 2.155       | 0.574                   | 0.574                 |
| -5         | 72.5 ≧ * < 72.5    | 2.082       | 0.555                   | 0.555                 |
| -6         | 67.5 ≧ * < 67.5    | 2.009       | 0.535                   | 0.535                 |
| -7         | 62.5 ≧ * < 62.5    | 1.935       | 0.516                   | 0.516                 |
| -8         | 57.5 ≧ * < 57.5    | 1.862       | 0.496                   | 0.496                 |
| -9         | 52.5 ≧ * < 52.5    | 1.789       | 0.477                   | 0.477                 |
| -10        | 47.5 ≧ * < 47.5    | 1.715       | 0.457                   | 0.457                 |
| -11        | 42.5 ≧ * < 42.5    | 1.642       | 0.438                   | 0.438                 |
| -12        | 37.5 ≧ * < 37.5    | 1.569       | 0.418                   | 0.418                 |
| -13        | 32.5 ≧ * < 32.5    | 1.495       | 0.398                   | 0.398                 |
| -14        | 27.5 ≧ * < 27.5    | 1.422       | 0.379                   | 0.379                 |
| -15        | 22.5 ≧ * < 22.5    | 1.348       | 0.359                   | 0.359                 |
| -16        | 17.5 ≧ * < 17.5    | 1.275       | 0.340                   | 0.340                 |
| -17        | 12.5 ≧ * < 12.5    | 1.202       | 0.320                   | 0.320                 |
| -18        | 7.5 ≧ * < 7.5      | 1.128       | 0.301                   | 0.301                 |
| -19        | 2.5 ≧ * < 2.5      | 1.055       | 0.281                   | 0.281                 |
| -20        | 0 ≧ * < 0          | 1           | 0.267                   | 0.267                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                  | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/被覆期間/小損害不填補の金額が3万円又は共<br>済価額の20分の1 | 0.711          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659       | 1.656                   | 1.656                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843       | 1.366                   | 1.366                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769       | 1.340                   | 1.340                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696       | 1.314                   | 1.314                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623       | 1.288                   | 1.288                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549       | 1.262                   | 1.262                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476       | 1.236                   | 1.236                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403       | 1.210                   | 1.210                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329       | 1.184                   | 1.184                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256       | 1.157                   | 1.157                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182       | 1.131                   | 1.131                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109       | 1.105                   | 1.105                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036       | 1.079                   | 1.079                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962       | 1.053                   | 1.053                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889       | 1.027                   | 1.027                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816       | 1.001                   | 1.001                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742       | 0.975                   | 0.975                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669       | 0.949                   | 0.949                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596       | 0.923                   | 0.923                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522       | 0.897                   | 0.897                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449       | 0.871                   | 0.871                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376       | 0.844                   | 0.844                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302       | 0.818                   | 0.818                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229       | 0.792                   | 0.792                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155       | 0.766                   | 0.766                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082       | 0.740                   | 0.740                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009       | 0.714                   | 0.714                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935       | 0.688                   | 0.688                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862       | 0.662                   | 0.662                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789       | 0.636                   | 0.636                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715       | 0.610                   | 0.610                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642       | 0.584                   | 0.584                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569       | 0.558                   | 0.558                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495       | 0.532                   | 0.532                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422       | 0.505                   | 0.505                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348       | 0.479                   | 0.479                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275       | 0.453                   | 0.453                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202       | 0.427                   | 0.427                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128       | 0.401                   | 0.401                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055       | 0.375                   | 0.375                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.356                   | 0.356                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.382          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659       | 0.890                   | 0.890                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843       | 0.734                   | 0.734                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769       | 0.720                   | 0.720                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696       | 0.706                   | 0.706                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623       | 0.692                   | 0.692                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549       | 0.678                   | 0.678                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476       | 0.664                   | 0.664                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403       | 0.650                   | 0.650                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329       | 0.636                   | 0.636                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256       | 0.622                   | 0.622                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182       | 0.608                   | 0.608                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109       | 0.594                   | 0.594                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036       | 0.580                   | 0.580                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962       | 0.566                   | 0.566                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889       | 0.552                   | 0.552                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816       | 0.538                   | 0.538                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742       | 0.524                   | 0.524                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669       | 0.510                   | 0.510                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596       | 0.496                   | 0.496                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522       | 0.482                   | 0.482                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449       | 0.468                   | 0.468                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376       | 0.454                   | 0.454                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302       | 0.440                   | 0.440                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229       | 0.426                   | 0.426                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155       | 0.412                   | 0.412                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082       | 0.398                   | 0.398                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009       | 0.384                   | 0.384                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935       | 0.370                   | 0.370                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862       | 0.356                   | 0.356                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789       | 0.342                   | 0.342                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715       | 0.328                   | 0.328                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642       | 0.314                   | 0.314                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569       | 0.300                   | 0.300                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495       | 0.286                   | 0.286                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422       | 0.272                   | 0.272                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348       | 0.258                   | 0.258                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275       | 0.244                   | 0.244                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202       | 0.230                   | 0.230                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128       | 0.216                   | 0.216                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055       | 0.202                   | 0.202                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.191                   | 0.191                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.238          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 4.659       | 0.554                   | 0.554                 |
| 19         | 192.5 ≦ * < 197.5  | 3.843       | 0.457                   | 0.457                 |
| 18         | 187.5 ≦ * < 192.5  | 3.769       | 0.449                   | 0.449                 |
| 17         | 182.5 ≦ * < 187.5  | 3.696       | 0.440                   | 0.440                 |
| 16         | 177.5 ≦ * < 182.5  | 3.623       | 0.431                   | 0.431                 |
| 15         | 172.5 ≦ * < 177.5  | 3.549       | 0.422                   | 0.422                 |
| 14         | 167.5 ≦ * < 172.5  | 3.476       | 0.414                   | 0.414                 |
| 13         | 162.5 ≦ * < 167.5  | 3.403       | 0.405                   | 0.405                 |
| 12         | 157.5 ≦ * < 162.5  | 3.329       | 0.396                   | 0.396                 |
| 11         | 152.5 ≦ * < 157.5  | 3.256       | 0.387                   | 0.387                 |
| 10         | 147.5 ≦ * < 152.5  | 3.182       | 0.379                   | 0.379                 |
| 9          | 142.5 ≦ * < 147.5  | 3.109       | 0.370                   | 0.370                 |
| 8          | 137.5 ≦ * < 142.5  | 3.036       | 0.361                   | 0.361                 |
| 7          | 132.5 ≦ * < 137.5  | 2.962       | 0.353                   | 0.353                 |
| 6          | 127.5 ≦ * < 132.5  | 2.889       | 0.344                   | 0.344                 |
| 5          | 122.5 ≦ * < 127.5  | 2.816       | 0.335                   | 0.335                 |
| 4          | 117.5 ≦ * < 122.5  | 2.742       | 0.326                   | 0.326                 |
| 3          | 112.5 ≦ * < 117.5  | 2.669       | 0.318                   | 0.318                 |
| 2          | 107.5 ≦ * < 112.5  | 2.596       | 0.309                   | 0.309                 |
| 1          | 102.5 ≦ * < 107.5  | 2.522       | 0.300                   | 0.300                 |
| 0          | 97.5 ≦ * < 102.5   | 2.449       | 0.291                   | 0.291                 |
| -1         | 92.5 ≦ * < 97.5    | 2.376       | 0.283                   | 0.283                 |
| -2         | 87.5 ≦ * < 92.5    | 2.302       | 0.274                   | 0.274                 |
| -3         | 82.5 ≦ * < 87.5    | 2.229       | 0.265                   | 0.265                 |
| -4         | 77.5 ≦ * < 82.5    | 2.155       | 0.256                   | 0.256                 |
| -5         | 72.5 ≦ * < 77.5    | 2.082       | 0.248                   | 0.248                 |
| -6         | 67.5 ≦ * < 72.5    | 2.009       | 0.239                   | 0.239                 |
| -7         | 62.5 ≦ * < 67.5    | 1.935       | 0.230                   | 0.230                 |
| -8         | 57.5 ≦ * < 62.5    | 1.862       | 0.222                   | 0.222                 |
| -9         | 52.5 ≦ * < 57.5    | 1.789       | 0.213                   | 0.213                 |
| -10        | 47.5 ≦ * < 52.5    | 1.715       | 0.204                   | 0.204                 |
| -11        | 42.5 ≦ * < 47.5    | 1.642       | 0.195                   | 0.195                 |
| -12        | 37.5 ≦ * < 42.5    | 1.569       | 0.187                   | 0.187                 |
| -13        | 32.5 ≦ * < 37.5    | 1.495       | 0.178                   | 0.178                 |
| -14        | 27.5 ≦ * < 32.5    | 1.422       | 0.169                   | 0.169                 |
| -15        | 22.5 ≦ * < 27.5    | 1.348       | 0.160                   | 0.160                 |
| -16        | 17.5 ≦ * < 22.5    | 1.275       | 0.152                   | 0.152                 |
| -17        | 12.5 ≦ * < 17.5    | 1.202       | 0.143                   | 0.143                 |
| -18        | 7.5 ≦ * < 12.5     | 1.128       | 0.134                   | 0.134                 |
| -19        | 2.5 ≦ * < 7.5      | 1.055       | 0.126                   | 0.126                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.119                   | 0.119                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                   | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/未被覆期間/小損害不填補の金額が3万円又は<br>共済価額の20分の1 | 0.010          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 4.659       | 0.023                   | 0.023                 |
| 19         | 192.5 ≧ * < 192.5  | 3.843       | 0.019                   | 0.019                 |
| 18         | 187.5 ≧ * < 187.5  | 3.769       | 0.019                   | 0.019                 |
| 17         | 182.5 ≧ * < 182.5  | 3.696       | 0.018                   | 0.018                 |
| 16         | 177.5 ≧ * < 177.5  | 3.623       | 0.018                   | 0.018                 |
| 15         | 172.5 ≧ * < 172.5  | 3.549       | 0.018                   | 0.018                 |
| 14         | 167.5 ≧ * < 167.5  | 3.476       | 0.017                   | 0.017                 |
| 13         | 162.5 ≧ * < 162.5  | 3.403       | 0.017                   | 0.017                 |
| 12         | 157.5 ≧ * < 157.5  | 3.329       | 0.017                   | 0.017                 |
| 11         | 152.5 ≧ * < 152.5  | 3.256       | 0.016                   | 0.016                 |
| 10         | 147.5 ≧ * < 147.5  | 3.182       | 0.016                   | 0.016                 |
| 9          | 142.5 ≧ * < 142.5  | 3.109       | 0.016                   | 0.016                 |
| 8          | 137.5 ≧ * < 137.5  | 3.036       | 0.015                   | 0.015                 |
| 7          | 132.5 ≧ * < 132.5  | 2.962       | 0.015                   | 0.015                 |
| 6          | 127.5 ≧ * < 127.5  | 2.889       | 0.014                   | 0.014                 |
| 5          | 122.5 ≧ * < 122.5  | 2.816       | 0.014                   | 0.014                 |
| 4          | 117.5 ≧ * < 117.5  | 2.742       | 0.014                   | 0.014                 |
| 3          | 112.5 ≧ * < 112.5  | 2.669       | 0.013                   | 0.013                 |
| 2          | 107.5 ≧ * < 107.5  | 2.596       | 0.013                   | 0.013                 |
| 1          | 102.5 ≧ * < 102.5  | 2.522       | 0.013                   | 0.013                 |
| 0          | 97.5 ≧ * < 97.5    | 2.449       | 0.012                   | 0.012                 |
| -1         | 92.5 ≧ * < 92.5    | 2.376       | 0.012                   | 0.012                 |
| -2         | 87.5 ≧ * < 87.5    | 2.302       | 0.012                   | 0.012                 |
| -3         | 82.5 ≧ * < 82.5    | 2.229       | 0.011                   | 0.011                 |
| -4         | 77.5 ≧ * < 77.5    | 2.155       | 0.011                   | 0.011                 |
| -5         | 72.5 ≧ * < 72.5    | 2.082       | 0.010                   | 0.010                 |
| -6         | 67.5 ≧ * < 67.5    | 2.009       | 0.010                   | 0.010                 |
| -7         | 62.5 ≧ * < 62.5    | 1.935       | 0.010                   | 0.010                 |
| -8         | 57.5 ≧ * < 57.5    | 1.862       | 0.009                   | 0.009                 |
| -9         | 52.5 ≧ * < 52.5    | 1.789       | 0.009                   | 0.009                 |
| -10        | 47.5 ≧ * < 47.5    | 1.715       | 0.009                   | 0.009                 |
| -11        | 42.5 ≧ * < 42.5    | 1.642       | 0.008                   | 0.008                 |
| -12        | 37.5 ≧ * < 37.5    | 1.569       | 0.008                   | 0.008                 |
| -13        | 32.5 ≧ * < 32.5    | 1.495       | 0.007                   | 0.007                 |
| -14        | 27.5 ≧ * < 27.5    | 1.422       | 0.007                   | 0.007                 |
| -15        | 22.5 ≧ * < 22.5    | 1.348       | 0.007                   | 0.007                 |
| -16        | 17.5 ≧ * < 17.5    | 1.275       | 0.006                   | 0.006                 |
| -17        | 12.5 ≧ * < 12.5    | 1.202       | 0.006                   | 0.006                 |
| -18        | 7.5 ≧ * < 7.5      | 1.128       | 0.006                   | 0.006                 |
| -19        | 2.5 ≧ * < 2.5      | 1.055       | 0.005                   | 0.005                 |
| -20        | 0 ≧ * < 0          | 1           | 0.005                   | 0.005                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.009          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 4.659       | 0.021                   | 0.021                 |
| 19         | 192.5 ≦ * < 197.5  | 3.843       | 0.017                   | 0.017                 |
| 18         | 187.5 ≦ * < 192.5  | 3.769       | 0.017                   | 0.017                 |
| 17         | 182.5 ≦ * < 187.5  | 3.696       | 0.017                   | 0.017                 |
| 16         | 177.5 ≦ * < 182.5  | 3.623       | 0.016                   | 0.016                 |
| 15         | 172.5 ≦ * < 177.5  | 3.549       | 0.016                   | 0.016                 |
| 14         | 167.5 ≦ * < 172.5  | 3.476       | 0.016                   | 0.016                 |
| 13         | 162.5 ≦ * < 167.5  | 3.403       | 0.015                   | 0.015                 |
| 12         | 157.5 ≦ * < 162.5  | 3.329       | 0.015                   | 0.015                 |
| 11         | 152.5 ≦ * < 157.5  | 3.256       | 0.015                   | 0.015                 |
| 10         | 147.5 ≦ * < 152.5  | 3.182       | 0.014                   | 0.014                 |
| 9          | 142.5 ≦ * < 147.5  | 3.109       | 0.014                   | 0.014                 |
| 8          | 137.5 ≦ * < 142.5  | 3.036       | 0.014                   | 0.014                 |
| 7          | 132.5 ≦ * < 137.5  | 2.962       | 0.013                   | 0.013                 |
| 6          | 127.5 ≦ * < 132.5  | 2.889       | 0.013                   | 0.013                 |
| 5          | 122.5 ≦ * < 127.5  | 2.816       | 0.013                   | 0.013                 |
| 4          | 117.5 ≦ * < 122.5  | 2.742       | 0.012                   | 0.012                 |
| 3          | 112.5 ≦ * < 117.5  | 2.669       | 0.012                   | 0.012                 |
| 2          | 107.5 ≦ * < 112.5  | 2.596       | 0.012                   | 0.012                 |
| 1          | 102.5 ≦ * < 107.5  | 2.522       | 0.011                   | 0.011                 |
| 0          | 97.5 ≦ * < 102.5   | 2.449       | 0.011                   | 0.011                 |
| -1         | 92.5 ≦ * < 97.5    | 2.376       | 0.011                   | 0.011                 |
| -2         | 87.5 ≦ * < 92.5    | 2.302       | 0.010                   | 0.010                 |
| -3         | 82.5 ≦ * < 87.5    | 2.229       | 0.010                   | 0.010                 |
| -4         | 77.5 ≦ * < 82.5    | 2.155       | 0.010                   | 0.010                 |
| -5         | 72.5 ≦ * < 77.5    | 2.082       | 0.009                   | 0.009                 |
| -6         | 67.5 ≦ * < 72.5    | 2.009       | 0.009                   | 0.009                 |
| -7         | 62.5 ≦ * < 67.5    | 1.935       | 0.009                   | 0.009                 |
| -8         | 57.5 ≦ * < 62.5    | 1.862       | 0.008                   | 0.008                 |
| -9         | 52.5 ≦ * < 57.5    | 1.789       | 0.008                   | 0.008                 |
| -10        | 47.5 ≦ * < 52.5    | 1.715       | 0.008                   | 0.008                 |
| -11        | 42.5 ≦ * < 47.5    | 1.642       | 0.007                   | 0.007                 |
| -12        | 37.5 ≦ * < 42.5    | 1.569       | 0.007                   | 0.007                 |
| -13        | 32.5 ≦ * < 37.5    | 1.495       | 0.007                   | 0.007                 |
| -14        | 27.5 ≦ * < 32.5    | 1.422       | 0.006                   | 0.006                 |
| -15        | 22.5 ≦ * < 27.5    | 1.348       | 0.006                   | 0.006                 |
| -16        | 17.5 ≦ * < 22.5    | 1.275       | 0.006                   | 0.006                 |
| -17        | 12.5 ≦ * < 17.5    | 1.202       | 0.005                   | 0.005                 |
| -18        | 7.5 ≦ * < 12.5     | 1.128       | 0.005                   | 0.005                 |
| -19        | 2.5 ≦ * < 7.5      | 1.055       | 0.005                   | 0.005                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.005                   | 0.005                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.008          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659    | 0.019                   | 0.019                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843    | 0.015                   | 0.015                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769    | 0.015                   | 0.015                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696    | 0.015                   | 0.015                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623    | 0.014                   | 0.014                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549    | 0.014                   | 0.014                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476    | 0.014                   | 0.014                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403    | 0.014                   | 0.014                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329    | 0.013                   | 0.013                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256    | 0.013                   | 0.013                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182    | 0.013                   | 0.013                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109    | 0.012                   | 0.012                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036    | 0.012                   | 0.012                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962    | 0.012                   | 0.012                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889    | 0.012                   | 0.012                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816    | 0.011                   | 0.011                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742    | 0.011                   | 0.011                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669    | 0.011                   | 0.011                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596    | 0.010                   | 0.010                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522    | 0.010                   | 0.010                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449    | 0.010                   | 0.010                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376    | 0.010                   | 0.010                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302    | 0.009                   | 0.009                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229    | 0.009                   | 0.009                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155    | 0.009                   | 0.009                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082    | 0.008                   | 0.008                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009    | 0.008                   | 0.008                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935    | 0.008                   | 0.008                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862    | 0.007                   | 0.007                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789    | 0.007                   | 0.007                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715    | 0.007                   | 0.007                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642    | 0.007                   | 0.007                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569    | 0.006                   | 0.006                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495    | 0.006                   | 0.006                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422    | 0.006                   | 0.006                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348    | 0.005                   | 0.005                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275    | 0.005                   | 0.005                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202    | 0.005                   | 0.005                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128    | 0.005                   | 0.005                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055    | 0.004                   | 0.004                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.004                   | 0.004                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                  | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/被覆期間/小損害不填補の金額が3万円又は共<br>済価額の20分の1 | 1.191          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659       | 2.774                   | 2.774                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843       | 2.288                   | 2.288                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769       | 2.245                   | 2.245                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696       | 2.201                   | 2.201                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623       | 2.157                   | 2.157                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549       | 2.114                   | 2.114                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476       | 2.070                   | 2.070                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403       | 2.026                   | 2.026                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329       | 1.983                   | 1.983                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256       | 1.939                   | 1.939                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182       | 1.895                   | 1.895                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109       | 1.851                   | 1.851                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036       | 1.808                   | 1.808                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962       | 1.764                   | 1.764                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889       | 1.720                   | 1.720                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816       | 1.677                   | 1.677                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742       | 1.633                   | 1.633                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669       | 1.589                   | 1.589                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596       | 1.546                   | 1.546                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522       | 1.502                   | 1.502                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449       | 1.458                   | 1.458                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376       | 1.415                   | 1.415                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302       | 1.371                   | 1.371                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229       | 1.327                   | 1.327                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155       | 1.284                   | 1.284                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082       | 1.240                   | 1.240                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009       | 1.196                   | 1.196                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935       | 1.152                   | 1.152                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862       | 1.109                   | 1.109                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789       | 1.065                   | 1.065                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715       | 1.021                   | 1.021                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642       | 0.978                   | 0.978                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569       | 0.934                   | 0.934                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495       | 0.890                   | 0.890                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422       | 0.847                   | 0.847                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348       | 0.803                   | 0.803                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275       | 0.759                   | 0.759                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202       | 0.716                   | 0.716                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128       | 0.672                   | 0.672                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055       | 0.628                   | 0.628                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.596                   | 0.596                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.639          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659       | 1.488                   | 1.488                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843       | 1.228                   | 1.228                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769       | 1.204                   | 1.204                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696       | 1.181                   | 1.181                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623       | 1.157                   | 1.157                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549       | 1.134                   | 1.134                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476       | 1.111                   | 1.111                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403       | 1.087                   | 1.087                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329       | 1.064                   | 1.064                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256       | 1.040                   | 1.040                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182       | 1.017                   | 1.017                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109       | 0.993                   | 0.993                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036       | 0.970                   | 0.970                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962       | 0.946                   | 0.946                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889       | 0.923                   | 0.923                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816       | 0.900                   | 0.900                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742       | 0.876                   | 0.876                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669       | 0.853                   | 0.853                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596       | 0.829                   | 0.829                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522       | 0.806                   | 0.806                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449       | 0.782                   | 0.782                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376       | 0.759                   | 0.759                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302       | 0.736                   | 0.736                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229       | 0.712                   | 0.712                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155       | 0.689                   | 0.689                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082       | 0.665                   | 0.665                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009       | 0.642                   | 0.642                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935       | 0.618                   | 0.618                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862       | 0.595                   | 0.595                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789       | 0.571                   | 0.571                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715       | 0.548                   | 0.548                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642       | 0.525                   | 0.525                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569       | 0.501                   | 0.501                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495       | 0.478                   | 0.478                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422       | 0.454                   | 0.454                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348       | 0.431                   | 0.431                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275       | 0.407                   | 0.407                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202       | 0.384                   | 0.384                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128       | 0.361                   | 0.361                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055       | 0.337                   | 0.337                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.320                   | 0.320                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.399          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659    | 0.929                   | 0.929                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843    | 0.767                   | 0.767                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769    | 0.752                   | 0.752                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696    | 0.737                   | 0.737                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623    | 0.723                   | 0.723                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549    | 0.708                   | 0.708                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476    | 0.693                   | 0.693                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403    | 0.679                   | 0.679                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329    | 0.664                   | 0.664                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256    | 0.650                   | 0.650                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182    | 0.635                   | 0.635                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109    | 0.620                   | 0.620                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036    | 0.606                   | 0.606                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962    | 0.591                   | 0.591                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889    | 0.576                   | 0.576                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816    | 0.562                   | 0.562                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742    | 0.547                   | 0.547                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669    | 0.532                   | 0.532                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596    | 0.518                   | 0.518                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522    | 0.503                   | 0.503                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449    | 0.489                   | 0.489                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376    | 0.474                   | 0.474                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302    | 0.459                   | 0.459                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229    | 0.445                   | 0.445                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155    | 0.430                   | 0.430                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082    | 0.415                   | 0.415                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009    | 0.401                   | 0.401                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935    | 0.386                   | 0.386                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862    | 0.371                   | 0.371                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789    | 0.357                   | 0.357                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715    | 0.342                   | 0.342                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642    | 0.328                   | 0.328                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569    | 0.313                   | 0.313                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495    | 0.298                   | 0.298                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422    | 0.284                   | 0.284                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348    | 0.269                   | 0.269                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275    | 0.254                   | 0.254                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202    | 0.240                   | 0.240                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128    | 0.225                   | 0.225                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055    | 0.210                   | 0.210                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.200                   | 0.200                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                   | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/未被覆期間/小損害不填補の金額が3万円又は<br>共済価額の20分の1 | 0.016          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659       | 0.037                   | 0.037                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843       | 0.031                   | 0.031                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769       | 0.030                   | 0.030                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696       | 0.030                   | 0.030                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623       | 0.029                   | 0.029                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549       | 0.028                   | 0.028                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476       | 0.028                   | 0.028                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403       | 0.027                   | 0.027                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329       | 0.027                   | 0.027                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256       | 0.026                   | 0.026                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182       | 0.025                   | 0.025                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109       | 0.025                   | 0.025                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036       | 0.024                   | 0.024                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962       | 0.024                   | 0.024                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889       | 0.023                   | 0.023                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816       | 0.023                   | 0.023                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742       | 0.022                   | 0.022                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669       | 0.021                   | 0.021                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596       | 0.021                   | 0.021                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522       | 0.020                   | 0.020                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449       | 0.020                   | 0.020                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376       | 0.019                   | 0.019                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302       | 0.018                   | 0.018                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229       | 0.018                   | 0.018                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155       | 0.017                   | 0.017                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082       | 0.017                   | 0.017                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009       | 0.016                   | 0.016                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935       | 0.015                   | 0.015                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862       | 0.015                   | 0.015                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789       | 0.014                   | 0.014                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715       | 0.014                   | 0.014                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642       | 0.013                   | 0.013                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569       | 0.013                   | 0.013                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495       | 0.012                   | 0.012                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422       | 0.011                   | 0.011                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348       | 0.011                   | 0.011                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275       | 0.010                   | 0.010                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202       | 0.010                   | 0.010                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128       | 0.009                   | 0.009                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055       | 0.008                   | 0.008                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.008                   | 0.008                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.014          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 4.659    | 0.033                   | 0.033                 |
| 19         | 192.5 ≧ * < 197.5  | 3.843    | 0.027                   | 0.027                 |
| 18         | 187.5 ≧ * < 192.5  | 3.769    | 0.026                   | 0.026                 |
| 17         | 182.5 ≧ * < 187.5  | 3.696    | 0.026                   | 0.026                 |
| 16         | 177.5 ≧ * < 182.5  | 3.623    | 0.025                   | 0.025                 |
| 15         | 172.5 ≧ * < 177.5  | 3.549    | 0.025                   | 0.025                 |
| 14         | 167.5 ≧ * < 172.5  | 3.476    | 0.024                   | 0.024                 |
| 13         | 162.5 ≧ * < 167.5  | 3.403    | 0.024                   | 0.024                 |
| 12         | 157.5 ≧ * < 162.5  | 3.329    | 0.023                   | 0.023                 |
| 11         | 152.5 ≧ * < 157.5  | 3.256    | 0.023                   | 0.023                 |
| 10         | 147.5 ≧ * < 152.5  | 3.182    | 0.022                   | 0.022                 |
| 9          | 142.5 ≧ * < 147.5  | 3.109    | 0.022                   | 0.022                 |
| 8          | 137.5 ≧ * < 142.5  | 3.036    | 0.021                   | 0.021                 |
| 7          | 132.5 ≧ * < 137.5  | 2.962    | 0.021                   | 0.021                 |
| 6          | 127.5 ≧ * < 132.5  | 2.889    | 0.020                   | 0.020                 |
| 5          | 122.5 ≧ * < 127.5  | 2.816    | 0.020                   | 0.020                 |
| 4          | 117.5 ≧ * < 122.5  | 2.742    | 0.019                   | 0.019                 |
| 3          | 112.5 ≧ * < 117.5  | 2.669    | 0.019                   | 0.019                 |
| 2          | 107.5 ≧ * < 112.5  | 2.596    | 0.018                   | 0.018                 |
| 1          | 102.5 ≧ * < 107.5  | 2.522    | 0.018                   | 0.018                 |
| 0          | 97.5 ≧ * < 102.5   | 2.449    | 0.017                   | 0.017                 |
| -1         | 92.5 ≧ * < 97.5    | 2.376    | 0.017                   | 0.017                 |
| -2         | 87.5 ≧ * < 92.5    | 2.302    | 0.016                   | 0.016                 |
| -3         | 82.5 ≧ * < 87.5    | 2.229    | 0.016                   | 0.016                 |
| -4         | 77.5 ≧ * < 82.5    | 2.155    | 0.015                   | 0.015                 |
| -5         | 72.5 ≧ * < 77.5    | 2.082    | 0.015                   | 0.015                 |
| -6         | 67.5 ≧ * < 72.5    | 2.009    | 0.014                   | 0.014                 |
| -7         | 62.5 ≧ * < 67.5    | 1.935    | 0.014                   | 0.014                 |
| -8         | 57.5 ≧ * < 62.5    | 1.862    | 0.013                   | 0.013                 |
| -9         | 52.5 ≧ * < 57.5    | 1.789    | 0.013                   | 0.013                 |
| -10        | 47.5 ≧ * < 52.5    | 1.715    | 0.012                   | 0.012                 |
| -11        | 42.5 ≧ * < 47.5    | 1.642    | 0.011                   | 0.011                 |
| -12        | 37.5 ≧ * < 42.5    | 1.569    | 0.011                   | 0.011                 |
| -13        | 32.5 ≧ * < 37.5    | 1.495    | 0.010                   | 0.010                 |
| -14        | 27.5 ≧ * < 32.5    | 1.422    | 0.010                   | 0.010                 |
| -15        | 22.5 ≧ * < 27.5    | 1.348    | 0.009                   | 0.009                 |
| -16        | 17.5 ≧ * < 22.5    | 1.275    | 0.009                   | 0.009                 |
| -17        | 12.5 ≧ * < 17.5    | 1.202    | 0.008                   | 0.008                 |
| -18        | 7.5 ≧ * < 12.5     | 1.128    | 0.008                   | 0.008                 |
| -19        | 2.5 ≧ * < 7.5      | 1.055    | 0.007                   | 0.007                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.007                   | 0.007                 |

平均値  
2.00

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅡ類<br>(40) | プラスチックハウスⅡ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.013          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 4.659       | 0.030                   | 0.030                 |
| 19         | 192.5 ≦ * < 197.5  | 3.843       | 0.025                   | 0.025                 |
| 18         | 187.5 ≦ * < 192.5  | 3.769       | 0.025                   | 0.025                 |
| 17         | 182.5 ≦ * < 187.5  | 3.696       | 0.024                   | 0.024                 |
| 16         | 177.5 ≦ * < 182.5  | 3.623       | 0.024                   | 0.024                 |
| 15         | 172.5 ≦ * < 177.5  | 3.549       | 0.023                   | 0.023                 |
| 14         | 167.5 ≦ * < 172.5  | 3.476       | 0.023                   | 0.023                 |
| 13         | 162.5 ≦ * < 167.5  | 3.403       | 0.022                   | 0.022                 |
| 12         | 157.5 ≦ * < 162.5  | 3.329       | 0.022                   | 0.022                 |
| 11         | 152.5 ≦ * < 157.5  | 3.256       | 0.021                   | 0.021                 |
| 10         | 147.5 ≦ * < 152.5  | 3.182       | 0.021                   | 0.021                 |
| 9          | 142.5 ≦ * < 147.5  | 3.109       | 0.020                   | 0.020                 |
| 8          | 137.5 ≦ * < 142.5  | 3.036       | 0.020                   | 0.020                 |
| 7          | 132.5 ≦ * < 137.5  | 2.962       | 0.019                   | 0.019                 |
| 6          | 127.5 ≦ * < 132.5  | 2.889       | 0.019                   | 0.019                 |
| 5          | 122.5 ≦ * < 127.5  | 2.816       | 0.018                   | 0.018                 |
| 4          | 117.5 ≦ * < 122.5  | 2.742       | 0.018                   | 0.018                 |
| 3          | 112.5 ≦ * < 117.5  | 2.669       | 0.017                   | 0.017                 |
| 2          | 107.5 ≦ * < 112.5  | 2.596       | 0.017                   | 0.017                 |
| 1          | 102.5 ≦ * < 107.5  | 2.522       | 0.016                   | 0.016                 |
| 0          | 97.5 ≦ * < 102.5   | 2.449       | 0.016                   | 0.016                 |
| -1         | 92.5 ≦ * < 97.5    | 2.376       | 0.015                   | 0.015                 |
| -2         | 87.5 ≦ * < 92.5    | 2.302       | 0.015                   | 0.015                 |
| -3         | 82.5 ≦ * < 87.5    | 2.229       | 0.014                   | 0.014                 |
| -4         | 77.5 ≦ * < 82.5    | 2.155       | 0.014                   | 0.014                 |
| -5         | 72.5 ≦ * < 77.5    | 2.082       | 0.014                   | 0.014                 |
| -6         | 67.5 ≦ * < 72.5    | 2.009       | 0.013                   | 0.013                 |
| -7         | 62.5 ≦ * < 67.5    | 1.935       | 0.013                   | 0.013                 |
| -8         | 57.5 ≦ * < 62.5    | 1.862       | 0.012                   | 0.012                 |
| -9         | 52.5 ≦ * < 57.5    | 1.789       | 0.012                   | 0.012                 |
| -10        | 47.5 ≦ * < 52.5    | 1.715       | 0.011                   | 0.011                 |
| -11        | 42.5 ≦ * < 47.5    | 1.642       | 0.011                   | 0.011                 |
| -12        | 37.5 ≦ * < 42.5    | 1.569       | 0.010                   | 0.010                 |
| -13        | 32.5 ≦ * < 37.5    | 1.495       | 0.010                   | 0.010                 |
| -14        | 27.5 ≦ * < 32.5    | 1.422       | 0.009                   | 0.009                 |
| -15        | 22.5 ≦ * < 27.5    | 1.348       | 0.009                   | 0.009                 |
| -16        | 17.5 ≦ * < 22.5    | 1.275       | 0.008                   | 0.008                 |
| -17        | 12.5 ≦ * < 17.5    | 1.202       | 0.008                   | 0.008                 |
| -18        | 7.5 ≦ * < 12.5     | 1.128       | 0.007                   | 0.007                 |
| -19        | 2.5 ≦ * < 7.5      | 1.055       | 0.007                   | 0.007                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.007                   | 0.007                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 1.231          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.854                   | 1.854                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.823                   | 1.823                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.792                   | 1.792                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.761                   | 1.761                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.730                   | 1.730                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.698                   | 1.698                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.667                   | 1.667                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.636                   | 1.636                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.605                   | 1.605                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.574                   | 1.574                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.543                   | 1.543                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.511                   | 1.511                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.480                   | 1.480                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.449                   | 1.449                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.418                   | 1.418                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.387                   | 1.387                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.356                   | 1.356                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 1.324                   | 1.324                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 1.293                   | 1.293                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 1.262                   | 1.262                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 1.231                   | 1.231                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 1.200                   | 1.200                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 1.169                   | 1.169                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 1.138                   | 1.138                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 1.106                   | 1.106                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 1.075                   | 1.075                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 1.044                   | 1.044                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 1.013                   | 1.013                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.982                   | 0.982                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.951                   | 0.951                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.919                   | 0.919                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.888                   | 0.888                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.857                   | 0.857                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.826                   | 0.826                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.795                   | 0.795                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.764                   | 0.764                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.732                   | 0.732                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.701                   | 0.701                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.670                   | 0.670                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.639                   | 0.639                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.616                   | 0.616                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設及び附帯施<br>設に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.889          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 1.339                   | 1.339                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 1.317                   | 1.317                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 1.294                   | 1.294                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 1.272                   | 1.272                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 1.249                   | 1.249                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 1.227                   | 1.227                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 1.204                   | 1.204                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 1.182                   | 1.182                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 1.159                   | 1.159                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 1.137                   | 1.137                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 1.114                   | 1.114                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 1.092                   | 1.092                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 1.069                   | 1.069                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 1.047                   | 1.047                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 1.024                   | 1.024                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 1.002                   | 1.002                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.979                   | 0.979                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.957                   | 0.957                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.934                   | 0.934                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.912                   | 0.912                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.889                   | 0.889                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.866                   | 0.866                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.844                   | 0.844                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.821                   | 0.821                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.799                   | 0.799                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.776                   | 0.776                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.754                   | 0.754                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.731                   | 0.731                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.709                   | 0.709                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.686                   | 0.686                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.664                   | 0.664                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.641                   | 0.641                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.619                   | 0.619                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.596                   | 0.596                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.574                   | 0.574                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.551                   | 0.551                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.529                   | 0.529                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.506                   | 0.506                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.484                   | 0.484                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.461                   | 0.461                 |
| -20        | 0 ≧ * < 0          | 1           | 0.445                   | 0.445                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.754          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 1.136                   | 1.136                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 1.117                   | 1.117                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 1.098                   | 1.098                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 1.079                   | 1.079                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 1.059                   | 1.059                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 1.040                   | 1.040                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 1.021                   | 1.021                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 1.002                   | 1.002                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 0.983                   | 0.983                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 0.964                   | 0.964                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 0.945                   | 0.945                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 0.926                   | 0.926                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 0.907                   | 0.907                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 0.888                   | 0.888                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 0.869                   | 0.869                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 0.849                   | 0.849                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.830                   | 0.830                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.811                   | 0.811                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.792                   | 0.792                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.773                   | 0.773                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.754                   | 0.754                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.735                   | 0.735                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.716                   | 0.716                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.697                   | 0.697                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.678                   | 0.678                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.659                   | 0.659                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.639                   | 0.639                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.620                   | 0.620                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.601                   | 0.601                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.582                   | 0.582                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.563                   | 0.563                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.544                   | 0.544                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.525                   | 0.525                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.506                   | 0.506                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.487                   | 0.487                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.468                   | 0.468                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.449                   | 0.449                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.429                   | 0.429                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.410                   | 0.410                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.391                   | 0.391                 |
| -20        | 0 ≧ * < 0          | 1        | 0.377                   | 0.377                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.015          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.023                   | 0.023                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.022                   | 0.022                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.022                   | 0.022                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.021                   | 0.021                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.021                   | 0.021                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.021                   | 0.021                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.020                   | 0.020                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.020                   | 0.020                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.020                   | 0.020                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.019                   | 0.019                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.019                   | 0.019                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.018                   | 0.018                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.018                   | 0.018                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.018                   | 0.018                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.017                   | 0.017                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.017                   | 0.017                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.017                   | 0.017                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.016                   | 0.016                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.016                   | 0.016                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.015                   | 0.015                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.015                   | 0.015                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.015                   | 0.015                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.014                   | 0.014                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.014                   | 0.014                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.013                   | 0.013                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.013                   | 0.013                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.013                   | 0.013                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.012                   | 0.012                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.012                   | 0.012                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.012                   | 0.012                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.011                   | 0.011                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.011                   | 0.011                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.010                   | 0.010                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.010                   | 0.010                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.010                   | 0.010                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.009                   | 0.009                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.009                   | 0.009                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.009                   | 0.009                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.008                   | 0.008                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.008                   | 0.008                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.008                   | 0.008                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                 | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.011          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.017                   | 0.017                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.016                   | 0.016                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.016                   | 0.016                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.016                   | 0.016                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.015                   | 0.015                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.015                   | 0.015                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.015                   | 0.015                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.015                   | 0.015                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.014                   | 0.014                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.014                   | 0.014                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.014                   | 0.014                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.014                   | 0.014                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.013                   | 0.013                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.013                   | 0.013                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.013                   | 0.013                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.012                   | 0.012                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.012                   | 0.012                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.012                   | 0.012                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.012                   | 0.012                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.011                   | 0.011                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.011                   | 0.011                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.011                   | 0.011                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.010                   | 0.010                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.010                   | 0.010                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.010                   | 0.010                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.010                   | 0.010                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.009                   | 0.009                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.009                   | 0.009                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.009                   | 0.009                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.008                   | 0.008                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.008                   | 0.008                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.008                   | 0.008                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.008                   | 0.008                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.007                   | 0.007                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.007                   | 0.007                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.007                   | 0.007                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.007                   | 0.007                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.006                   | 0.006                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.006                   | 0.006                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.006                   | 0.006                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.006                   | 0.006                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                 | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.009          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.014                   | 0.014                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.013                   | 0.013                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.013                   | 0.013                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.013                   | 0.013                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.013                   | 0.013                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.012                   | 0.012                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.012                   | 0.012                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.012                   | 0.012                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.012                   | 0.012                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.012                   | 0.012                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.011                   | 0.011                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.011                   | 0.011                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.011                   | 0.011                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.011                   | 0.011                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.010                   | 0.010                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.010                   | 0.010                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.010                   | 0.010                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.010                   | 0.010                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.009                   | 0.009                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.009                   | 0.009                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.009                   | 0.009                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.009                   | 0.009                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.009                   | 0.009                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.008                   | 0.008                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.008                   | 0.008                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.008                   | 0.008                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.008                   | 0.008                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.007                   | 0.007                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.007                   | 0.007                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.007                   | 0.007                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.007                   | 0.007                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.006                   | 0.006                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.006                   | 0.006                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.006                   | 0.006                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.006                   | 0.006                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.006                   | 0.006                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.005                   | 0.005                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.005                   | 0.005                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.005                   | 0.005                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.005                   | 0.005                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.005                   | 0.005                 |
|            | 平均値                | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/施設内農作物有一般//小<br>損害不填補の金額が3万円又は共済価額の20分の1 | 3.252          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 4.899                   | 4.899                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 4.816                   | 4.816                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 4.734                   | 4.734                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 4.652                   | 4.652                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 4.569                   | 4.569                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 4.487                   | 4.487                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 4.405                   | 4.405                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 4.322                   | 4.322                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 4.240                   | 4.240                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 4.158                   | 4.158                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 4.075                   | 4.075                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 3.993                   | 3.993                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 3.911                   | 3.911                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 3.828                   | 3.828                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 3.746                   | 3.746                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 3.664                   | 3.664                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 3.581                   | 3.581                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 3.499                   | 3.499                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 3.417                   | 3.417                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 3.334                   | 3.334                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 3.252                   | 3.252                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 3.170                   | 3.170                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 3.087                   | 3.087                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 3.005                   | 3.005                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 2.923                   | 2.923                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 2.840                   | 2.840                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 2.758                   | 2.758                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 2.676                   | 2.676                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 2.593                   | 2.593                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 2.511                   | 2.511                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 2.429                   | 2.429                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 2.346                   | 2.346                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 2.264                   | 2.264                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 2.182                   | 2.182                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 2.099                   | 2.099                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 2.017                   | 2.017                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 1.935                   | 1.935                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 1.852                   | 1.852                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 1.770                   | 1.770                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 1.688                   | 1.688                 |
| -20        | 0 ≦ * < 2.5        | 1           | 1.626                   | 1.626                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                        | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/施設内農作物有一般//小<br>損害不填補の金額が10万円 | 3.124          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 4.706                   | 4.706                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 4.627                   | 4.627                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 4.548                   | 4.548                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 4.469                   | 4.469                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 4.389                   | 4.389                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 4.310                   | 4.310                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 4.231                   | 4.231                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 4.152                   | 4.152                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 4.073                   | 4.073                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 3.994                   | 3.994                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 3.915                   | 3.915                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 3.836                   | 3.836                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 3.757                   | 3.757                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 3.678                   | 3.678                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 3.599                   | 3.599                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 3.519                   | 3.519                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 3.440                   | 3.440                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 3.361                   | 3.361                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 3.282                   | 3.282                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 3.203                   | 3.203                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 3.124                   | 3.124                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 3.045                   | 3.045                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 2.966                   | 2.966                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 2.887                   | 2.887                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 2.808                   | 2.808                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 2.729                   | 2.729                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 2.649                   | 2.649                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 2.570                   | 2.570                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 2.491                   | 2.491                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 2.412                   | 2.412                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 2.333                   | 2.333                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 2.254                   | 2.254                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 2.175                   | 2.175                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 2.096                   | 2.096                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 2.017                   | 2.017                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 1.938                   | 1.938                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 1.859                   | 1.859                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 1.779                   | 1.779                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 1.700                   | 1.700                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 1.621                   | 1.621                 |
| -20        | 0 ≧ * < 2.5        | 1           | 1.562                   | 1.562                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                        | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/施設内農作物有一般//小<br>損害不填補の金額が20万円 | 2.649          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 3.990                   | 3.990                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 3.923                   | 3.923                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 3.856                   | 3.856                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 3.789                   | 3.789                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 3.722                   | 3.722                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 3.655                   | 3.655                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 3.588                   | 3.588                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 3.521                   | 3.521                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 3.454                   | 3.454                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 3.387                   | 3.387                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 3.320                   | 3.320                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 3.253                   | 3.253                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 3.186                   | 3.186                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 3.118                   | 3.118                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 3.051                   | 3.051                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 2.984                   | 2.984                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 2.917                   | 2.917                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 2.850                   | 2.850                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 2.783                   | 2.783                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 2.716                   | 2.716                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 2.649                   | 2.649                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 2.582                   | 2.582                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 2.515                   | 2.515                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 2.448                   | 2.448                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 2.381                   | 2.381                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 2.314                   | 2.314                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 2.247                   | 2.247                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 2.180                   | 2.180                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 2.112                   | 2.112                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 2.045                   | 2.045                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 1.978                   | 1.978                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 1.911                   | 1.911                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 1.844                   | 1.844                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 1.777                   | 1.777                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 1.710                   | 1.710                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 1.643                   | 1.643                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 1.576                   | 1.576                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 1.509                   | 1.509                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 1.442                   | 1.442                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 1.375                   | 1.375                 |
| -20        | 0 ≦ * < 2.5        | 1        | 1.325                   | 1.325                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                     | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/施設内農作物有事故除外<br>//小損害不填補の金額が3万円又は共済価額の20分の1 | 2.540          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 3.826                   | 3.826                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 3.762                   | 3.762                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 3.697                   | 3.697                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 3.633                   | 3.633                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 3.569                   | 3.569                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 3.505                   | 3.505                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 3.440                   | 3.440                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 3.376                   | 3.376                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 3.312                   | 3.312                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 3.247                   | 3.247                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 3.183                   | 3.183                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 3.119                   | 3.119                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 3.054                   | 3.054                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 2.990                   | 2.990                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 2.926                   | 2.926                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 2.862                   | 2.862                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 2.797                   | 2.797                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 2.733                   | 2.733                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 2.669                   | 2.669                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 2.604                   | 2.604                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 2.540                   | 2.540                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 2.476                   | 2.476                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 2.411                   | 2.411                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 2.347                   | 2.347                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 2.283                   | 2.283                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 2.218                   | 2.218                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 2.154                   | 2.154                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 2.090                   | 2.090                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 2.026                   | 2.026                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 1.961                   | 1.961                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 1.897                   | 1.897                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 1.833                   | 1.833                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 1.768                   | 1.768                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 1.704                   | 1.704                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 1.640                   | 1.640                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 1.575                   | 1.575                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 1.511                   | 1.511                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 1.447                   | 1.447                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 1.383                   | 1.383                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 1.318                   | 1.318                 |
| -20        | 0 ≧ * < 2.5        | 1        | 1.270                   | 1.270                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/施設内農作物有事故除外<br>//小損害不填補の金額が10万円 | 2.405          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 3.623                   | 3.623                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 3.562                   | 3.562                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 3.501                   | 3.501                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 3.440                   | 3.440                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 3.379                   | 3.379                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 3.318                   | 3.318                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 3.257                   | 3.257                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 3.197                   | 3.197                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 3.136                   | 3.136                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 3.075                   | 3.075                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 3.014                   | 3.014                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 2.953                   | 2.953                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 2.892                   | 2.892                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 2.831                   | 2.831                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 2.770                   | 2.770                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 2.709                   | 2.709                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 2.649                   | 2.649                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 2.588                   | 2.588                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 2.527                   | 2.527                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 2.466                   | 2.466                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 2.405                   | 2.405                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 2.344                   | 2.344                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 2.283                   | 2.283                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 2.222                   | 2.222                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 2.161                   | 2.161                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 2.101                   | 2.101                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 2.040                   | 2.040                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 1.979                   | 1.979                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 1.918                   | 1.918                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 1.857                   | 1.857                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 1.796                   | 1.796                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 1.735                   | 1.735                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 1.674                   | 1.674                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 1.613                   | 1.613                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 1.553                   | 1.553                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 1.492                   | 1.492                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 1.431                   | 1.431                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 1.370                   | 1.370                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 1.309                   | 1.309                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 1.248                   | 1.248                 |
| -20        | 0 ≧ * < 2.5        | 1        | 1.203                   | 1.203                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/施設内農作物有事故除外<br>//小損害不填補の金額が20万円 | 2.129          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 3.207                   | 3.207                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 3.153                   | 3.153                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 3.099                   | 3.099                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 3.045                   | 3.045                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 2.991                   | 2.991                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 2.937                   | 2.937                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 2.884                   | 2.884                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 2.830                   | 2.830                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 2.776                   | 2.776                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 2.722                   | 2.722                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 2.668                   | 2.668                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 2.614                   | 2.614                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 2.560                   | 2.560                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 2.506                   | 2.506                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 2.452                   | 2.452                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 2.398                   | 2.398                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 2.345                   | 2.345                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 2.291                   | 2.291                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 2.237                   | 2.237                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 2.183                   | 2.183                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 2.129                   | 2.129                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 2.075                   | 2.075                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 2.021                   | 2.021                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 1.967                   | 1.967                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 1.913                   | 1.913                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 1.860                   | 1.860                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 1.806                   | 1.806                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 1.752                   | 1.752                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 1.698                   | 1.698                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 1.644                   | 1.644                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 1.590                   | 1.590                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 1.536                   | 1.536                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 1.482                   | 1.482                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 1.428                   | 1.428                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 1.374                   | 1.374                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 1.321                   | 1.321                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 1.267                   | 1.267                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 1.213                   | 1.213                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 1.159                   | 1.159                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 1.105                   | 1.105                 |
| -20        | 0 ≧ * < 0          | 1        | 1.065                   | 1.065                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                  | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/被覆期間/小損害不填補の金額が3万円又は共<br>済価額の20分の1 | 0.108          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.163                   | 0.163                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.160                   | 0.160                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.157                   | 0.157                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.154                   | 0.154                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.152                   | 0.152                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.149                   | 0.149                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.146                   | 0.146                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.144                   | 0.144                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.141                   | 0.141                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.138                   | 0.138                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.135                   | 0.135                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.133                   | 0.133                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.130                   | 0.130                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.127                   | 0.127                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.124                   | 0.124                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.122                   | 0.122                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.119                   | 0.119                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.116                   | 0.116                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.113                   | 0.113                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.111                   | 0.111                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.108                   | 0.108                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.105                   | 0.105                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.103                   | 0.103                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.100                   | 0.100                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.097                   | 0.097                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.094                   | 0.094                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.092                   | 0.092                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.089                   | 0.089                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.086                   | 0.086                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.083                   | 0.083                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.081                   | 0.081                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.078                   | 0.078                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.075                   | 0.075                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.072                   | 0.072                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.070                   | 0.070                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.067                   | 0.067                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.064                   | 0.064                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.062                   | 0.062                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.059                   | 0.059                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.056                   | 0.056                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.054                   | 0.054                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.078          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.117                   | 0.117                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.116                   | 0.116                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.114                   | 0.114                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.112                   | 0.112                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.110                   | 0.110                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.108                   | 0.108                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.106                   | 0.106                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.104                   | 0.104                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.102                   | 0.102                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.100                   | 0.100                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.098                   | 0.098                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.096                   | 0.096                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.094                   | 0.094                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.092                   | 0.092                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.090                   | 0.090                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.088                   | 0.088                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.086                   | 0.086                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.084                   | 0.084                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.082                   | 0.082                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.080                   | 0.080                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.078                   | 0.078                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.076                   | 0.076                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.074                   | 0.074                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.072                   | 0.072                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.070                   | 0.070                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.068                   | 0.068                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.066                   | 0.066                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.064                   | 0.064                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.062                   | 0.062                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.060                   | 0.060                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.058                   | 0.058                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.056                   | 0.056                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.054                   | 0.054                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.052                   | 0.052                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.050                   | 0.050                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.048                   | 0.048                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.046                   | 0.046                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.044                   | 0.044                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.042                   | 0.042                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.040                   | 0.040                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.039                   | 0.039                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.066          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.099                   | 0.099                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.098                   | 0.098                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.096                   | 0.096                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.094                   | 0.094                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.093                   | 0.093                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.091                   | 0.091                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.089                   | 0.089                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.088                   | 0.088                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.086                   | 0.086                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.084                   | 0.084                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.083                   | 0.083                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.081                   | 0.081                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.079                   | 0.079                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.078                   | 0.078                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.076                   | 0.076                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.074                   | 0.074                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.073                   | 0.073                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.071                   | 0.071                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.069                   | 0.069                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.068                   | 0.068                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.066                   | 0.066                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.064                   | 0.064                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.063                   | 0.063                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.061                   | 0.061                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.059                   | 0.059                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.058                   | 0.058                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.056                   | 0.056                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.054                   | 0.054                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.053                   | 0.053                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.051                   | 0.051                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.049                   | 0.049                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.048                   | 0.048                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.046                   | 0.046                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.044                   | 0.044                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.043                   | 0.043                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.041                   | 0.041                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.039                   | 0.039                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.038                   | 0.038                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.036                   | 0.036                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.034                   | 0.034                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.033                   | 0.033                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                   | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/未被覆期間/小損害不填補の金額が3万円又は<br>共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設撤去費用額<br>に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.005                   | 0.005                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.004                   | 0.004                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.004                   | 0.004                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.004                   | 0.004                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.004                   | 0.004                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.004                   | 0.004                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.004                   | 0.004                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.004                   | 0.004                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.004                   | 0.004                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.004                   | 0.004                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.004                   | 0.004                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.004                   | 0.004                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.004                   | 0.004                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.004                   | 0.004                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.003                   | 0.003                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.003                   | 0.003                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.003                   | 0.003                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.003                   | 0.003                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.003                   | 0.003                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.003                   | 0.003                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.003                   | 0.003                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.003                   | 0.003                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.003                   | 0.003                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.003                   | 0.003                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.003                   | 0.003                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.002                   | 0.002                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.002                   | 0.002                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.002                   | 0.002                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.002                   | 0.002                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.002                   | 0.002                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.002                   | 0.002                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.002                   | 0.002                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.002                   | 0.002                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.002                   | 0.002                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                  | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/被覆期間/小損害不填補の金額が3万円又は共<br>済価額の20分の1 | 0.318          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.479                   | 0.479                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.471                   | 0.471                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.463                   | 0.463                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.455                   | 0.455                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.447                   | 0.447                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.439                   | 0.439                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.431                   | 0.431                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.423                   | 0.423                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.415                   | 0.415                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.407                   | 0.407                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.399                   | 0.399                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.390                   | 0.390                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.382                   | 0.382                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.374                   | 0.374                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.366                   | 0.366                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.358                   | 0.358                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.350                   | 0.350                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.342                   | 0.342                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.334                   | 0.334                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.326                   | 0.326                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.318                   | 0.318                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.310                   | 0.310                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.302                   | 0.302                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.294                   | 0.294                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.286                   | 0.286                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.278                   | 0.278                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.270                   | 0.270                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.262                   | 0.262                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.254                   | 0.254                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.246                   | 0.246                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.237                   | 0.237                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.229                   | 0.229                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.221                   | 0.221                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.213                   | 0.213                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.205                   | 0.205                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.197                   | 0.197                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.189                   | 0.189                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.181                   | 0.181                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.173                   | 0.173                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.165                   | 0.165                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.159                   | 0.159                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.230          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.346                   | 0.346                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.341                   | 0.341                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.335                   | 0.335                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.329                   | 0.329                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.323                   | 0.323                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.317                   | 0.317                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.312                   | 0.312                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.306                   | 0.306                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.300                   | 0.300                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.294                   | 0.294                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.288                   | 0.288                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.282                   | 0.282                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.277                   | 0.277                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.271                   | 0.271                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.265                   | 0.265                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.259                   | 0.259                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.253                   | 0.253                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.247                   | 0.247                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.242                   | 0.242                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.236                   | 0.236                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.230                   | 0.230                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.224                   | 0.224                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.218                   | 0.218                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.213                   | 0.213                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.207                   | 0.207                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.201                   | 0.201                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.195                   | 0.195                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.189                   | 0.189                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.183                   | 0.183                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.178                   | 0.178                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.172                   | 0.172                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.166                   | 0.166                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.160                   | 0.160                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.154                   | 0.154                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.148                   | 0.148                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.143                   | 0.143                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.137                   | 0.137                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.131                   | 0.131                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.125                   | 0.125                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.119                   | 0.119                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.115                   | 0.115                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.195          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.294                   | 0.294                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.289                   | 0.289                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.284                   | 0.284                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.279                   | 0.279                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.274                   | 0.274                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.269                   | 0.269                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.264                   | 0.264                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.259                   | 0.259                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.254                   | 0.254                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.249                   | 0.249                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.244                   | 0.244                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.239                   | 0.239                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.234                   | 0.234                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.230                   | 0.230                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.225                   | 0.225                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.220                   | 0.220                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.215                   | 0.215                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.210                   | 0.210                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.205                   | 0.205                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.200                   | 0.200                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.195                   | 0.195                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.190                   | 0.190                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.185                   | 0.185                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.180                   | 0.180                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.175                   | 0.175                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.170                   | 0.170                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.165                   | 0.165                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.160                   | 0.160                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.156                   | 0.156                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.151                   | 0.151                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.146                   | 0.146                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.141                   | 0.141                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.136                   | 0.136                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.131                   | 0.131                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.126                   | 0.126                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.121                   | 0.121                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.116                   | 0.116                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.111                   | 0.111                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.106                   | 0.106                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.101                   | 0.101                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.098                   | 0.098                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                   | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/未被覆期間/小損害不填補の金額が3万円又は<br>共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 0          | 1        | 0.002                   | 0.002                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅢ類<br>(50) | プラスチックハウスⅢ類(パイプ)/特定園芸施設復旧費用額<br>に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                      | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設及び<br>附帯施設に係るもの/被覆期間/小損害不填補の金額が3万<br>円又は共済価額の20分の1 | 1.184          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 1.783                   | 1.783                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 1.754                   | 1.754                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 1.724                   | 1.724                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 1.694                   | 1.694                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 1.664                   | 1.664                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 1.634                   | 1.634                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 1.604                   | 1.604                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 1.574                   | 1.574                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 1.544                   | 1.544                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 1.514                   | 1.514                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 1.484                   | 1.484                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 1.454                   | 1.454                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 1.424                   | 1.424                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 1.394                   | 1.394                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 1.364                   | 1.364                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 1.334                   | 1.334                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 1.304                   | 1.304                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 1.274                   | 1.274                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 1.244                   | 1.244                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 1.214                   | 1.214                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 1.184                   | 1.184                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 1.154                   | 1.154                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 1.124                   | 1.124                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 1.094                   | 1.094                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 1.064                   | 1.064                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 1.034                   | 1.034                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 1.004                   | 1.004                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.974                   | 0.974                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.944                   | 0.944                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.914                   | 0.914                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.884                   | 0.884                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.854                   | 0.854                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.824                   | 0.824                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.794                   | 0.794                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.764                   | 0.764                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.734                   | 0.734                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.704                   | 0.704                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.674                   | 0.674                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.644                   | 0.644                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.614                   | 0.614                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.592                   | 0.592                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設及び<br>附帯施設に係るもの/被覆期間/小損害不填補の金額が10<br>万円 | 0.899          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 1.354                   | 1.354                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 1.331                   | 1.331                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 1.309                   | 1.309                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 1.286                   | 1.286                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 1.263                   | 1.263                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 1.240                   | 1.240                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 1.218                   | 1.218                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 1.195                   | 1.195                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 1.172                   | 1.172                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 1.149                   | 1.149                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 1.127                   | 1.127                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 1.104                   | 1.104                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 1.081                   | 1.081                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 1.058                   | 1.058                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 1.036                   | 1.036                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 1.013                   | 1.013                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.990                   | 0.990                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.967                   | 0.967                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.945                   | 0.945                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.922                   | 0.922                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.899                   | 0.899                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.876                   | 0.876                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.853                   | 0.853                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.831                   | 0.831                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.808                   | 0.808                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.785                   | 0.785                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.762                   | 0.762                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.740                   | 0.740                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.717                   | 0.717                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.694                   | 0.694                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.671                   | 0.671                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.649                   | 0.649                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.626                   | 0.626                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.603                   | 0.603                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.580                   | 0.580                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.558                   | 0.558                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.535                   | 0.535                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.512                   | 0.512                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.489                   | 0.489                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.467                   | 0.467                 |
| -20        | 0 ≧ * < 0          | 1        | 0.450                   | 0.450                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設及び<br>附帯施設に係るもの/被覆期間/小損害不填補の金額が20<br>万円 | 0.720          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 1.085                   | 1.085                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 1.066                   | 1.066                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 1.048                   | 1.048                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 1.030                   | 1.030                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 1.012                   | 1.012                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.993                   | 0.993                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.975                   | 0.975                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.957                   | 0.957                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.939                   | 0.939                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.921                   | 0.921                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.902                   | 0.902                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.884                   | 0.884                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.866                   | 0.866                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.848                   | 0.848                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.829                   | 0.829                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.811                   | 0.811                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.793                   | 0.793                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.775                   | 0.775                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.756                   | 0.756                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.738                   | 0.738                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.720                   | 0.720                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.702                   | 0.702                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.684                   | 0.684                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.665                   | 0.665                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.647                   | 0.647                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.629                   | 0.629                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.611                   | 0.611                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.592                   | 0.592                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.574                   | 0.574                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.556                   | 0.556                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.538                   | 0.538                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.519                   | 0.519                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.501                   | 0.501                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.483                   | 0.483                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.465                   | 0.465                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.447                   | 0.447                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.428                   | 0.428                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.410                   | 0.410                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.392                   | 0.392                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.374                   | 0.374                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.360                   | 0.360                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                       | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設及び<br>附帯施設に係るもの/未被覆期間/小損害不填補の金額が3<br>万円又は共済価額の20分の1 | 0.006          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.009                   | 0.009                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.009                   | 0.009                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.009                   | 0.009                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.009                   | 0.009                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.008                   | 0.008                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.008                   | 0.008                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.008                   | 0.008                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.008                   | 0.008                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.008                   | 0.008                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.008                   | 0.008                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.008                   | 0.008                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.007                   | 0.007                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.007                   | 0.007                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.007                   | 0.007                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.007                   | 0.007                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.007                   | 0.007                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.007                   | 0.007                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.006                   | 0.006                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.006                   | 0.006                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.006                   | 0.006                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.006                   | 0.006                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.006                   | 0.006                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.006                   | 0.006                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.006                   | 0.006                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.005                   | 0.005                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.005                   | 0.005                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.005                   | 0.005                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.005                   | 0.005                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.005                   | 0.005                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.005                   | 0.005                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.004                   | 0.004                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.004                   | 0.004                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.004                   | 0.004                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.004                   | 0.004                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.004                   | 0.004                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.003                   | 0.003                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|--------------------------|--------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設及び<br>附帯施設に係るもの/未被覆期間/小損害不填補の金額が<br>10万円 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.008                   | 0.008                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.007                   | 0.007                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.007                   | 0.007                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.007                   | 0.007                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.007                   | 0.007                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.007                   | 0.007                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.007                   | 0.007                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.007                   | 0.007                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.007                   | 0.007                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.006                   | 0.006                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.006                   | 0.006                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.006                   | 0.006                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.006                   | 0.006                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.006                   | 0.006                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.006                   | 0.006                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.006                   | 0.006                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.006                   | 0.006                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.005                   | 0.005                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.005                   | 0.005                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.005                   | 0.005                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.005                   | 0.005                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.005                   | 0.005                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.005                   | 0.005                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.005                   | 0.005                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.004                   | 0.004                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.004                   | 0.004                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.004                   | 0.004                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.004                   | 0.004                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.004                   | 0.004                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.003                   | 0.003                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.003                   | 0.003                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.003                   | 0.003                 |
|            | 平均値<br>2.00        |          |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|--------------------------|--------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設及び<br>附帯施設に係るもの/未被覆期間/小損害不填補の金額が<br>20万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                  | 共済掛金標準率<br>(%) |
|--------------------------|----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/施設内農作物有一般//小損害不填補の金額が3万円又は共済価額の20分の1 | 3.167          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 4.771                   | 4.771                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 4.690                   | 4.690                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 4.610                   | 4.610                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 4.530                   | 4.530                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 4.450                   | 4.450                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 4.370                   | 4.370                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 4.289                   | 4.289                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 4.209                   | 4.209                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 4.129                   | 4.129                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 4.049                   | 4.049                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 3.969                   | 3.969                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 3.889                   | 3.889                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 3.808                   | 3.808                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 3.728                   | 3.728                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 3.648                   | 3.648                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 3.568                   | 3.568                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 3.488                   | 3.488                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 3.408                   | 3.408                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 3.327                   | 3.327                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 3.247                   | 3.247                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 3.167                   | 3.167                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 3.087                   | 3.087                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 3.007                   | 3.007                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 2.926                   | 2.926                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 2.846                   | 2.846                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 2.766                   | 2.766                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 2.686                   | 2.686                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 2.606                   | 2.606                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 2.526                   | 2.526                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 2.445                   | 2.445                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 2.365                   | 2.365                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 2.285                   | 2.285                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 2.205                   | 2.205                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 2.125                   | 2.125                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 2.045                   | 2.045                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 1.964                   | 1.964                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 1.884                   | 1.884                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 1.804                   | 1.804                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 1.724                   | 1.724                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 1.644                   | 1.644                 |
| -20        | 0 ≧ * < 0          | 1           | 1.584                   | 1.584                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|--------------------------|---------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/施設内農作物有一<br>般//小損害不填補の金額が10万円 | 2.808          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 4.230                   | 4.230                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 4.159                   | 4.159                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 4.088                   | 4.088                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 4.017                   | 4.017                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 3.945                   | 3.945                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 3.874                   | 3.874                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 3.803                   | 3.803                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 3.732                   | 3.732                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 3.661                   | 3.661                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 3.590                   | 3.590                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 3.519                   | 3.519                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 3.448                   | 3.448                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 3.377                   | 3.377                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 3.306                   | 3.306                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 3.235                   | 3.235                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 3.163                   | 3.163                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 3.092                   | 3.092                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 3.021                   | 3.021                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 2.950                   | 2.950                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 2.879                   | 2.879                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 2.808                   | 2.808                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 2.737                   | 2.737                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 2.666                   | 2.666                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 2.595                   | 2.595                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 2.524                   | 2.524                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 2.453                   | 2.453                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 2.381                   | 2.381                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 2.310                   | 2.310                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 2.239                   | 2.239                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 2.168                   | 2.168                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 2.097                   | 2.097                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 2.026                   | 2.026                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 1.955                   | 1.955                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 1.884                   | 1.884                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 1.813                   | 1.813                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 1.742                   | 1.742                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 1.671                   | 1.671                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 1.599                   | 1.599                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 1.528                   | 1.528                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 1.457                   | 1.457                 |
| -20        | 0 ≧ * < 2.5        | 1           | 1.404                   | 1.404                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|--------------------------|---------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/施設内農作物有一<br>般//小損害不填補の金額が20万円 | 2.414          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 3.636                   | 3.636                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 3.575                   | 3.575                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 3.514                   | 3.514                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 3.453                   | 3.453                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 3.392                   | 3.392                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 3.331                   | 3.331                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 3.270                   | 3.270                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 3.208                   | 3.208                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 3.147                   | 3.147                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 3.086                   | 3.086                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 3.025                   | 3.025                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 2.964                   | 2.964                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 2.903                   | 2.903                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 2.842                   | 2.842                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 2.781                   | 2.781                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 2.720                   | 2.720                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 2.658                   | 2.658                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 2.597                   | 2.597                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 2.536                   | 2.536                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 2.475                   | 2.475                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 2.414                   | 2.414                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 2.353                   | 2.353                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 2.292                   | 2.292                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 2.231                   | 2.231                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 2.170                   | 2.170                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 2.108                   | 2.108                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 2.047                   | 2.047                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 1.986                   | 1.986                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 1.925                   | 1.925                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 1.864                   | 1.864                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 1.803                   | 1.803                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 1.742                   | 1.742                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 1.681                   | 1.681                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 1.620                   | 1.620                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 1.558                   | 1.558                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 1.497                   | 1.497                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 1.436                   | 1.436                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 1.375                   | 1.375                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 1.314                   | 1.314                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 1.253                   | 1.253                 |
| -20        | 0 ≧ * < 2.5        | 1           | 1.207                   | 1.207                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|--------------------------|--------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/施設内農作物有事<br>故除外//小損害不填補の金額が3万円又は共済価額の20<br>分の1 | 2.831          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 4.264                   | 4.264                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 4.193                   | 4.193                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 4.121                   | 4.121                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 4.049                   | 4.049                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 3.978                   | 3.978                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 3.906                   | 3.906                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 3.834                   | 3.834                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 3.763                   | 3.763                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 3.691                   | 3.691                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 3.619                   | 3.619                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 3.548                   | 3.548                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 3.476                   | 3.476                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 3.404                   | 3.404                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 3.333                   | 3.333                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 3.261                   | 3.261                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 3.189                   | 3.189                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 3.118                   | 3.118                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 3.046                   | 3.046                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 2.974                   | 2.974                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 2.903                   | 2.903                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 2.831                   | 2.831                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 2.759                   | 2.759                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 2.688                   | 2.688                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 2.616                   | 2.616                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 2.544                   | 2.544                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 2.473                   | 2.473                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 2.401                   | 2.401                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 2.329                   | 2.329                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 2.258                   | 2.258                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 2.186                   | 2.186                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 2.114                   | 2.114                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 2.043                   | 2.043                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 1.971                   | 1.971                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 1.899                   | 1.899                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 1.828                   | 1.828                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 1.756                   | 1.756                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 1.684                   | 1.684                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 1.613                   | 1.613                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 1.541                   | 1.541                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 1.469                   | 1.469                 |
| -20        | 0 ≧ * < 2.5        | 1           | 1.416                   | 1.416                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|--------------------------|-----------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/施設内農作物有事<br>故除外//小損害不填補の金額が10万円 | 2.527          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 3.806                   | 3.806                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 3.743                   | 3.743                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 3.679                   | 3.679                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 3.615                   | 3.615                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 3.551                   | 3.551                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 3.487                   | 3.487                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 3.423                   | 3.423                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 3.359                   | 3.359                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 3.295                   | 3.295                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 3.231                   | 3.231                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 3.167                   | 3.167                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 3.103                   | 3.103                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 3.039                   | 3.039                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 2.975                   | 2.975                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 2.911                   | 2.911                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 2.847                   | 2.847                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 2.783                   | 2.783                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 2.719                   | 2.719                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 2.655                   | 2.655                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 2.591                   | 2.591                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 2.527                   | 2.527                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 2.463                   | 2.463                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 2.399                   | 2.399                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 2.335                   | 2.335                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 2.271                   | 2.271                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 2.207                   | 2.207                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 2.143                   | 2.143                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 2.079                   | 2.079                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 2.015                   | 2.015                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 1.951                   | 1.951                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 1.887                   | 1.887                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 1.823                   | 1.823                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 1.759                   | 1.759                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 1.695                   | 1.695                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 1.631                   | 1.631                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 1.567                   | 1.567                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 1.503                   | 1.503                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 1.439                   | 1.439                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 1.375                   | 1.375                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 1.311                   | 1.311                 |
| -20        | 0 ≧ * < 2.5        | 1        | 1.264                   | 1.264                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|--------------------------|-----------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/施設内農作物有事<br>故除外//小損害不填補の金額が20万円 | 2.156          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 3.248                   | 3.248                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 3.193                   | 3.193                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 3.138                   | 3.138                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 3.084                   | 3.084                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 3.029                   | 3.029                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 2.975                   | 2.975                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 2.920                   | 2.920                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 2.866                   | 2.866                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 2.811                   | 2.811                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 2.756                   | 2.756                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 2.702                   | 2.702                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 2.647                   | 2.647                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 2.593                   | 2.593                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 2.538                   | 2.538                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 2.483                   | 2.483                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 2.429                   | 2.429                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 2.374                   | 2.374                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 2.320                   | 2.320                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 2.265                   | 2.265                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 2.211                   | 2.211                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 2.156                   | 2.156                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 2.101                   | 2.101                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 2.047                   | 2.047                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 1.992                   | 1.992                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 1.938                   | 1.938                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 1.883                   | 1.883                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 1.829                   | 1.829                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 1.774                   | 1.774                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 1.719                   | 1.719                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 1.665                   | 1.665                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 1.610                   | 1.610                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 1.556                   | 1.556                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 1.501                   | 1.501                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 1.446                   | 1.446                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 1.392                   | 1.392                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 1.337                   | 1.337                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 1.283                   | 1.283                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 1.228                   | 1.228                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 1.174                   | 1.174                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 1.119                   | 1.119                 |
| -20        | 0 ≧ * < 0          | 1        | 1.078                   | 1.078                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                     | 共済掛金標準率<br>(%) |
|--------------------------|-----------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設撤去<br>費用額に係るもの/被覆期間/小損害不填補の金額が3万円<br>又は共済価額の20分の1 | 0.119          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.179                   | 0.179                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.176                   | 0.176                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 0.173                   | 0.173                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 0.170                   | 0.170                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 0.167                   | 0.167                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 0.164                   | 0.164                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 0.161                   | 0.161                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 0.158                   | 0.158                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 0.155                   | 0.155                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 0.152                   | 0.152                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 0.149                   | 0.149                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 0.146                   | 0.146                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 0.143                   | 0.143                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 0.140                   | 0.140                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 0.137                   | 0.137                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 0.134                   | 0.134                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.131                   | 0.131                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.128                   | 0.128                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.125                   | 0.125                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.122                   | 0.122                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.119                   | 0.119                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.116                   | 0.116                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.113                   | 0.113                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.110                   | 0.110                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.107                   | 0.107                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.104                   | 0.104                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.101                   | 0.101                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.098                   | 0.098                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.095                   | 0.095                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.092                   | 0.092                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.089                   | 0.089                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.086                   | 0.086                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.083                   | 0.083                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.080                   | 0.080                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.077                   | 0.077                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.074                   | 0.074                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.071                   | 0.071                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.068                   | 0.068                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.065                   | 0.065                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.062                   | 0.062                 |
| -20        | 0 ≧ * < 0          | 1           | 0.060                   | 0.060                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設撤去<br>費用額に係るもの/被覆期間/小損害不填補の金額が10万<br>円 | 0.090          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ * < 197.5  | 3.013       | 0.136                   | 0.136                 |
| 19         | 192.5 ≦ * < 192.5  | 2.962       | 0.133                   | 0.133                 |
| 18         | 187.5 ≦ * < 187.5  | 2.911       | 0.131                   | 0.131                 |
| 17         | 182.5 ≦ * < 182.5  | 2.861       | 0.129                   | 0.129                 |
| 16         | 177.5 ≦ * < 177.5  | 2.81        | 0.126                   | 0.126                 |
| 15         | 172.5 ≦ * < 172.5  | 2.76        | 0.124                   | 0.124                 |
| 14         | 167.5 ≦ * < 167.5  | 2.709       | 0.122                   | 0.122                 |
| 13         | 162.5 ≦ * < 162.5  | 2.658       | 0.120                   | 0.120                 |
| 12         | 157.5 ≦ * < 157.5  | 2.608       | 0.117                   | 0.117                 |
| 11         | 152.5 ≦ * < 152.5  | 2.557       | 0.115                   | 0.115                 |
| 10         | 147.5 ≦ * < 147.5  | 2.506       | 0.113                   | 0.113                 |
| 9          | 142.5 ≦ * < 142.5  | 2.456       | 0.111                   | 0.111                 |
| 8          | 137.5 ≦ * < 137.5  | 2.405       | 0.108                   | 0.108                 |
| 7          | 132.5 ≦ * < 132.5  | 2.354       | 0.106                   | 0.106                 |
| 6          | 127.5 ≦ * < 127.5  | 2.304       | 0.104                   | 0.104                 |
| 5          | 122.5 ≦ * < 122.5  | 2.253       | 0.101                   | 0.101                 |
| 4          | 117.5 ≦ * < 117.5  | 2.203       | 0.099                   | 0.099                 |
| 3          | 112.5 ≦ * < 112.5  | 2.152       | 0.097                   | 0.097                 |
| 2          | 107.5 ≦ * < 107.5  | 2.101       | 0.095                   | 0.095                 |
| 1          | 102.5 ≦ * < 102.5  | 2.051       | 0.092                   | 0.092                 |
| 0          | 97.5 ≦ * < 97.5    | 2           | 0.090                   | 0.090                 |
| -1         | 92.5 ≦ * < 92.5    | 1.949       | 0.088                   | 0.088                 |
| -2         | 87.5 ≦ * < 87.5    | 1.899       | 0.085                   | 0.085                 |
| -3         | 82.5 ≦ * < 82.5    | 1.848       | 0.083                   | 0.083                 |
| -4         | 77.5 ≦ * < 77.5    | 1.797       | 0.081                   | 0.081                 |
| -5         | 72.5 ≦ * < 72.5    | 1.747       | 0.079                   | 0.079                 |
| -6         | 67.5 ≦ * < 67.5    | 1.696       | 0.076                   | 0.076                 |
| -7         | 62.5 ≦ * < 62.5    | 1.646       | 0.074                   | 0.074                 |
| -8         | 57.5 ≦ * < 57.5    | 1.595       | 0.072                   | 0.072                 |
| -9         | 52.5 ≦ * < 52.5    | 1.544       | 0.069                   | 0.069                 |
| -10        | 47.5 ≦ * < 47.5    | 1.494       | 0.067                   | 0.067                 |
| -11        | 42.5 ≦ * < 42.5    | 1.443       | 0.065                   | 0.065                 |
| -12        | 37.5 ≦ * < 37.5    | 1.392       | 0.063                   | 0.063                 |
| -13        | 32.5 ≦ * < 32.5    | 1.342       | 0.060                   | 0.060                 |
| -14        | 27.5 ≦ * < 27.5    | 1.291       | 0.058                   | 0.058                 |
| -15        | 22.5 ≦ * < 22.5    | 1.241       | 0.056                   | 0.056                 |
| -16        | 17.5 ≦ * < 17.5    | 1.19        | 0.054                   | 0.054                 |
| -17        | 12.5 ≦ * < 12.5    | 1.139       | 0.051                   | 0.051                 |
| -18        | 7.5 ≦ * < 7.5      | 1.089       | 0.049                   | 0.049                 |
| -19        | 2.5 ≦ * < 2.5      | 1.038       | 0.047                   | 0.047                 |
| -20        | 0 ≦ * < 0          | 1           | 0.045                   | 0.045                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設撤去<br>費用額に係るもの/被覆期間/小損害不填補の金額が20万<br>円 | 0.072          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.108                   | 0.108                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.107                   | 0.107                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.105                   | 0.105                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.103                   | 0.103                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.101                   | 0.101                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.099                   | 0.099                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.098                   | 0.098                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.096                   | 0.096                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.094                   | 0.094                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.092                   | 0.092                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.090                   | 0.090                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.088                   | 0.088                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.087                   | 0.087                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.085                   | 0.085                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.083                   | 0.083                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.081                   | 0.081                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.079                   | 0.079                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.077                   | 0.077                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.076                   | 0.076                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.074                   | 0.074                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.072                   | 0.072                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.070                   | 0.070                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.068                   | 0.068                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.067                   | 0.067                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.065                   | 0.065                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.063                   | 0.063                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.061                   | 0.061                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.059                   | 0.059                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.057                   | 0.057                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.056                   | 0.056                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.054                   | 0.054                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.052                   | 0.052                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.050                   | 0.050                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.048                   | 0.048                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.046                   | 0.046                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.045                   | 0.045                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.043                   | 0.043                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.041                   | 0.041                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.039                   | 0.039                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.037                   | 0.037                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.036                   | 0.036                 |

平均値  
2.00

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                      | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設撤去<br>費用額に係るもの/未被覆期間/小損害不填補の金額が3万<br>円又は共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設撤去<br>費用額に係るもの/未被覆期間/小損害不填補の金額が10<br>万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 0          | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |



【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設撤去<br>費用額に係るもの/未被覆期間/小損害不填補の金額が20<br>万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 0          | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                     | 共済掛金標準率<br>(%) |
|--------------------------|-----------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設復旧<br>費用額に係るもの/被覆期間/小損害不填補の金額が3万円<br>又は共済価額の20分の1 | 0.429          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 0.646                   | 0.646                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 0.635                   | 0.635                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 0.624                   | 0.624                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 0.614                   | 0.614                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 0.603                   | 0.603                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 0.592                   | 0.592                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 0.581                   | 0.581                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 0.570                   | 0.570                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 0.559                   | 0.559                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 0.548                   | 0.548                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 0.538                   | 0.538                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 0.527                   | 0.527                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 0.516                   | 0.516                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 0.505                   | 0.505                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 0.494                   | 0.494                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 0.483                   | 0.483                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.472                   | 0.472                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.462                   | 0.462                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.451                   | 0.451                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.440                   | 0.440                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.429                   | 0.429                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.418                   | 0.418                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.407                   | 0.407                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.396                   | 0.396                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.386                   | 0.386                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.375                   | 0.375                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.364                   | 0.364                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.353                   | 0.353                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.342                   | 0.342                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.331                   | 0.331                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.320                   | 0.320                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.310                   | 0.310                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.299                   | 0.299                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.288                   | 0.288                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.277                   | 0.277                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.266                   | 0.266                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.255                   | 0.255                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.244                   | 0.244                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.234                   | 0.234                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.223                   | 0.223                 |
| -20        | 0 ≧ * < 0          | 1        | 0.215                   | 0.215                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設復旧<br>費用額に係るもの/被覆期間/小損害不填補の金額が10万<br>円 | 0.326          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.491                   | 0.491                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.483                   | 0.483                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.475                   | 0.475                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.466                   | 0.466                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.458                   | 0.458                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.450                   | 0.450                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.442                   | 0.442                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.433                   | 0.433                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.425                   | 0.425                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.417                   | 0.417                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.409                   | 0.409                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.400                   | 0.400                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.392                   | 0.392                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.384                   | 0.384                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.376                   | 0.376                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.367                   | 0.367                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.359                   | 0.359                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.351                   | 0.351                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.343                   | 0.343                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.334                   | 0.334                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.326                   | 0.326                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.318                   | 0.318                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.309                   | 0.309                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.301                   | 0.301                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.293                   | 0.293                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.285                   | 0.285                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.276                   | 0.276                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.268                   | 0.268                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.260                   | 0.260                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.252                   | 0.252                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.243                   | 0.243                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.235                   | 0.235                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.227                   | 0.227                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.219                   | 0.219                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.210                   | 0.210                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.202                   | 0.202                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.194                   | 0.194                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.186                   | 0.186                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.177                   | 0.177                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.169                   | 0.169                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.163                   | 0.163                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設復旧<br>費用額に係るもの/被覆期間/小損害不填補の金額が20万<br>円 | 0.261          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.393                   | 0.393                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.387                   | 0.387                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.380                   | 0.380                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.373                   | 0.373                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.367                   | 0.367                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.360                   | 0.360                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.354                   | 0.354                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.347                   | 0.347                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.340                   | 0.340                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.334                   | 0.334                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.327                   | 0.327                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.320                   | 0.320                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.314                   | 0.314                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.307                   | 0.307                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.301                   | 0.301                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.294                   | 0.294                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.287                   | 0.287                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.281                   | 0.281                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.274                   | 0.274                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.268                   | 0.268                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.261                   | 0.261                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.254                   | 0.254                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.248                   | 0.248                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.241                   | 0.241                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.235                   | 0.235                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.228                   | 0.228                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.221                   | 0.221                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.215                   | 0.215                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.208                   | 0.208                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.202                   | 0.202                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.195                   | 0.195                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.188                   | 0.188                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.182                   | 0.182                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.175                   | 0.175                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.168                   | 0.168                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.162                   | 0.162                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.155                   | 0.155                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.149                   | 0.149                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.142                   | 0.142                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.135                   | 0.135                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.131                   | 0.131                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                      | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設復旧<br>費用額に係るもの/未被覆期間/小損害不填補の金額が3万<br>円又は共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 0          | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設復旧<br>費用額に係るもの/未被覆期間/小損害不填補の金額が10<br>万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 0          | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>甲(61) | プラスチックハウスⅣ類甲(鉄骨中・軟)/特定園芸施設復旧<br>費用額に係るもの/未被覆期間/小損害不填補の金額が20<br>万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.005                   | 0.005                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.004                   | 0.004                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.004                   | 0.004                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.004                   | 0.004                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.004                   | 0.004                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.004                   | 0.004                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.004                   | 0.004                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.004                   | 0.004                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.004                   | 0.004                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.004                   | 0.004                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.004                   | 0.004                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.004                   | 0.004                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.004                   | 0.004                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.004                   | 0.004                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.003                   | 0.003                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.003                   | 0.003                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.003                   | 0.003                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.003                   | 0.003                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.003                   | 0.003                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.003                   | 0.003                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.003                   | 0.003                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.003                   | 0.003                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.003                   | 0.003                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.003                   | 0.003                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.003                   | 0.003                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.002                   | 0.002                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.002                   | 0.002                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.002                   | 0.002                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.002                   | 0.002                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.002                   | 0.002                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.002                   | 0.002                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.002                   | 0.002                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.002                   | 0.002                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.002                   | 0.002                 |

平均値  
2.00

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                      | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設及び<br>附帯施設に係るもの/被覆期間/小損害不填補の金額が3万<br>円又は共済価額の20分の1 | 0.278          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.419                   | 0.419                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.412                   | 0.412                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.405                   | 0.405                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.398                   | 0.398                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.391                   | 0.391                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.384                   | 0.384                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.377                   | 0.377                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.369                   | 0.369                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.362                   | 0.362                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.355                   | 0.355                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.348                   | 0.348                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.341                   | 0.341                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.334                   | 0.334                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.327                   | 0.327                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.320                   | 0.320                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.313                   | 0.313                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.306                   | 0.306                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.299                   | 0.299                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.292                   | 0.292                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.285                   | 0.285                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.278                   | 0.278                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.271                   | 0.271                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.264                   | 0.264                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.257                   | 0.257                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.250                   | 0.250                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.243                   | 0.243                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.236                   | 0.236                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.229                   | 0.229                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.222                   | 0.222                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.215                   | 0.215                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.208                   | 0.208                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.201                   | 0.201                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.194                   | 0.194                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.187                   | 0.187                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.179                   | 0.179                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.172                   | 0.172                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.165                   | 0.165                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.158                   | 0.158                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.151                   | 0.151                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.144                   | 0.144                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.139                   | 0.139                 |
|            |                    | 平均値<br>2.00 |                         |                       |



【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設及び<br>附帯施設に係るもの/被覆期間/小損害不填補の金額が10<br>万円 | 0.250          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.377                   | 0.377                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.370                   | 0.370                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.364                   | 0.364                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.358                   | 0.358                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.351                   | 0.351                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.345                   | 0.345                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.339                   | 0.339                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.332                   | 0.332                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.326                   | 0.326                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.320                   | 0.320                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.313                   | 0.313                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.307                   | 0.307                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.301                   | 0.301                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.294                   | 0.294                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.288                   | 0.288                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.282                   | 0.282                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.275                   | 0.275                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.269                   | 0.269                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.263                   | 0.263                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.256                   | 0.256                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.250                   | 0.250                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.244                   | 0.244                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.237                   | 0.237                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.231                   | 0.231                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.225                   | 0.225                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.218                   | 0.218                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.212                   | 0.212                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.206                   | 0.206                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.199                   | 0.199                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.193                   | 0.193                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.187                   | 0.187                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.180                   | 0.180                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.174                   | 0.174                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.168                   | 0.168                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.161                   | 0.161                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.155                   | 0.155                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.149                   | 0.149                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.142                   | 0.142                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.136                   | 0.136                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.130                   | 0.130                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.125                   | 0.125                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設及び<br>附帯施設に係るもの/被覆期間/小損害不填補の金額が20<br>万円 | 0.211          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 0.318                   | 0.318                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 0.312                   | 0.312                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 0.307                   | 0.307                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 0.302                   | 0.302                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 0.296                   | 0.296                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 0.291                   | 0.291                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 0.286                   | 0.286                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 0.280                   | 0.280                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 0.275                   | 0.275                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 0.270                   | 0.270                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 0.264                   | 0.264                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 0.259                   | 0.259                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 0.254                   | 0.254                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 0.248                   | 0.248                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 0.243                   | 0.243                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 0.238                   | 0.238                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.232                   | 0.232                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.227                   | 0.227                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.222                   | 0.222                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.216                   | 0.216                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.211                   | 0.211                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.206                   | 0.206                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.200                   | 0.200                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.195                   | 0.195                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.190                   | 0.190                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.184                   | 0.184                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.179                   | 0.179                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.174                   | 0.174                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.168                   | 0.168                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.163                   | 0.163                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.158                   | 0.158                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.152                   | 0.152                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.147                   | 0.147                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.142                   | 0.142                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.136                   | 0.136                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.131                   | 0.131                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.126                   | 0.126                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.120                   | 0.120                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.115                   | 0.115                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.110                   | 0.110                 |
| -20        | 0 ≧ * < 0          | 1        | 0.106                   | 0.106                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                       | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設及び<br>附帯施設に係るもの/未被覆期間/小損害不填補の金額が3<br>万円又は共済価額の20分の1 | 0.006          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.009                   | 0.009                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.009                   | 0.009                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.009                   | 0.009                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.009                   | 0.009                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.008                   | 0.008                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.008                   | 0.008                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.008                   | 0.008                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.008                   | 0.008                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.008                   | 0.008                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.008                   | 0.008                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.008                   | 0.008                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.007                   | 0.007                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.007                   | 0.007                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.007                   | 0.007                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.007                   | 0.007                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.007                   | 0.007                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.007                   | 0.007                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.006                   | 0.006                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.006                   | 0.006                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.006                   | 0.006                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.006                   | 0.006                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.006                   | 0.006                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.006                   | 0.006                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.006                   | 0.006                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.005                   | 0.005                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.005                   | 0.005                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.005                   | 0.005                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.005                   | 0.005                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.005                   | 0.005                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.005                   | 0.005                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.004                   | 0.004                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.004                   | 0.004                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.004                   | 0.004                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.004                   | 0.004                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.004                   | 0.004                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.003                   | 0.003                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|--------------------------|--------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設及び<br>附帯施設に係るもの/未被覆期間/小損害不填補の金額が<br>10万円 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|--------------------------|--------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設及び<br>附帯施設に係るもの/未被覆期間/小損害不填補の金額が<br>20万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                  | 共済掛金標準率<br>(%) |
|--------------------------|----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/施設内農作物有一般//小損害不填補の金額が3万円又は共済価額の20分の1 | 2.879          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 4.337                   | 4.337                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 4.264                   | 4.264                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 4.191                   | 4.191                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 4.118                   | 4.118                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 4.045                   | 4.045                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 3.972                   | 3.972                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 3.899                   | 3.899                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 3.827                   | 3.827                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 3.754                   | 3.754                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 3.681                   | 3.681                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 3.608                   | 3.608                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 3.535                   | 3.535                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 3.462                   | 3.462                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 3.389                   | 3.389                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 3.316                   | 3.316                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 3.243                   | 3.243                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 3.171                   | 3.171                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 3.098                   | 3.098                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 3.025                   | 3.025                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 2.952                   | 2.952                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 2.879                   | 2.879                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 2.806                   | 2.806                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 2.733                   | 2.733                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 2.660                   | 2.660                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 2.587                   | 2.587                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 2.515                   | 2.515                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 2.442                   | 2.442                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 2.369                   | 2.369                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 2.296                   | 2.296                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 2.223                   | 2.223                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 2.150                   | 2.150                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 2.077                   | 2.077                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 2.004                   | 2.004                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 1.931                   | 1.931                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 1.859                   | 1.859                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 1.786                   | 1.786                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 1.713                   | 1.713                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 1.640                   | 1.640                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 1.567                   | 1.567                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 1.494                   | 1.494                 |
| -20        | 0 ≧ * < 2.5        | 1           | 1.440                   | 1.440                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|--------------------------|---------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/施設内農作物有一<br>般//小損害不填補の金額が10万円 | 2.878          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 4.335                   | 4.335                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 4.262                   | 4.262                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 4.189                   | 4.189                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 4.117                   | 4.117                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 4.044                   | 4.044                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 3.971                   | 3.971                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 3.898                   | 3.898                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 3.825                   | 3.825                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 3.752                   | 3.752                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 3.679                   | 3.679                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 3.607                   | 3.607                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 3.534                   | 3.534                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 3.461                   | 3.461                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 3.388                   | 3.388                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 3.315                   | 3.315                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 3.242                   | 3.242                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 3.169                   | 3.169                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 3.097                   | 3.097                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 3.024                   | 3.024                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 2.951                   | 2.951                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 2.878                   | 2.878                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 2.805                   | 2.805                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 2.732                   | 2.732                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 2.659                   | 2.659                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 2.587                   | 2.587                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 2.514                   | 2.514                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 2.441                   | 2.441                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 2.368                   | 2.368                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 2.295                   | 2.295                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 2.222                   | 2.222                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 2.149                   | 2.149                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 2.077                   | 2.077                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 2.004                   | 2.004                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 1.931                   | 1.931                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 1.858                   | 1.858                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 1.785                   | 1.785                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 1.712                   | 1.712                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 1.639                   | 1.639                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 1.567                   | 1.567                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 1.494                   | 1.494                 |
| -20        | 0 ≧ * < 0          | 1        | 1.439                   | 1.439                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|--------------------------|---------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/施設内農作物有一<br>般//小損害不填補の金額が20万円 | 2.877          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 4.334                   | 4.334                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 4.261                   | 4.261                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 4.188                   | 4.188                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 4.115                   | 4.115                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 4.042                   | 4.042                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 3.970                   | 3.970                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 3.897                   | 3.897                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 3.824                   | 3.824                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 3.751                   | 3.751                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 3.678                   | 3.678                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 3.605                   | 3.605                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 3.533                   | 3.533                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 3.460                   | 3.460                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 3.387                   | 3.387                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 3.314                   | 3.314                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 3.241                   | 3.241                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 3.168                   | 3.168                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 3.096                   | 3.096                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 3.023                   | 3.023                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 2.950                   | 2.950                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 2.877                   | 2.877                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 2.804                   | 2.804                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 2.731                   | 2.731                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 2.658                   | 2.658                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 2.586                   | 2.586                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 2.513                   | 2.513                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 2.440                   | 2.440                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 2.367                   | 2.367                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 2.294                   | 2.294                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 2.221                   | 2.221                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 2.149                   | 2.149                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 2.076                   | 2.076                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 2.003                   | 2.003                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 1.930                   | 1.930                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 1.857                   | 1.857                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 1.784                   | 1.784                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 1.712                   | 1.712                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 1.639                   | 1.639                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 1.566                   | 1.566                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 1.493                   | 1.493                 |
| -20        | 0 ≧ * < 0          | 1           | 1.439                   | 1.439                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|--------------------------|--------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/施設内農作物有事<br>故除外//小損害不填補の金額が3万円又は共済価額の20<br>分の1 | 0.924          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 1.392                   | 1.392                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 1.368                   | 1.368                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 1.345                   | 1.345                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 1.322                   | 1.322                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 1.298                   | 1.298                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 1.275                   | 1.275                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 1.251                   | 1.251                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 1.228                   | 1.228                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 1.205                   | 1.205                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 1.181                   | 1.181                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 1.158                   | 1.158                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 1.135                   | 1.135                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 1.111                   | 1.111                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 1.088                   | 1.088                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 1.064                   | 1.064                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 1.041                   | 1.041                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 1.018                   | 1.018                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.994                   | 0.994                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.971                   | 0.971                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.947                   | 0.947                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.924                   | 0.924                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.901                   | 0.901                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.877                   | 0.877                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.854                   | 0.854                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.830                   | 0.830                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.807                   | 0.807                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.784                   | 0.784                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.760                   | 0.760                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.737                   | 0.737                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.713                   | 0.713                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.690                   | 0.690                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.667                   | 0.667                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.643                   | 0.643                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.620                   | 0.620                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.597                   | 0.597                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.573                   | 0.573                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.550                   | 0.550                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.526                   | 0.526                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.503                   | 0.503                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.480                   | 0.480                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.462                   | 0.462                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|--------------------------|-----------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/施設内農作物有事<br>故除外//小損害不填補の金額が10万円 | 0.923          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.390                   | 1.390                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.367                   | 1.367                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.344                   | 1.344                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.320                   | 1.320                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.297                   | 1.297                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.274                   | 1.274                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.250                   | 1.250                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.227                   | 1.227                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.203                   | 1.203                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.180                   | 1.180                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.157                   | 1.157                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.133                   | 1.133                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.110                   | 1.110                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.087                   | 1.087                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.063                   | 1.063                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.040                   | 1.040                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.016                   | 1.016                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.993                   | 0.993                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.970                   | 0.970                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.946                   | 0.946                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.923                   | 0.923                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.900                   | 0.900                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.876                   | 0.876                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.853                   | 0.853                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.830                   | 0.830                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.806                   | 0.806                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.783                   | 0.783                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.759                   | 0.759                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.736                   | 0.736                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.713                   | 0.713                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.689                   | 0.689                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.666                   | 0.666                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.643                   | 0.643                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.619                   | 0.619                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.596                   | 0.596                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.572                   | 0.572                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.549                   | 0.549                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.526                   | 0.526                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.502                   | 0.502                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.479                   | 0.479                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.462                   | 0.462                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                             | 共済掛金標準率<br>(%) |
|--------------------------|-----------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/施設内農作物有事<br>故除外//小損害不填補の金額が20万円 | 0.922          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.389                   | 1.389                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.365                   | 1.365                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.342                   | 1.342                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.319                   | 1.319                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.295                   | 1.295                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.272                   | 1.272                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.249                   | 1.249                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.225                   | 1.225                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.202                   | 1.202                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.179                   | 1.179                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.155                   | 1.155                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.132                   | 1.132                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.109                   | 1.109                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.085                   | 1.085                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.062                   | 1.062                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.039                   | 1.039                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.015                   | 1.015                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.992                   | 0.992                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.969                   | 0.969                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.945                   | 0.945                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.922                   | 0.922                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.899                   | 0.899                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.875                   | 0.875                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.852                   | 0.852                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.829                   | 0.829                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.805                   | 0.805                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.782                   | 0.782                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.759                   | 0.759                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.735                   | 0.735                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.712                   | 0.712                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.689                   | 0.689                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.665                   | 0.665                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.642                   | 0.642                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.619                   | 0.619                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.595                   | 0.595                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.572                   | 0.572                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.549                   | 0.549                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.525                   | 0.525                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.502                   | 0.502                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.479                   | 0.479                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.461                   | 0.461                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                     | 共済掛金標準率<br>(%) |
|--------------------------|-----------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設撤去<br>費用額に係るもの/被覆期間/小損害不填補の金額が3万円<br>又は共済価額の20分の1 | 0.075          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.113                   | 0.113                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.111                   | 0.111                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.109                   | 0.109                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.107                   | 0.107                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.105                   | 0.105                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.103                   | 0.103                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.102                   | 0.102                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.100                   | 0.100                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.098                   | 0.098                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.096                   | 0.096                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.094                   | 0.094                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.092                   | 0.092                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.090                   | 0.090                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.088                   | 0.088                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.086                   | 0.086                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.084                   | 0.084                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.083                   | 0.083                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.081                   | 0.081                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.079                   | 0.079                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.077                   | 0.077                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.075                   | 0.075                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.073                   | 0.073                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.071                   | 0.071                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.069                   | 0.069                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.067                   | 0.067                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.066                   | 0.066                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.064                   | 0.064                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.062                   | 0.062                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.060                   | 0.060                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.058                   | 0.058                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.056                   | 0.056                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.054                   | 0.054                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.052                   | 0.052                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.050                   | 0.050                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.048                   | 0.048                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.047                   | 0.047                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.045                   | 0.045                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.043                   | 0.043                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.041                   | 0.041                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.039                   | 0.039                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.038                   | 0.038                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設撤去<br>費用額に係るもの/被覆期間/小損害不填補の金額が10万<br>円 | 0.067          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.101                   | 0.101                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.099                   | 0.099                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.098                   | 0.098                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.096                   | 0.096                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.094                   | 0.094                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.092                   | 0.092                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.091                   | 0.091                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.089                   | 0.089                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.087                   | 0.087                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.086                   | 0.086                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.084                   | 0.084                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.082                   | 0.082                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.081                   | 0.081                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.079                   | 0.079                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.077                   | 0.077                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.075                   | 0.075                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.074                   | 0.074                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.072                   | 0.072                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.070                   | 0.070                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.069                   | 0.069                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.067                   | 0.067                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.065                   | 0.065                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.064                   | 0.064                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.062                   | 0.062                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.060                   | 0.060                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.059                   | 0.059                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.057                   | 0.057                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.055                   | 0.055                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.053                   | 0.053                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.052                   | 0.052                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.050                   | 0.050                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.048                   | 0.048                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.047                   | 0.047                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.045                   | 0.045                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.043                   | 0.043                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.042                   | 0.042                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.040                   | 0.040                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.038                   | 0.038                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.036                   | 0.036                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.035                   | 0.035                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.034                   | 0.034                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設撤去<br>費用額に係るもの/被覆期間/小損害不填補の金額が20万<br>円 | 0.057          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.086                   | 0.086                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.084                   | 0.084                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.083                   | 0.083                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.082                   | 0.082                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.080                   | 0.080                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.079                   | 0.079                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.077                   | 0.077                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.076                   | 0.076                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.074                   | 0.074                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.073                   | 0.073                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.071                   | 0.071                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.070                   | 0.070                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.069                   | 0.069                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.067                   | 0.067                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.066                   | 0.066                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.064                   | 0.064                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.063                   | 0.063                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.061                   | 0.061                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.060                   | 0.060                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.058                   | 0.058                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.057                   | 0.057                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.056                   | 0.056                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.054                   | 0.054                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.053                   | 0.053                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.051                   | 0.051                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.050                   | 0.050                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.048                   | 0.048                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.047                   | 0.047                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.045                   | 0.045                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.044                   | 0.044                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.043                   | 0.043                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.041                   | 0.041                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.040                   | 0.040                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.038                   | 0.038                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.037                   | 0.037                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.035                   | 0.035                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.034                   | 0.034                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.032                   | 0.032                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.031                   | 0.031                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.030                   | 0.030                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.029                   | 0.029                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                      | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設撤去<br>費用額に係るもの/未被覆期間/小損害不填補の金額が3万<br>円又は共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設撤去<br>費用額に係るもの/未被覆期間/小損害不填補の金額が10<br>万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設撤去<br>費用額に係るもの/未被覆期間/小損害不填補の金額が20<br>万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ * < 197.5  | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≦ * < 192.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≦ * < 187.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≦ * < 182.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≦ * < 177.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≦ * < 172.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≦ * < 167.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≦ * < 162.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≦ * < 157.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≦ * < 152.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≦ * < 147.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≦ * < 142.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≦ * < 137.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≦ * < 132.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≦ * < 127.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≦ * < 122.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≦ * < 117.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≦ * < 112.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≦ * < 107.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≦ * < 102.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≦ * < 97.5    | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≦ * < 92.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≦ * < 87.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≦ * < 82.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≦ * < 77.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≦ * < 72.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≦ * < 67.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≦ * < 62.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≦ * < 57.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≦ * < 52.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≦ * < 47.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≦ * < 42.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≦ * < 37.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≦ * < 32.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≦ * < 27.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≦ * < 22.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≦ * < 17.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≦ * < 12.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≦ * < 7.5      | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≦ * < 2.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≦ * < 0          | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                     | 共済掛金標準率<br>(%) |
|--------------------------|-----------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設復旧<br>費用額に係るもの/被覆期間/小損害不填補の金額が3万円<br>又は共済価額の20分の1 | 0.209          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.315                   | 0.315                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.310                   | 0.310                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.304                   | 0.304                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.299                   | 0.299                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.294                   | 0.294                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.288                   | 0.288                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.283                   | 0.283                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.278                   | 0.278                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.272                   | 0.272                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.267                   | 0.267                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.262                   | 0.262                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.257                   | 0.257                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.251                   | 0.251                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.246                   | 0.246                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.241                   | 0.241                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.235                   | 0.235                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.230                   | 0.230                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.225                   | 0.225                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.220                   | 0.220                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.214                   | 0.214                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.209                   | 0.209                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.204                   | 0.204                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.198                   | 0.198                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.193                   | 0.193                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.188                   | 0.188                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.183                   | 0.183                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.177                   | 0.177                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.172                   | 0.172                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.167                   | 0.167                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.161                   | 0.161                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.156                   | 0.156                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.151                   | 0.151                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.146                   | 0.146                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.140                   | 0.140                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.135                   | 0.135                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.130                   | 0.130                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.124                   | 0.124                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.119                   | 0.119                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.114                   | 0.114                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.108                   | 0.108                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.105                   | 0.105                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設復旧<br>費用額に係るもの/被覆期間/小損害不填補の金額が10万<br>円 | 0.188          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.283                   | 0.283                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.278                   | 0.278                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.274                   | 0.274                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.269                   | 0.269                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.264                   | 0.264                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.259                   | 0.259                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.255                   | 0.255                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.250                   | 0.250                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.245                   | 0.245                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.240                   | 0.240                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.236                   | 0.236                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.231                   | 0.231                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.226                   | 0.226                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.221                   | 0.221                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.217                   | 0.217                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.212                   | 0.212                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.207                   | 0.207                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.202                   | 0.202                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.198                   | 0.198                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.193                   | 0.193                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.188                   | 0.188                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.183                   | 0.183                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.178                   | 0.178                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.174                   | 0.174                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.169                   | 0.169                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.164                   | 0.164                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.159                   | 0.159                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.155                   | 0.155                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.150                   | 0.150                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.145                   | 0.145                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.140                   | 0.140                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.136                   | 0.136                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.131                   | 0.131                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.126                   | 0.126                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.121                   | 0.121                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.117                   | 0.117                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.112                   | 0.112                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.107                   | 0.107                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.102                   | 0.102                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.098                   | 0.098                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.094                   | 0.094                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設復旧<br>費用額に係るもの/被覆期間/小損害不填補の金額が20万<br>円 | 0.158          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.238                   | 0.238                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.234                   | 0.234                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.230                   | 0.230                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.226                   | 0.226                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.222                   | 0.222                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.218                   | 0.218                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.214                   | 0.214                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.210                   | 0.210                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.206                   | 0.206                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.202                   | 0.202                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.198                   | 0.198                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.194                   | 0.194                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.190                   | 0.190                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.186                   | 0.186                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.182                   | 0.182                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.178                   | 0.178                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.174                   | 0.174                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.170                   | 0.170                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.166                   | 0.166                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.162                   | 0.162                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.158                   | 0.158                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.154                   | 0.154                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.150                   | 0.150                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.146                   | 0.146                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.142                   | 0.142                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.138                   | 0.138                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.134                   | 0.134                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.130                   | 0.130                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.126                   | 0.126                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.122                   | 0.122                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.118                   | 0.118                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.114                   | 0.114                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.110                   | 0.110                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.106                   | 0.106                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.102                   | 0.102                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.098                   | 0.098                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.094                   | 0.094                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.090                   | 0.090                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.086                   | 0.086                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.082                   | 0.082                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.079                   | 0.079                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                                      | 共済掛金標準率<br>(%) |
|--------------------------|------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設復旧<br>費用額に係るもの/未被覆期間/小損害不填補の金額が3万<br>円又は共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設復旧<br>費用額に係るもの/未被覆期間/小損害不填補の金額が10<br>万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類              | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|--------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅣ類<br>乙(62) | プラスチックハウスⅣ類乙(鉄骨中・硬)/特定園芸施設復旧<br>費用額に係るもの/未被覆期間/小損害不填補の金額が20<br>万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                   | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅴ類<br>(70) | プラスチックハウスⅴ類(鉄骨上)/特定園芸施設及び附帯<br>施設に係るもの/被覆期間/小損害不填補の金額が3万円又<br>は共済価額の20分の1 | 0.222          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.334                   | 0.334                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.329                   | 0.329                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 0.323                   | 0.323                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 0.318                   | 0.318                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 0.312                   | 0.312                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 0.306                   | 0.306                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 0.301                   | 0.301                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 0.295                   | 0.295                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 0.289                   | 0.289                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 0.284                   | 0.284                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 0.278                   | 0.278                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 0.273                   | 0.273                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 0.267                   | 0.267                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 0.261                   | 0.261                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 0.256                   | 0.256                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 0.250                   | 0.250                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.244                   | 0.244                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.239                   | 0.239                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.233                   | 0.233                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.228                   | 0.228                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.222                   | 0.222                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.216                   | 0.216                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.211                   | 0.211                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.205                   | 0.205                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.200                   | 0.200                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.194                   | 0.194                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.188                   | 0.188                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.183                   | 0.183                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.177                   | 0.177                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.171                   | 0.171                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.166                   | 0.166                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.160                   | 0.160                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.155                   | 0.155                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.149                   | 0.149                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.143                   | 0.143                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.138                   | 0.138                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.132                   | 0.132                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.126                   | 0.126                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.121                   | 0.121                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.115                   | 0.115                 |
| -20        | 0 ≧ * < 0          | 1           | 0.111                   | 0.111                 |
|            |                    | 平均値<br>2.00 |                         |                       |



【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設及び附帯<br>施設に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.167          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.252                   | 0.252                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.247                   | 0.247                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.243                   | 0.243                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.239                   | 0.239                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.235                   | 0.235                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.230                   | 0.230                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.226                   | 0.226                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.222                   | 0.222                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.218                   | 0.218                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.214                   | 0.214                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.209                   | 0.209                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.205                   | 0.205                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.201                   | 0.201                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.197                   | 0.197                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.192                   | 0.192                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.188                   | 0.188                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.184                   | 0.184                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.180                   | 0.180                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.175                   | 0.175                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.171                   | 0.171                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.167                   | 0.167                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.163                   | 0.163                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.159                   | 0.159                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.154                   | 0.154                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.150                   | 0.150                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.146                   | 0.146                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.142                   | 0.142                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.137                   | 0.137                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.133                   | 0.133                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.129                   | 0.129                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.125                   | 0.125                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.120                   | 0.120                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.116                   | 0.116                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.112                   | 0.112                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.108                   | 0.108                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.104                   | 0.104                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.099                   | 0.099                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.095                   | 0.095                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.091                   | 0.091                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.087                   | 0.087                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.084                   | 0.084                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設及び附帯<br>施設に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.121          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.182                   | 0.182                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.179                   | 0.179                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.176                   | 0.176                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.173                   | 0.173                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.170                   | 0.170                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.167                   | 0.167                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.164                   | 0.164                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.161                   | 0.161                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.158                   | 0.158                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.155                   | 0.155                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.152                   | 0.152                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.149                   | 0.149                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.146                   | 0.146                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.142                   | 0.142                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.139                   | 0.139                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.136                   | 0.136                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.133                   | 0.133                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.130                   | 0.130                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.127                   | 0.127                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.124                   | 0.124                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.121                   | 0.121                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.118                   | 0.118                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.115                   | 0.115                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.112                   | 0.112                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.109                   | 0.109                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.106                   | 0.106                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.103                   | 0.103                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.100                   | 0.100                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.096                   | 0.096                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.093                   | 0.093                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.090                   | 0.090                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.087                   | 0.087                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.084                   | 0.084                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.081                   | 0.081                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.078                   | 0.078                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.075                   | 0.075                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.072                   | 0.072                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.069                   | 0.069                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.066                   | 0.066                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.063                   | 0.063                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.061                   | 0.061                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                    | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅴ類<br>(70) | プラスチックハウスⅴ類(鉄骨上)/特定園芸施設及び附帯<br>施設に係るもの/未被覆期間/小損害不填補の金額が3万円<br>又は共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                         | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅴ類<br>(70) | プラスチックハウスⅴ類(鉄骨上)/特定園芸施設及び附帯<br>施設に係るもの/未被覆期間/小損害不填補の金額が10万<br>円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                         | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設及び附帯<br>施設に係るもの/未被覆期間/小損害不填補の金額が20万<br>円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/施設内農作物有一般//<br>小損害不填補の金額が3万円又は共済価額の20分の1 | 2.895          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 4.361                   | 4.361                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 4.288                   | 4.288                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 4.214                   | 4.214                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 4.141                   | 4.141                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 4.068                   | 4.068                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 3.994                   | 3.994                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 3.921                   | 3.921                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 3.848                   | 3.848                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 3.775                   | 3.775                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 3.701                   | 3.701                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 3.628                   | 3.628                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 3.555                   | 3.555                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 3.481                   | 3.481                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 3.408                   | 3.408                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 3.335                   | 3.335                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 3.261                   | 3.261                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 3.188                   | 3.188                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 3.115                   | 3.115                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 3.042                   | 3.042                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 2.968                   | 2.968                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 2.895                   | 2.895                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 2.822                   | 2.822                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 2.748                   | 2.748                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 2.675                   | 2.675                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 2.602                   | 2.602                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 2.529                   | 2.529                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 2.455                   | 2.455                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 2.382                   | 2.382                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 2.309                   | 2.309                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 2.235                   | 2.235                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 2.162                   | 2.162                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 2.089                   | 2.089                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 2.016                   | 2.016                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 1.942                   | 1.942                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 1.869                   | 1.869                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 1.796                   | 1.796                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 1.722                   | 1.722                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 1.649                   | 1.649                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 1.576                   | 1.576                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 1.502                   | 1.502                 |
| -20        | 0 ≦ * < 2.5        | 1           | 1.448                   | 1.448                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                        | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/施設内農作物有一般//<br>小損害不填補の金額が10万円 | 2.852          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 4.296                   | 4.296                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 4.224                   | 4.224                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 4.152                   | 4.152                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 4.079                   | 4.079                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 4.007                   | 4.007                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 3.935                   | 3.935                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 3.863                   | 3.863                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 3.791                   | 3.791                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 3.718                   | 3.718                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 3.646                   | 3.646                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 3.574                   | 3.574                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 3.502                   | 3.502                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 3.430                   | 3.430                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 3.357                   | 3.357                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 3.285                   | 3.285                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 3.213                   | 3.213                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 3.141                   | 3.141                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 3.069                   | 3.069                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 2.996                   | 2.996                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 2.924                   | 2.924                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 2.852                   | 2.852                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 2.780                   | 2.780                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 2.708                   | 2.708                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 2.635                   | 2.635                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 2.563                   | 2.563                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 2.491                   | 2.491                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 2.419                   | 2.419                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 2.347                   | 2.347                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 2.274                   | 2.274                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 2.202                   | 2.202                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 2.130                   | 2.130                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 2.058                   | 2.058                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 1.986                   | 1.986                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 1.913                   | 1.913                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 1.841                   | 1.841                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 1.769                   | 1.769                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 1.697                   | 1.697                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 1.625                   | 1.625                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 1.552                   | 1.552                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 1.480                   | 1.480                 |
| -20        | 0 ≧ * < 2.5        | 1           | 1.426                   | 1.426                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                        | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------|----------------|
| プラスチック<br>ハウスⅴ類<br>(70) | プラスチックハウスⅴ類(鉄骨上)/施設内農作物有一般//<br>小損害不填補の金額が20万円 | 2.722          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 4.100                   | 4.100                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 4.031                   | 4.031                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 3.962                   | 3.962                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 3.893                   | 3.893                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 3.825                   | 3.825                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 3.756                   | 3.756                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 3.687                   | 3.687                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 3.618                   | 3.618                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 3.549                   | 3.549                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 3.480                   | 3.480                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 3.411                   | 3.411                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 3.342                   | 3.342                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 3.273                   | 3.273                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 3.204                   | 3.204                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 3.135                   | 3.135                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 3.067                   | 3.067                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 2.998                   | 2.998                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 2.929                   | 2.929                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 2.860                   | 2.860                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 2.791                   | 2.791                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 2.722                   | 2.722                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 2.653                   | 2.653                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 2.584                   | 2.584                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 2.515                   | 2.515                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 2.446                   | 2.446                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 2.377                   | 2.377                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 2.309                   | 2.309                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 2.240                   | 2.240                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 2.171                   | 2.171                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 2.102                   | 2.102                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 2.033                   | 2.033                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 1.964                   | 1.964                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 1.895                   | 1.895                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 1.826                   | 1.826                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 1.757                   | 1.757                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 1.688                   | 1.688                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 1.619                   | 1.619                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 1.551                   | 1.551                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 1.482                   | 1.482                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 1.413                   | 1.413                 |
| -20        | 0 ≧ * < 0          | 1        | 1.361                   | 1.361                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                     | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/施設内農作物有事故除<br>外//小損害不填補の金額が3万円又は共済価額の20分の1 | 1.145          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 1.725                   | 1.725                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 1.696                   | 1.696                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 1.667                   | 1.667                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 1.638                   | 1.638                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 1.609                   | 1.609                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 1.580                   | 1.580                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 1.551                   | 1.551                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 1.522                   | 1.522                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 1.493                   | 1.493                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 1.464                   | 1.464                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 1.435                   | 1.435                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 1.406                   | 1.406                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 1.377                   | 1.377                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 1.348                   | 1.348                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 1.319                   | 1.319                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 1.290                   | 1.290                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 1.261                   | 1.261                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 1.232                   | 1.232                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 1.203                   | 1.203                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 1.174                   | 1.174                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 1.145                   | 1.145                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 1.116                   | 1.116                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 1.087                   | 1.087                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 1.058                   | 1.058                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 1.029                   | 1.029                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 1.000                   | 1.000                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.971                   | 0.971                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.942                   | 0.942                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.913                   | 0.913                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.884                   | 0.884                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.855                   | 0.855                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.826                   | 0.826                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.797                   | 0.797                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.768                   | 0.768                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.739                   | 0.739                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.710                   | 0.710                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.681                   | 0.681                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.652                   | 0.652                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.623                   | 0.623                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.594                   | 0.594                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.573                   | 0.573                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/施設内農作物有事故除<br>外//小損害不填補の金額が10万円 | 1.121          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ * < 197.5  | 3.013       | 1.689                   | 1.689                 |
| 19         | 192.5 ≦ * < 192.5  | 2.962       | 1.660                   | 1.660                 |
| 18         | 187.5 ≦ * < 187.5  | 2.911       | 1.632                   | 1.632                 |
| 17         | 182.5 ≦ * < 182.5  | 2.861       | 1.603                   | 1.603                 |
| 16         | 177.5 ≦ * < 177.5  | 2.81        | 1.575                   | 1.575                 |
| 15         | 172.5 ≦ * < 172.5  | 2.76        | 1.547                   | 1.547                 |
| 14         | 167.5 ≦ * < 167.5  | 2.709       | 1.518                   | 1.518                 |
| 13         | 162.5 ≦ * < 162.5  | 2.658       | 1.490                   | 1.490                 |
| 12         | 157.5 ≦ * < 157.5  | 2.608       | 1.462                   | 1.462                 |
| 11         | 152.5 ≦ * < 152.5  | 2.557       | 1.433                   | 1.433                 |
| 10         | 147.5 ≦ * < 147.5  | 2.506       | 1.405                   | 1.405                 |
| 9          | 142.5 ≦ * < 142.5  | 2.456       | 1.376                   | 1.376                 |
| 8          | 137.5 ≦ * < 137.5  | 2.405       | 1.348                   | 1.348                 |
| 7          | 132.5 ≦ * < 132.5  | 2.354       | 1.320                   | 1.320                 |
| 6          | 127.5 ≦ * < 127.5  | 2.304       | 1.291                   | 1.291                 |
| 5          | 122.5 ≦ * < 122.5  | 2.253       | 1.263                   | 1.263                 |
| 4          | 117.5 ≦ * < 117.5  | 2.203       | 1.235                   | 1.235                 |
| 3          | 112.5 ≦ * < 112.5  | 2.152       | 1.206                   | 1.206                 |
| 2          | 107.5 ≦ * < 107.5  | 2.101       | 1.178                   | 1.178                 |
| 1          | 102.5 ≦ * < 102.5  | 2.051       | 1.149                   | 1.149                 |
| 0          | 97.5 ≦ * < 97.5    | 2           | 1.121                   | 1.121                 |
| -1         | 92.5 ≦ * < 92.5    | 1.949       | 1.093                   | 1.093                 |
| -2         | 87.5 ≦ * < 87.5    | 1.899       | 1.064                   | 1.064                 |
| -3         | 82.5 ≦ * < 82.5    | 1.848       | 1.036                   | 1.036                 |
| -4         | 77.5 ≦ * < 77.5    | 1.797       | 1.007                   | 1.007                 |
| -5         | 72.5 ≦ * < 72.5    | 1.747       | 0.979                   | 0.979                 |
| -6         | 67.5 ≦ * < 67.5    | 1.696       | 0.951                   | 0.951                 |
| -7         | 62.5 ≦ * < 62.5    | 1.646       | 0.922                   | 0.922                 |
| -8         | 57.5 ≦ * < 57.5    | 1.595       | 0.894                   | 0.894                 |
| -9         | 52.5 ≦ * < 52.5    | 1.544       | 0.866                   | 0.866                 |
| -10        | 47.5 ≦ * < 47.5    | 1.494       | 0.837                   | 0.837                 |
| -11        | 42.5 ≦ * < 42.5    | 1.443       | 0.809                   | 0.809                 |
| -12        | 37.5 ≦ * < 37.5    | 1.392       | 0.780                   | 0.780                 |
| -13        | 32.5 ≦ * < 32.5    | 1.342       | 0.752                   | 0.752                 |
| -14        | 27.5 ≦ * < 27.5    | 1.291       | 0.724                   | 0.724                 |
| -15        | 22.5 ≦ * < 22.5    | 1.241       | 0.695                   | 0.695                 |
| -16        | 17.5 ≦ * < 17.5    | 1.19        | 0.667                   | 0.667                 |
| -17        | 12.5 ≦ * < 12.5    | 1.139       | 0.639                   | 0.639                 |
| -18        | 7.5 ≦ * < 7.5      | 1.089       | 0.610                   | 0.610                 |
| -19        | 2.5 ≦ * < 2.5      | 1.038       | 0.582                   | 0.582                 |
| -20        | 0 ≦ * < 0          | 1           | 0.561                   | 0.561                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/施設内農作物有事故除<br>外//小損害不填補の金額が20万円 | 1.120          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 1.687                   | 1.687                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 1.659                   | 1.659                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 1.630                   | 1.630                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 1.602                   | 1.602                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 1.574                   | 1.574                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 1.545                   | 1.545                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 1.517                   | 1.517                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 1.489                   | 1.489                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 1.460                   | 1.460                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 1.432                   | 1.432                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 1.404                   | 1.404                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 1.375                   | 1.375                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 1.347                   | 1.347                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 1.318                   | 1.318                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 1.290                   | 1.290                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 1.262                   | 1.262                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 1.233                   | 1.233                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 1.205                   | 1.205                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 1.177                   | 1.177                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 1.148                   | 1.148                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 1.120                   | 1.120                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 1.092                   | 1.092                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 1.063                   | 1.063                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 1.035                   | 1.035                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 1.007                   | 1.007                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 0.978                   | 0.978                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 0.950                   | 0.950                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 0.922                   | 0.922                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 0.893                   | 0.893                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 0.865                   | 0.865                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 0.836                   | 0.836                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 0.808                   | 0.808                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 0.780                   | 0.780                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 0.751                   | 0.751                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 0.723                   | 0.723                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 0.695                   | 0.695                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 0.666                   | 0.666                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 0.638                   | 0.638                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 0.610                   | 0.610                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 0.581                   | 0.581                 |
| -20        | 0 ≦ * < 2.5        | 1        | 0.560                   | 0.560                 |

平均値  
2.00

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                  | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設撤去費用<br>額に係るもの/被覆期間/小損害不填補の金額が3万円又は<br>共済価額の20分の1 | 0.048          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 0.072                   | 0.072                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 0.071                   | 0.071                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 0.070                   | 0.070                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 0.069                   | 0.069                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 0.067                   | 0.067                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 0.066                   | 0.066                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 0.065                   | 0.065                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 0.064                   | 0.064                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 0.063                   | 0.063                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 0.061                   | 0.061                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 0.060                   | 0.060                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 0.059                   | 0.059                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 0.058                   | 0.058                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 0.057                   | 0.057                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 0.055                   | 0.055                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 0.054                   | 0.054                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 0.053                   | 0.053                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 0.052                   | 0.052                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 0.050                   | 0.050                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 0.049                   | 0.049                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 0.048                   | 0.048                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 0.047                   | 0.047                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 0.046                   | 0.046                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 0.044                   | 0.044                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 0.043                   | 0.043                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 0.042                   | 0.042                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 0.041                   | 0.041                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 0.039                   | 0.039                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 0.038                   | 0.038                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 0.037                   | 0.037                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 0.036                   | 0.036                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 0.035                   | 0.035                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 0.033                   | 0.033                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 0.032                   | 0.032                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 0.031                   | 0.031                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 0.030                   | 0.030                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 0.029                   | 0.029                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 0.027                   | 0.027                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 0.026                   | 0.026                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 0.025                   | 0.025                 |
| -20        | 0 ≦ * < 2.5        | 1        | 0.024                   | 0.024                 |

平均値  
2.00

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設撤去費用<br>額に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.036          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.054                   | 0.054                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.053                   | 0.053                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.052                   | 0.052                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.051                   | 0.051                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.051                   | 0.051                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.050                   | 0.050                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.049                   | 0.049                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.048                   | 0.048                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.047                   | 0.047                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.046                   | 0.046                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.045                   | 0.045                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.044                   | 0.044                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.043                   | 0.043                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.042                   | 0.042                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.041                   | 0.041                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.041                   | 0.041                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.040                   | 0.040                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.039                   | 0.039                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.038                   | 0.038                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.037                   | 0.037                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.036                   | 0.036                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.035                   | 0.035                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.034                   | 0.034                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.033                   | 0.033                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.032                   | 0.032                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.031                   | 0.031                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.031                   | 0.031                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.030                   | 0.030                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.029                   | 0.029                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.028                   | 0.028                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.027                   | 0.027                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.026                   | 0.026                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.025                   | 0.025                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.024                   | 0.024                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.023                   | 0.023                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.022                   | 0.022                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.021                   | 0.021                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.021                   | 0.021                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.020                   | 0.020                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.019                   | 0.019                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.018                   | 0.018                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅴ類<br>(70) | プラスチックハウスⅴ類(鉄骨上)/特定園芸施設撤去費用<br>額に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.026          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.039                   | 0.039                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.039                   | 0.039                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.038                   | 0.038                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.037                   | 0.037                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.037                   | 0.037                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.036                   | 0.036                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.035                   | 0.035                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.035                   | 0.035                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.034                   | 0.034                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.033                   | 0.033                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.033                   | 0.033                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.032                   | 0.032                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.031                   | 0.031                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.031                   | 0.031                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.030                   | 0.030                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.029                   | 0.029                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.029                   | 0.029                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.028                   | 0.028                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.027                   | 0.027                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.027                   | 0.027                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.026                   | 0.026                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.025                   | 0.025                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.025                   | 0.025                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.024                   | 0.024                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.023                   | 0.023                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.023                   | 0.023                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.022                   | 0.022                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.021                   | 0.021                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.021                   | 0.021                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.020                   | 0.020                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.019                   | 0.019                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.019                   | 0.019                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.018                   | 0.018                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.017                   | 0.017                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.017                   | 0.017                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.016                   | 0.016                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.015                   | 0.015                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.015                   | 0.015                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.014                   | 0.014                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.013                   | 0.013                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.013                   | 0.013                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                   | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設撤去費用<br>額に係るもの/未被覆期間/小損害不填補の金額が3万円又<br>は共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設撤去費用<br>額に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設撤去費用<br>額に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 0.005                   | 0.005                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 0.004                   | 0.004                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 0.004                   | 0.004                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 0.004                   | 0.004                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 0.004                   | 0.004                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 0.004                   | 0.004                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 0.004                   | 0.004                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 0.004                   | 0.004                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 0.004                   | 0.004                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 0.004                   | 0.004                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 0.004                   | 0.004                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 0.004                   | 0.004                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 0.004                   | 0.004                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 0.004                   | 0.004                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 0.003                   | 0.003                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 0.003                   | 0.003                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 0.003                   | 0.003                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 0.003                   | 0.003                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 0.003                   | 0.003                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 0.003                   | 0.003                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 0.003                   | 0.003                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 0.003                   | 0.003                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 0.003                   | 0.003                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 0.003                   | 0.003                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 0.003                   | 0.003                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 0.003                   | 0.003                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 0.003                   | 0.003                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 0.002                   | 0.002                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 0.002                   | 0.002                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 0.002                   | 0.002                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 0.002                   | 0.002                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 0.002                   | 0.002                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 0.002                   | 0.002                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 0.002                   | 0.002                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 0.002                   | 0.002                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 0.002                   | 0.002                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 0.002                   | 0.002                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 0.002                   | 0.002                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 0.002                   | 0.002                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 0.002                   | 0.002                 |
| -20        | 0 ≦ * < 2.5        | 1        | 0.002                   | 0.002                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                  | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅴ類<br>(70) | プラスチックハウスⅴ類(鉄骨上)/特定園芸施設復旧費用<br>額に係るもの/被覆期間/小損害不填補の金額が3万円又は<br>共済価額の20分の1 | 0.152          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.229                   | 0.229                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.225                   | 0.225                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.221                   | 0.221                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.217                   | 0.217                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.214                   | 0.214                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.210                   | 0.210                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.206                   | 0.206                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.202                   | 0.202                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.198                   | 0.198                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.194                   | 0.194                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.190                   | 0.190                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.187                   | 0.187                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.183                   | 0.183                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.179                   | 0.179                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.175                   | 0.175                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.171                   | 0.171                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.167                   | 0.167                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.164                   | 0.164                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.160                   | 0.160                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.156                   | 0.156                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.152                   | 0.152                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.148                   | 0.148                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.144                   | 0.144                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.140                   | 0.140                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.137                   | 0.137                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.133                   | 0.133                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.129                   | 0.129                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.125                   | 0.125                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.121                   | 0.121                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.117                   | 0.117                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.114                   | 0.114                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.110                   | 0.110                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.106                   | 0.106                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.102                   | 0.102                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.098                   | 0.098                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.094                   | 0.094                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.090                   | 0.090                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.087                   | 0.087                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.083                   | 0.083                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.079                   | 0.079                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.076                   | 0.076                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅴ類<br>(70) | プラスチックハウスⅴ類(鉄骨上)/特定園芸施設復旧費用<br>額に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.115          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.173                   | 0.173                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.170                   | 0.170                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.167                   | 0.167                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.164                   | 0.164                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.162                   | 0.162                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.159                   | 0.159                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.156                   | 0.156                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.153                   | 0.153                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.150                   | 0.150                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.147                   | 0.147                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.144                   | 0.144                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.141                   | 0.141                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.138                   | 0.138                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.135                   | 0.135                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.132                   | 0.132                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.130                   | 0.130                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.127                   | 0.127                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.124                   | 0.124                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.121                   | 0.121                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.118                   | 0.118                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.115                   | 0.115                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.112                   | 0.112                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.109                   | 0.109                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.106                   | 0.106                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.103                   | 0.103                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.100                   | 0.100                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.098                   | 0.098                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.095                   | 0.095                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.092                   | 0.092                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.089                   | 0.089                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.086                   | 0.086                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.083                   | 0.083                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.080                   | 0.080                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.077                   | 0.077                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.074                   | 0.074                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.071                   | 0.071                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.068                   | 0.068                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.066                   | 0.066                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.063                   | 0.063                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.060                   | 0.060                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.058                   | 0.058                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                   | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設復旧費用<br>額に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.083          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.125                   | 0.125                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.123                   | 0.123                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.121                   | 0.121                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.119                   | 0.119                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.117                   | 0.117                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.115                   | 0.115                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.112                   | 0.112                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.110                   | 0.110                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.108                   | 0.108                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.106                   | 0.106                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.104                   | 0.104                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.102                   | 0.102                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.100                   | 0.100                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.098                   | 0.098                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.096                   | 0.096                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.094                   | 0.094                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.091                   | 0.091                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.089                   | 0.089                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.087                   | 0.087                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.085                   | 0.085                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.083                   | 0.083                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.081                   | 0.081                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.079                   | 0.079                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.077                   | 0.077                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.075                   | 0.075                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.072                   | 0.072                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.070                   | 0.070                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.068                   | 0.068                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.066                   | 0.066                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.064                   | 0.064                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.062                   | 0.062                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.060                   | 0.060                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.058                   | 0.058                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.056                   | 0.056                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.054                   | 0.054                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.051                   | 0.051                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.049                   | 0.049                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.047                   | 0.047                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.045                   | 0.045                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.043                   | 0.043                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.042                   | 0.042                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                   | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅴ類<br>(70) | プラスチックハウスⅴ類(鉄骨上)/特定園芸施設復旧費用<br>額に係るもの/未被覆期間/小損害不填補の金額が3万円又<br>は共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.008                   | 0.008                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.007                   | 0.007                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.007                   | 0.007                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.007                   | 0.007                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.007                   | 0.007                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.007                   | 0.007                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.007                   | 0.007                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.007                   | 0.007                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.007                   | 0.007                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.006                   | 0.006                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.006                   | 0.006                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.006                   | 0.006                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.006                   | 0.006                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.006                   | 0.006                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.006                   | 0.006                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.006                   | 0.006                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.006                   | 0.006                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.005                   | 0.005                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.005                   | 0.005                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.005                   | 0.005                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.005                   | 0.005                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.005                   | 0.005                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.005                   | 0.005                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.005                   | 0.005                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.004                   | 0.004                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.004                   | 0.004                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.004                   | 0.004                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.004                   | 0.004                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.004                   | 0.004                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.003                   | 0.003                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.003                   | 0.003                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.003                   | 0.003                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅤ類<br>(70) | プラスチックハウスⅤ類(鉄骨上)/特定園芸施設復旧費用<br>額に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.002                   | 0.002                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅴ類<br>(70) | プラスチックハウスⅴ類(鉄骨上)/特定園芸施設復旧費用<br>額に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.005                   | 0.005                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.004                   | 0.004                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.004                   | 0.004                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.004                   | 0.004                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.004                   | 0.004                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.004                   | 0.004                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.004                   | 0.004                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.004                   | 0.004                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.004                   | 0.004                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.004                   | 0.004                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.004                   | 0.004                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.004                   | 0.004                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.004                   | 0.004                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.004                   | 0.004                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.003                   | 0.003                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.003                   | 0.003                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.003                   | 0.003                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.003                   | 0.003                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.003                   | 0.003                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.003                   | 0.003                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.003                   | 0.003                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.003                   | 0.003                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.003                   | 0.003                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.003                   | 0.003                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.003                   | 0.003                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.002                   | 0.002                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.002                   | 0.002                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.002                   | 0.002                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.002                   | 0.002                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.002                   | 0.002                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.002                   | 0.002                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.002                   | 0.002                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.002                   | 0.002                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.002                   | 0.002                 |
| 平均値        |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                    | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設及び附<br>帯施設に係るもの/被覆期間/小損害不填補の金額が3万円<br>又は共済価額の20分の1 | 3.143          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 4.734                   | 4.734                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 4.655                   | 4.655                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 4.575                   | 4.575                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 4.496                   | 4.496                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 4.416                   | 4.416                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 4.337                   | 4.337                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 4.257                   | 4.257                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 4.177                   | 4.177                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 4.098                   | 4.098                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 4.018                   | 4.018                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 3.939                   | 3.939                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 3.859                   | 3.859                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 3.780                   | 3.780                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 3.700                   | 3.700                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 3.620                   | 3.620                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 3.541                   | 3.541                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 3.461                   | 3.461                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 3.382                   | 3.382                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 3.302                   | 3.302                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 3.223                   | 3.223                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 3.143                   | 3.143                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 3.063                   | 3.063                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 2.984                   | 2.984                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 2.904                   | 2.904                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 2.825                   | 2.825                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 2.745                   | 2.745                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 2.666                   | 2.666                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 2.586                   | 2.586                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 2.506                   | 2.506                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 2.427                   | 2.427                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 2.347                   | 2.347                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 2.268                   | 2.268                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 2.188                   | 2.188                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 2.109                   | 2.109                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 2.029                   | 2.029                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 1.949                   | 1.949                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 1.870                   | 1.870                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 1.790                   | 1.790                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 1.711                   | 1.711                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 1.631                   | 1.631                 |
| -20        | 0 ≧ * < 2.5        | 1           | 1.572                   | 1.572                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                         | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設及び附<br>帯施設に係るもの/被覆期間/小損害不填補の金額が10万<br>円 | 1.107          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 1.668                   | 1.668                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 1.639                   | 1.639                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 1.611                   | 1.611                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 1.583                   | 1.583                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 1.555                   | 1.555                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 1.527                   | 1.527                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 1.499                   | 1.499                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 1.471                   | 1.471                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 1.443                   | 1.443                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 1.415                   | 1.415                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 1.387                   | 1.387                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 1.359                   | 1.359                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 1.331                   | 1.331                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 1.303                   | 1.303                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 1.275                   | 1.275                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 1.247                   | 1.247                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 1.219                   | 1.219                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 1.191                   | 1.191                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 1.163                   | 1.163                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 1.135                   | 1.135                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 1.107                   | 1.107                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 1.079                   | 1.079                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 1.051                   | 1.051                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 1.023                   | 1.023                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.995                   | 0.995                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.967                   | 0.967                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.939                   | 0.939                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.911                   | 0.911                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.883                   | 0.883                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.855                   | 0.855                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.827                   | 0.827                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.799                   | 0.799                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.771                   | 0.771                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.743                   | 0.743                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.715                   | 0.715                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.687                   | 0.687                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.659                   | 0.659                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.631                   | 0.631                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.603                   | 0.603                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.575                   | 0.575                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.554                   | 0.554                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                         | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設及び附<br>帯施設に係るもの/被覆期間/小損害不填補の金額が20万<br>円 | 0.409          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.616                   | 0.616                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.606                   | 0.606                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.595                   | 0.595                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.585                   | 0.585                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.575                   | 0.575                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.564                   | 0.564                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.554                   | 0.554                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.544                   | 0.544                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.533                   | 0.533                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.523                   | 0.523                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.513                   | 0.513                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.502                   | 0.502                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.492                   | 0.492                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.481                   | 0.481                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.471                   | 0.471                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.461                   | 0.461                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.450                   | 0.450                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.440                   | 0.440                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.430                   | 0.430                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.419                   | 0.419                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.409                   | 0.409                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.399                   | 0.399                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.388                   | 0.388                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.378                   | 0.378                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.368                   | 0.368                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.357                   | 0.357                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.347                   | 0.347                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.337                   | 0.337                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.326                   | 0.326                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.316                   | 0.316                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.305                   | 0.305                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.295                   | 0.295                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.285                   | 0.285                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.274                   | 0.274                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.264                   | 0.264                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.254                   | 0.254                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.243                   | 0.243                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.233                   | 0.233                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.223                   | 0.223                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.212                   | 0.212                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.205                   | 0.205                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                     | 共済掛金標準率<br>(%) |
|-------------------------|-----------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設及び附<br>帯施設に係るもの/未被覆期間/小損害不填補の金額が3万<br>円又は共済価額の20分の1 | 0.036          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.054                   | 0.054                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.053                   | 0.053                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.052                   | 0.052                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.051                   | 0.051                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.051                   | 0.051                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.050                   | 0.050                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.049                   | 0.049                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.048                   | 0.048                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.047                   | 0.047                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.046                   | 0.046                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.045                   | 0.045                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.044                   | 0.044                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.043                   | 0.043                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.042                   | 0.042                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.041                   | 0.041                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.041                   | 0.041                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.040                   | 0.040                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.039                   | 0.039                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.038                   | 0.038                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.037                   | 0.037                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.036                   | 0.036                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.035                   | 0.035                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.034                   | 0.034                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.033                   | 0.033                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.032                   | 0.032                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.031                   | 0.031                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.031                   | 0.031                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.030                   | 0.030                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.029                   | 0.029                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.028                   | 0.028                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.027                   | 0.027                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.026                   | 0.026                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.025                   | 0.025                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.024                   | 0.024                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.023                   | 0.023                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.022                   | 0.022                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.021                   | 0.021                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.021                   | 0.021                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.020                   | 0.020                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.019                   | 0.019                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.018                   | 0.018                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設及び附<br>帯施設に係るもの/未被覆期間/小損害不填補の金額が10<br>万円 | 0.019          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.029                   | 0.029                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.028                   | 0.028                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.028                   | 0.028                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.027                   | 0.027                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.027                   | 0.027                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.026                   | 0.026                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.026                   | 0.026                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.025                   | 0.025                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.025                   | 0.025                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.024                   | 0.024                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.024                   | 0.024                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.023                   | 0.023                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.023                   | 0.023                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.022                   | 0.022                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.022                   | 0.022                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.021                   | 0.021                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.021                   | 0.021                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.020                   | 0.020                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.020                   | 0.020                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.019                   | 0.019                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.019                   | 0.019                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.019                   | 0.019                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.018                   | 0.018                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.018                   | 0.018                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.017                   | 0.017                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.017                   | 0.017                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.016                   | 0.016                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.016                   | 0.016                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.015                   | 0.015                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.015                   | 0.015                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.014                   | 0.014                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.014                   | 0.014                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.013                   | 0.013                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.013                   | 0.013                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.012                   | 0.012                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.012                   | 0.012                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.011                   | 0.011                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.011                   | 0.011                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.010                   | 0.010                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.010                   | 0.010                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.010                   | 0.010                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設及び附<br>帯施設に係るもの/未被覆期間/小損害不填補の金額が20<br>万円 | 0.012          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.018                   | 0.018                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.018                   | 0.018                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 0.017                   | 0.017                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 0.017                   | 0.017                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 0.017                   | 0.017                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 0.017                   | 0.017                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 0.016                   | 0.016                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 0.016                   | 0.016                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 0.016                   | 0.016                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 0.015                   | 0.015                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 0.015                   | 0.015                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 0.015                   | 0.015                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 0.014                   | 0.014                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 0.014                   | 0.014                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 0.014                   | 0.014                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 0.014                   | 0.014                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.013                   | 0.013                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.013                   | 0.013                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.013                   | 0.013                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.012                   | 0.012                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.012                   | 0.012                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.012                   | 0.012                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.011                   | 0.011                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.011                   | 0.011                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.011                   | 0.011                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.010                   | 0.010                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.010                   | 0.010                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.010                   | 0.010                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.010                   | 0.010                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.009                   | 0.009                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.009                   | 0.009                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.009                   | 0.009                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.008                   | 0.008                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.008                   | 0.008                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.008                   | 0.008                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.007                   | 0.007                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.007                   | 0.007                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.007                   | 0.007                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.007                   | 0.007                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.006                   | 0.006                 |
| -20        | 0 ≧ * < 0          | 1           | 0.006                   | 0.006                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/施設内農作物有一般<br>//小損害不填補の金額が3万円又は共済価額の20分の1 | 9.486          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 14.289                  | 14.289                |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 14.049                  | 14.049                |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 13.809                  | 13.809                |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 13.569                  | 13.569                |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 13.328                  | 13.328                |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 13.088                  | 13.088                |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 12.848                  | 12.848                |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 12.608                  | 12.608                |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 12.368                  | 12.368                |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 12.128                  | 12.128                |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 11.888                  | 11.888                |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 11.647                  | 11.647                |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 11.407                  | 11.407                |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 11.167                  | 11.167                |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 10.927                  | 10.927                |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 10.687                  | 10.687                |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 10.447                  | 10.447                |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 10.206                  | 10.206                |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 9.966                   | 9.966                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 9.726                   | 9.726                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 9.486                   | 9.486                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 9.246                   | 9.246                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 9.006                   | 9.006                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 8.766                   | 8.766                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 8.525                   | 8.525                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 8.285                   | 8.285                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 8.045                   | 8.045                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 7.805                   | 7.805                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 7.565                   | 7.565                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 7.325                   | 7.325                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 7.084                   | 7.084                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 6.844                   | 6.844                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 6.604                   | 6.604                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 6.364                   | 6.364                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 6.124                   | 6.124                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 5.884                   | 5.884                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 5.644                   | 5.644                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 5.403                   | 5.403                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 5.163                   | 5.163                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 4.923                   | 4.923                 |
| -20        | 0 ≧ * < 2.5        | 1        | 4.743                   | 4.743                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                         | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/施設内農作物有一般<br>//小損害不填補の金額が10万円 | 7.595          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 11.441                  | 11.441                |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 11.248                  | 11.248                |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 11.056                  | 11.056                |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 10.864                  | 10.864                |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 10.671                  | 10.671                |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 10.479                  | 10.479                |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 10.287                  | 10.287                |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 10.095                  | 10.095                |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 9.902                   | 9.902                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 9.710                   | 9.710                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 9.518                   | 9.518                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 9.326                   | 9.326                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 9.133                   | 9.133                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 8.941                   | 8.941                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 8.749                   | 8.749                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 8.556                   | 8.556                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 8.364                   | 8.364                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 8.172                   | 8.172                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 7.980                   | 7.980                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 7.787                   | 7.787                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 7.595                   | 7.595                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 7.403                   | 7.403                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 7.210                   | 7.210                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 7.018                   | 7.018                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 6.826                   | 6.826                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 6.634                   | 6.634                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 6.441                   | 6.441                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 6.249                   | 6.249                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 6.057                   | 6.057                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 5.864                   | 5.864                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 5.672                   | 5.672                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 5.480                   | 5.480                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 5.288                   | 5.288                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 5.095                   | 5.095                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 4.903                   | 4.903                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 4.711                   | 4.711                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 4.519                   | 4.519                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 4.326                   | 4.326                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 4.134                   | 4.134                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 3.942                   | 3.942                 |
| -20        | 0 ≧ * < 2.5        | 1        | 3.798                   | 3.798                 |

平均値  
2.00

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                         | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/施設内農作物有一般<br>//小損害不填補の金額が20万円 | 6.730          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 10.138                  | 10.138                |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 9.967                   | 9.967                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 9.797                   | 9.797                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 9.626                   | 9.626                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 9.456                   | 9.456                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 9.286                   | 9.286                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 9.115                   | 9.115                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 8.945                   | 8.945                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 8.775                   | 8.775                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 8.604                   | 8.604                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 8.434                   | 8.434                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 8.263                   | 8.263                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 8.093                   | 8.093                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 7.923                   | 7.923                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 7.752                   | 7.752                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 7.582                   | 7.582                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 7.412                   | 7.412                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 7.241                   | 7.241                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 7.071                   | 7.071                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 6.900                   | 6.900                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 6.730                   | 6.730                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 6.560                   | 6.560                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 6.389                   | 6.389                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 6.219                   | 6.219                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 6.048                   | 6.048                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 5.878                   | 5.878                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 5.708                   | 5.708                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 5.537                   | 5.537                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 5.367                   | 5.367                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 5.197                   | 5.197                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 5.026                   | 5.026                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 4.856                   | 4.856                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 4.685                   | 4.685                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 4.515                   | 4.515                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 4.345                   | 4.345                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 4.174                   | 4.174                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 4.004                   | 4.004                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 3.834                   | 3.834                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 3.663                   | 3.663                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 3.493                   | 3.493                 |
| -20        | 0 ≦ * < 2.5        | 1           | 3.365                   | 3.365                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/施設内農作物有事故<br>除外//小損害不填補の金額が3万円又は共済価額の20分<br>の1 | 7.071          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ * < 197.5  | 3.013       | 10.651                  | 10.651                |
| 19         | 192.5 ≦ * < 192.5  | 2.962       | 10.472                  | 10.472                |
| 18         | 187.5 ≦ * < 187.5  | 2.911       | 10.293                  | 10.293                |
| 17         | 182.5 ≦ * < 182.5  | 2.861       | 10.114                  | 10.114                |
| 16         | 177.5 ≦ * < 177.5  | 2.81        | 9.935                   | 9.935                 |
| 15         | 172.5 ≦ * < 172.5  | 2.76        | 9.756                   | 9.756                 |
| 14         | 167.5 ≦ * < 167.5  | 2.709       | 9.577                   | 9.577                 |
| 13         | 162.5 ≦ * < 162.5  | 2.658       | 9.398                   | 9.398                 |
| 12         | 157.5 ≦ * < 157.5  | 2.608       | 9.219                   | 9.219                 |
| 11         | 152.5 ≦ * < 152.5  | 2.557       | 9.040                   | 9.040                 |
| 10         | 147.5 ≦ * < 147.5  | 2.506       | 8.861                   | 8.861                 |
| 9          | 142.5 ≦ * < 142.5  | 2.456       | 8.682                   | 8.682                 |
| 8          | 137.5 ≦ * < 137.5  | 2.405       | 8.503                   | 8.503                 |
| 7          | 132.5 ≦ * < 132.5  | 2.354       | 8.324                   | 8.324                 |
| 6          | 127.5 ≦ * < 127.5  | 2.304       | 8.145                   | 8.145                 |
| 5          | 122.5 ≦ * < 122.5  | 2.253       | 7.966                   | 7.966                 |
| 4          | 117.5 ≦ * < 117.5  | 2.203       | 7.787                   | 7.787                 |
| 3          | 112.5 ≦ * < 112.5  | 2.152       | 7.608                   | 7.608                 |
| 2          | 107.5 ≦ * < 107.5  | 2.101       | 7.429                   | 7.429                 |
| 1          | 102.5 ≦ * < 102.5  | 2.051       | 7.250                   | 7.250                 |
| 0          | 97.5 ≦ * < 97.5    | 2           | 7.071                   | 7.071                 |
| -1         | 92.5 ≦ * < 92.5    | 1.949       | 6.892                   | 6.892                 |
| -2         | 87.5 ≦ * < 87.5    | 1.899       | 6.713                   | 6.713                 |
| -3         | 82.5 ≦ * < 82.5    | 1.848       | 6.534                   | 6.534                 |
| -4         | 77.5 ≦ * < 77.5    | 1.797       | 6.355                   | 6.355                 |
| -5         | 72.5 ≦ * < 72.5    | 1.747       | 6.176                   | 6.176                 |
| -6         | 67.5 ≦ * < 67.5    | 1.696       | 5.997                   | 5.997                 |
| -7         | 62.5 ≦ * < 62.5    | 1.646       | 5.818                   | 5.818                 |
| -8         | 57.5 ≦ * < 57.5    | 1.595       | 5.639                   | 5.639                 |
| -9         | 52.5 ≦ * < 52.5    | 1.544       | 5.460                   | 5.460                 |
| -10        | 47.5 ≦ * < 47.5    | 1.494       | 5.281                   | 5.281                 |
| -11        | 42.5 ≦ * < 42.5    | 1.443       | 5.102                   | 5.102                 |
| -12        | 37.5 ≦ * < 37.5    | 1.392       | 4.923                   | 4.923                 |
| -13        | 32.5 ≦ * < 32.5    | 1.342       | 4.744                   | 4.744                 |
| -14        | 27.5 ≦ * < 27.5    | 1.291       | 4.565                   | 4.565                 |
| -15        | 22.5 ≦ * < 22.5    | 1.241       | 4.386                   | 4.386                 |
| -16        | 17.5 ≦ * < 17.5    | 1.19        | 4.207                   | 4.207                 |
| -17        | 12.5 ≦ * < 12.5    | 1.139       | 4.028                   | 4.028                 |
| -18        | 7.5 ≦ * < 7.5      | 1.089       | 3.849                   | 3.849                 |
| -19        | 2.5 ≦ * < 2.5      | 1.038       | 3.670                   | 3.670                 |
| -20        | 0 ≦ * < 0          | 1           | 3.536                   | 3.536                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/施設内農作物有事故<br>除外//小損害不填補の金額が10万円 | 6.587          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013    | 9.922                   | 9.922                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962    | 9.755                   | 9.755                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911    | 9.589                   | 9.589                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861    | 9.422                   | 9.422                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81     | 9.255                   | 9.255                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76     | 9.088                   | 9.088                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709    | 8.922                   | 8.922                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658    | 8.755                   | 8.755                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608    | 8.588                   | 8.588                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557    | 8.421                   | 8.421                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506    | 8.255                   | 8.255                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456    | 8.088                   | 8.088                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405    | 7.921                   | 7.921                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354    | 7.754                   | 7.754                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304    | 7.588                   | 7.588                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253    | 7.421                   | 7.421                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203    | 7.254                   | 7.254                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152    | 7.087                   | 7.087                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101    | 6.921                   | 6.921                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051    | 6.754                   | 6.754                 |
| 0          | 97.5 ≦ * < 102.5   | 2        | 6.587                   | 6.587                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949    | 6.420                   | 6.420                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899    | 6.253                   | 6.253                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848    | 6.087                   | 6.087                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797    | 5.920                   | 5.920                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747    | 5.753                   | 5.753                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696    | 5.586                   | 5.586                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646    | 5.420                   | 5.420                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595    | 5.253                   | 5.253                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544    | 5.086                   | 5.086                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494    | 4.919                   | 4.919                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443    | 4.753                   | 4.753                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392    | 4.586                   | 4.586                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342    | 4.419                   | 4.419                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291    | 4.252                   | 4.252                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241    | 4.086                   | 4.086                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19     | 3.919                   | 3.919                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139    | 3.752                   | 3.752                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089    | 3.585                   | 3.585                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038    | 3.419                   | 3.419                 |
| -20        | 0 ≦ * < 2.5        | 1        | 3.294                   | 3.294                 |

平均値  
2.00

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                           | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/施設内農作物有事故<br>除外//小損害不填補の金額が20万円 | 5.836          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 8.791                   | 8.791                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 8.643                   | 8.643                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 8.495                   | 8.495                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 8.348                   | 8.348                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 8.200                   | 8.200                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 8.052                   | 8.052                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 7.904                   | 7.904                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 7.757                   | 7.757                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 7.609                   | 7.609                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 7.461                   | 7.461                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 7.313                   | 7.313                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 7.166                   | 7.166                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 7.018                   | 7.018                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 6.870                   | 6.870                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 6.722                   | 6.722                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 6.575                   | 6.575                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 6.427                   | 6.427                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 6.279                   | 6.279                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 6.132                   | 6.132                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 5.984                   | 5.984                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 5.836                   | 5.836                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 5.688                   | 5.688                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 5.540                   | 5.540                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 5.393                   | 5.393                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 5.245                   | 5.245                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 5.097                   | 5.097                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 4.950                   | 4.950                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 4.802                   | 4.802                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 4.654                   | 4.654                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 4.506                   | 4.506                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 4.359                   | 4.359                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 4.211                   | 4.211                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 4.063                   | 4.063                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 3.915                   | 3.915                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 3.768                   | 3.768                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 3.620                   | 3.620                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 3.472                   | 3.472                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 3.324                   | 3.324                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 3.177                   | 3.177                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 3.029                   | 3.029                 |
| -20        | 0 ≧ * < 2.5        | 1           | 2.918                   | 2.918                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的の種類         | 共済掛金区分等                                                           | 共済掛金標準率(%) |
|-----------------|-------------------------------------------------------------------|------------|
| プラスチックハウスⅥ類(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.413      |

| 危険段階区分 | 平均損害率(*)の範囲(%)    | 危険指数        | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------------|-----------------|---------------|
| 20     | 197.5 ≦ * < 197.5 | 3.013       | 0.622           | 0.622         |
| 19     | 192.5 ≦ * < 192.5 | 2.962       | 0.612           | 0.612         |
| 18     | 187.5 ≦ * < 187.5 | 2.911       | 0.601           | 0.601         |
| 17     | 182.5 ≦ * < 182.5 | 2.861       | 0.591           | 0.591         |
| 16     | 177.5 ≦ * < 177.5 | 2.81        | 0.580           | 0.580         |
| 15     | 172.5 ≦ * < 172.5 | 2.76        | 0.570           | 0.570         |
| 14     | 167.5 ≦ * < 167.5 | 2.709       | 0.559           | 0.559         |
| 13     | 162.5 ≦ * < 162.5 | 2.658       | 0.549           | 0.549         |
| 12     | 157.5 ≦ * < 157.5 | 2.608       | 0.538           | 0.538         |
| 11     | 152.5 ≦ * < 152.5 | 2.557       | 0.528           | 0.528         |
| 10     | 147.5 ≦ * < 147.5 | 2.506       | 0.518           | 0.518         |
| 9      | 142.5 ≦ * < 142.5 | 2.456       | 0.507           | 0.507         |
| 8      | 137.5 ≦ * < 137.5 | 2.405       | 0.497           | 0.497         |
| 7      | 132.5 ≦ * < 132.5 | 2.354       | 0.486           | 0.486         |
| 6      | 127.5 ≦ * < 127.5 | 2.304       | 0.476           | 0.476         |
| 5      | 122.5 ≦ * < 122.5 | 2.253       | 0.465           | 0.465         |
| 4      | 117.5 ≦ * < 117.5 | 2.203       | 0.455           | 0.455         |
| 3      | 112.5 ≦ * < 112.5 | 2.152       | 0.444           | 0.444         |
| 2      | 107.5 ≦ * < 107.5 | 2.101       | 0.434           | 0.434         |
| 1      | 102.5 ≦ * < 102.5 | 2.051       | 0.423           | 0.423         |
| 0      | 97.5 ≦ * < 97.5   | 2           | 0.413           | 0.413         |
| -1     | 92.5 ≦ * < 92.5   | 1.949       | 0.403           | 0.403         |
| -2     | 87.5 ≦ * < 87.5   | 1.899       | 0.392           | 0.392         |
| -3     | 82.5 ≦ * < 82.5   | 1.848       | 0.382           | 0.382         |
| -4     | 77.5 ≦ * < 77.5   | 1.797       | 0.371           | 0.371         |
| -5     | 72.5 ≦ * < 72.5   | 1.747       | 0.361           | 0.361         |
| -6     | 67.5 ≦ * < 67.5   | 1.696       | 0.350           | 0.350         |
| -7     | 62.5 ≦ * < 62.5   | 1.646       | 0.340           | 0.340         |
| -8     | 57.5 ≦ * < 57.5   | 1.595       | 0.329           | 0.329         |
| -9     | 52.5 ≦ * < 52.5   | 1.544       | 0.319           | 0.319         |
| -10    | 47.5 ≦ * < 47.5   | 1.494       | 0.308           | 0.308         |
| -11    | 42.5 ≦ * < 42.5   | 1.443       | 0.298           | 0.298         |
| -12    | 37.5 ≦ * < 37.5   | 1.392       | 0.288           | 0.288         |
| -13    | 32.5 ≦ * < 32.5   | 1.342       | 0.277           | 0.277         |
| -14    | 27.5 ≦ * < 27.5   | 1.291       | 0.267           | 0.267         |
| -15    | 22.5 ≦ * < 22.5   | 1.241       | 0.256           | 0.256         |
| -16    | 17.5 ≦ * < 17.5   | 1.19        | 0.246           | 0.246         |
| -17    | 12.5 ≦ * < 12.5   | 1.139       | 0.235           | 0.235         |
| -18    | 7.5 ≦ * < 7.5     | 1.089       | 0.225           | 0.225         |
| -19    | 2.5 ≦ * < 2.5     | 1.038       | 0.214           | 0.214         |
| -20    | 0 ≦ * < 0         | 1           | 0.207           | 0.207         |
|        |                   | 平均値<br>2.00 |                 |               |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設撤去費<br>用額に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.145          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.218                   | 0.218                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.215                   | 0.215                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.211                   | 0.211                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.207                   | 0.207                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.204                   | 0.204                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.200                   | 0.200                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.196                   | 0.196                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.193                   | 0.193                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.189                   | 0.189                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.185                   | 0.185                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.182                   | 0.182                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.178                   | 0.178                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.174                   | 0.174                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.171                   | 0.171                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.167                   | 0.167                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.163                   | 0.163                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.160                   | 0.160                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.156                   | 0.156                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.152                   | 0.152                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.149                   | 0.149                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.145                   | 0.145                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.141                   | 0.141                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.138                   | 0.138                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.134                   | 0.134                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.130                   | 0.130                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.127                   | 0.127                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.123                   | 0.123                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.119                   | 0.119                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.116                   | 0.116                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.112                   | 0.112                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.108                   | 0.108                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.105                   | 0.105                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.101                   | 0.101                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.097                   | 0.097                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.094                   | 0.094                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.090                   | 0.090                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.086                   | 0.086                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.083                   | 0.083                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.079                   | 0.079                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.075                   | 0.075                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.073                   | 0.073                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.054          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.081                   | 0.081                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.080                   | 0.080                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.079                   | 0.079                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.077                   | 0.077                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.076                   | 0.076                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.075                   | 0.075                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.073                   | 0.073                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.072                   | 0.072                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.070                   | 0.070                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.069                   | 0.069                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.068                   | 0.068                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.066                   | 0.066                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.065                   | 0.065                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.064                   | 0.064                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.062                   | 0.062                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.061                   | 0.061                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.059                   | 0.059                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.058                   | 0.058                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.057                   | 0.057                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.055                   | 0.055                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.054                   | 0.054                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.053                   | 0.053                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.051                   | 0.051                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.050                   | 0.050                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.049                   | 0.049                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.047                   | 0.047                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.046                   | 0.046                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.044                   | 0.044                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.043                   | 0.043                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.042                   | 0.042                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.040                   | 0.040                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.039                   | 0.039                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.038                   | 0.038                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.036                   | 0.036                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.035                   | 0.035                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.033                   | 0.033                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.032                   | 0.032                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.031                   | 0.031                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.029                   | 0.029                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.028                   | 0.028                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.027                   | 0.027                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                            | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設撤去費用額に係るもの/未被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.010          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.015                   | 0.015                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.015                   | 0.015                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.015                   | 0.015                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.014                   | 0.014                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.014                   | 0.014                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.014                   | 0.014                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.014                   | 0.014                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.013                   | 0.013                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.013                   | 0.013                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.013                   | 0.013                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.013                   | 0.013                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.012                   | 0.012                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.012                   | 0.012                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.012                   | 0.012                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.012                   | 0.012                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.011                   | 0.011                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.011                   | 0.011                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.011                   | 0.011                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.011                   | 0.011                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.010                   | 0.010                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.010                   | 0.010                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.010                   | 0.010                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.009                   | 0.009                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.009                   | 0.009                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.009                   | 0.009                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.009                   | 0.009                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.008                   | 0.008                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.008                   | 0.008                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.008                   | 0.008                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.008                   | 0.008                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.007                   | 0.007                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.007                   | 0.007                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.007                   | 0.007                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.007                   | 0.007                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.006                   | 0.006                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.006                   | 0.006                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.006                   | 0.006                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.006                   | 0.006                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.005                   | 0.005                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.005                   | 0.005                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.005                   | 0.005                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                 | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設撤去費用額に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.009          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.014                   | 0.014                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.013                   | 0.013                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.013                   | 0.013                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.013                   | 0.013                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.013                   | 0.013                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.012                   | 0.012                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.012                   | 0.012                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.012                   | 0.012                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.012                   | 0.012                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.012                   | 0.012                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.011                   | 0.011                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.011                   | 0.011                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.011                   | 0.011                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.011                   | 0.011                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.010                   | 0.010                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.010                   | 0.010                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.010                   | 0.010                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.010                   | 0.010                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.009                   | 0.009                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.009                   | 0.009                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.009                   | 0.009                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.009                   | 0.009                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.009                   | 0.009                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.008                   | 0.008                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.008                   | 0.008                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.008                   | 0.008                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.008                   | 0.008                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.007                   | 0.007                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.007                   | 0.007                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.007                   | 0.007                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.007                   | 0.007                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.006                   | 0.006                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.006                   | 0.006                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.006                   | 0.006                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.006                   | 0.006                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.006                   | 0.006                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.005                   | 0.005                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.005                   | 0.005                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.005                   | 0.005                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.005                   | 0.005                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.005                   | 0.005                 |
|            |                    | 平均値<br>2.00 |                         |                       |



【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                 | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設撤去費用額に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.008          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.012                   | 0.012                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.012                   | 0.012                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 0.012                   | 0.012                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 0.011                   | 0.011                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 0.011                   | 0.011                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 0.011                   | 0.011                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 0.011                   | 0.011                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 0.011                   | 0.011                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 0.010                   | 0.010                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 0.010                   | 0.010                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 0.010                   | 0.010                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 0.010                   | 0.010                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 0.010                   | 0.010                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 0.009                   | 0.009                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 0.009                   | 0.009                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 0.009                   | 0.009                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.009                   | 0.009                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.009                   | 0.009                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.008                   | 0.008                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.008                   | 0.008                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.008                   | 0.008                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.008                   | 0.008                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.008                   | 0.008                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.007                   | 0.007                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.007                   | 0.007                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.007                   | 0.007                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.007                   | 0.007                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.007                   | 0.007                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.006                   | 0.006                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.006                   | 0.006                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.006                   | 0.006                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.006                   | 0.006                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.006                   | 0.006                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.005                   | 0.005                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.005                   | 0.005                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.005                   | 0.005                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.005                   | 0.005                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.005                   | 0.005                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.004                   | 0.004                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.004                   | 0.004                 |
| -20        | 0 ≧ * < 0          | 1           | 0.004                   | 0.004                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                           | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設復旧費用額に係るもの/被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.930          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.401                   | 1.401                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.377                   | 1.377                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.354                   | 1.354                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.330                   | 1.330                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.307                   | 1.307                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.283                   | 1.283                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.260                   | 1.260                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.236                   | 1.236                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.213                   | 1.213                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.189                   | 1.189                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.165                   | 1.165                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.142                   | 1.142                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.118                   | 1.118                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.095                   | 1.095                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.071                   | 1.071                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.048                   | 1.048                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.024                   | 1.024                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 1.001                   | 1.001                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.977                   | 0.977                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.954                   | 0.954                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.930                   | 0.930                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.906                   | 0.906                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.883                   | 0.883                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.859                   | 0.859                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.836                   | 0.836                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.812                   | 0.812                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.789                   | 0.789                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.765                   | 0.765                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.742                   | 0.742                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.718                   | 0.718                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.695                   | 0.695                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.671                   | 0.671                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.647                   | 0.647                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.624                   | 0.624                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.600                   | 0.600                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.577                   | 0.577                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.553                   | 0.553                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.530                   | 0.530                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.506                   | 0.506                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.483                   | 0.483                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.465                   | 0.465                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設復旧費用額に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.327          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 0.493                   | 0.493                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 0.484                   | 0.484                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 0.476                   | 0.476                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 0.468                   | 0.468                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 0.459                   | 0.459                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 0.451                   | 0.451                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 0.443                   | 0.443                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 0.435                   | 0.435                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 0.426                   | 0.426                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 0.418                   | 0.418                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 0.410                   | 0.410                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 0.402                   | 0.402                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 0.393                   | 0.393                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 0.385                   | 0.385                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 0.377                   | 0.377                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 0.368                   | 0.368                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.360                   | 0.360                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.352                   | 0.352                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.344                   | 0.344                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.335                   | 0.335                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.327                   | 0.327                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.319                   | 0.319                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.310                   | 0.310                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.302                   | 0.302                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.294                   | 0.294                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.286                   | 0.286                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.277                   | 0.277                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.269                   | 0.269                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.261                   | 0.261                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.252                   | 0.252                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.244                   | 0.244                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.236                   | 0.236                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.228                   | 0.228                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.219                   | 0.219                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.211                   | 0.211                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.203                   | 0.203                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.195                   | 0.195                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.186                   | 0.186                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.178                   | 0.178                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.170                   | 0.170                 |
| -20        | 0 ≧ * < 0          | 1        | 0.164                   | 0.164                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                    | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設復旧費<br>用額に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.121          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.182                   | 0.182                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.179                   | 0.179                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.176                   | 0.176                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.173                   | 0.173                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.170                   | 0.170                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.167                   | 0.167                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.164                   | 0.164                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.161                   | 0.161                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.158                   | 0.158                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.155                   | 0.155                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.152                   | 0.152                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.149                   | 0.149                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.146                   | 0.146                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.142                   | 0.142                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.139                   | 0.139                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.136                   | 0.136                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.133                   | 0.133                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.130                   | 0.130                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.127                   | 0.127                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.124                   | 0.124                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.121                   | 0.121                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.118                   | 0.118                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.115                   | 0.115                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.112                   | 0.112                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.109                   | 0.109                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.106                   | 0.106                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.103                   | 0.103                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.100                   | 0.100                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.096                   | 0.096                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.093                   | 0.093                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.090                   | 0.090                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.087                   | 0.087                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.084                   | 0.084                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.081                   | 0.081                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.078                   | 0.078                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.075                   | 0.075                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.072                   | 0.072                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.069                   | 0.069                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.066                   | 0.066                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.063                   | 0.063                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.061                   | 0.061                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                    | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設復旧費<br>用額に係るもの/未被覆期間/小損害不填補の金額が3万円<br>又は共済価額の20分の1 | 0.016          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ * < 197.5  | 3.013       | 0.024                   | 0.024                 |
| 19         | 192.5 ≦ * < 192.5  | 2.962       | 0.024                   | 0.024                 |
| 18         | 187.5 ≦ * < 187.5  | 2.911       | 0.023                   | 0.023                 |
| 17         | 182.5 ≦ * < 182.5  | 2.861       | 0.023                   | 0.023                 |
| 16         | 177.5 ≦ * < 177.5  | 2.81        | 0.022                   | 0.022                 |
| 15         | 172.5 ≦ * < 172.5  | 2.76        | 0.022                   | 0.022                 |
| 14         | 167.5 ≦ * < 167.5  | 2.709       | 0.022                   | 0.022                 |
| 13         | 162.5 ≦ * < 162.5  | 2.658       | 0.021                   | 0.021                 |
| 12         | 157.5 ≦ * < 157.5  | 2.608       | 0.021                   | 0.021                 |
| 11         | 152.5 ≦ * < 152.5  | 2.557       | 0.020                   | 0.020                 |
| 10         | 147.5 ≦ * < 147.5  | 2.506       | 0.020                   | 0.020                 |
| 9          | 142.5 ≦ * < 142.5  | 2.456       | 0.020                   | 0.020                 |
| 8          | 137.5 ≦ * < 137.5  | 2.405       | 0.019                   | 0.019                 |
| 7          | 132.5 ≦ * < 132.5  | 2.354       | 0.019                   | 0.019                 |
| 6          | 127.5 ≦ * < 127.5  | 2.304       | 0.018                   | 0.018                 |
| 5          | 122.5 ≦ * < 122.5  | 2.253       | 0.018                   | 0.018                 |
| 4          | 117.5 ≦ * < 117.5  | 2.203       | 0.018                   | 0.018                 |
| 3          | 112.5 ≦ * < 112.5  | 2.152       | 0.017                   | 0.017                 |
| 2          | 107.5 ≦ * < 107.5  | 2.101       | 0.017                   | 0.017                 |
| 1          | 102.5 ≦ * < 102.5  | 2.051       | 0.016                   | 0.016                 |
| 0          | 97.5 ≦ * < 97.5    | 2           | 0.016                   | 0.016                 |
| -1         | 92.5 ≦ * < 92.5    | 1.949       | 0.016                   | 0.016                 |
| -2         | 87.5 ≦ * < 87.5    | 1.899       | 0.015                   | 0.015                 |
| -3         | 82.5 ≦ * < 82.5    | 1.848       | 0.015                   | 0.015                 |
| -4         | 77.5 ≦ * < 77.5    | 1.797       | 0.014                   | 0.014                 |
| -5         | 72.5 ≦ * < 72.5    | 1.747       | 0.014                   | 0.014                 |
| -6         | 67.5 ≦ * < 67.5    | 1.696       | 0.014                   | 0.014                 |
| -7         | 62.5 ≦ * < 62.5    | 1.646       | 0.013                   | 0.013                 |
| -8         | 57.5 ≦ * < 57.5    | 1.595       | 0.013                   | 0.013                 |
| -9         | 52.5 ≦ * < 52.5    | 1.544       | 0.012                   | 0.012                 |
| -10        | 47.5 ≦ * < 47.5    | 1.494       | 0.012                   | 0.012                 |
| -11        | 42.5 ≦ * < 42.5    | 1.443       | 0.012                   | 0.012                 |
| -12        | 37.5 ≦ * < 37.5    | 1.392       | 0.011                   | 0.011                 |
| -13        | 32.5 ≦ * < 32.5    | 1.342       | 0.011                   | 0.011                 |
| -14        | 27.5 ≦ * < 27.5    | 1.291       | 0.010                   | 0.010                 |
| -15        | 22.5 ≦ * < 22.5    | 1.241       | 0.010                   | 0.010                 |
| -16        | 17.5 ≦ * < 17.5    | 1.19        | 0.010                   | 0.010                 |
| -17        | 12.5 ≦ * < 12.5    | 1.139       | 0.009                   | 0.009                 |
| -18        | 7.5 ≦ * < 7.5      | 1.089       | 0.009                   | 0.009                 |
| -19        | 2.5 ≦ * < 2.5      | 1.038       | 0.008                   | 0.008                 |
| -20        | 0 ≦ * < 0          | 1           | 0.008                   | 0.008                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                 | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設復旧費用額に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.014          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ * < 197.5  | 3.013       | 0.021                   | 0.021                 |
| 19         | 192.5 ≦ * < 192.5  | 2.962       | 0.021                   | 0.021                 |
| 18         | 187.5 ≦ * < 187.5  | 2.911       | 0.020                   | 0.020                 |
| 17         | 182.5 ≦ * < 182.5  | 2.861       | 0.020                   | 0.020                 |
| 16         | 177.5 ≦ * < 177.5  | 2.81        | 0.020                   | 0.020                 |
| 15         | 172.5 ≦ * < 172.5  | 2.76        | 0.019                   | 0.019                 |
| 14         | 167.5 ≦ * < 167.5  | 2.709       | 0.019                   | 0.019                 |
| 13         | 162.5 ≦ * < 162.5  | 2.658       | 0.019                   | 0.019                 |
| 12         | 157.5 ≦ * < 157.5  | 2.608       | 0.018                   | 0.018                 |
| 11         | 152.5 ≦ * < 152.5  | 2.557       | 0.018                   | 0.018                 |
| 10         | 147.5 ≦ * < 147.5  | 2.506       | 0.018                   | 0.018                 |
| 9          | 142.5 ≦ * < 142.5  | 2.456       | 0.017                   | 0.017                 |
| 8          | 137.5 ≦ * < 137.5  | 2.405       | 0.017                   | 0.017                 |
| 7          | 132.5 ≦ * < 132.5  | 2.354       | 0.016                   | 0.016                 |
| 6          | 127.5 ≦ * < 127.5  | 2.304       | 0.016                   | 0.016                 |
| 5          | 122.5 ≦ * < 122.5  | 2.253       | 0.016                   | 0.016                 |
| 4          | 117.5 ≦ * < 117.5  | 2.203       | 0.015                   | 0.015                 |
| 3          | 112.5 ≦ * < 112.5  | 2.152       | 0.015                   | 0.015                 |
| 2          | 107.5 ≦ * < 107.5  | 2.101       | 0.015                   | 0.015                 |
| 1          | 102.5 ≦ * < 102.5  | 2.051       | 0.014                   | 0.014                 |
| 0          | 97.5 ≦ * < 97.5    | 2           | 0.014                   | 0.014                 |
| -1         | 92.5 ≦ * < 92.5    | 1.949       | 0.014                   | 0.014                 |
| -2         | 87.5 ≦ * < 87.5    | 1.899       | 0.013                   | 0.013                 |
| -3         | 82.5 ≦ * < 82.5    | 1.848       | 0.013                   | 0.013                 |
| -4         | 77.5 ≦ * < 77.5    | 1.797       | 0.013                   | 0.013                 |
| -5         | 72.5 ≦ * < 72.5    | 1.747       | 0.012                   | 0.012                 |
| -6         | 67.5 ≦ * < 67.5    | 1.696       | 0.012                   | 0.012                 |
| -7         | 62.5 ≦ * < 62.5    | 1.646       | 0.012                   | 0.012                 |
| -8         | 57.5 ≦ * < 57.5    | 1.595       | 0.011                   | 0.011                 |
| -9         | 52.5 ≦ * < 52.5    | 1.544       | 0.011                   | 0.011                 |
| -10        | 47.5 ≦ * < 47.5    | 1.494       | 0.010                   | 0.010                 |
| -11        | 42.5 ≦ * < 42.5    | 1.443       | 0.010                   | 0.010                 |
| -12        | 37.5 ≦ * < 37.5    | 1.392       | 0.010                   | 0.010                 |
| -13        | 32.5 ≦ * < 32.5    | 1.342       | 0.009                   | 0.009                 |
| -14        | 27.5 ≦ * < 27.5    | 1.291       | 0.009                   | 0.009                 |
| -15        | 22.5 ≦ * < 22.5    | 1.241       | 0.009                   | 0.009                 |
| -16        | 17.5 ≦ * < 17.5    | 1.19        | 0.008                   | 0.008                 |
| -17        | 12.5 ≦ * < 12.5    | 1.139       | 0.008                   | 0.008                 |
| -18        | 7.5 ≦ * < 7.5      | 1.089       | 0.008                   | 0.008                 |
| -19        | 2.5 ≦ * < 2.5      | 1.038       | 0.007                   | 0.007                 |
| -20        | 0 ≦ * < 0          | 1           | 0.007                   | 0.007                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                 | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅥ類<br>(80) | プラスチックハウスⅥ類(雨よけ等)/特定園芸施設復旧費用額に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.013          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.020                   | 0.020                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.019                   | 0.019                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.019                   | 0.019                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.019                   | 0.019                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.018                   | 0.018                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.018                   | 0.018                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.018                   | 0.018                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.017                   | 0.017                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.017                   | 0.017                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.017                   | 0.017                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.016                   | 0.016                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.016                   | 0.016                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.016                   | 0.016                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.015                   | 0.015                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.015                   | 0.015                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.015                   | 0.015                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.014                   | 0.014                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.014                   | 0.014                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.014                   | 0.014                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.013                   | 0.013                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.013                   | 0.013                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.013                   | 0.013                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.012                   | 0.012                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.012                   | 0.012                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.012                   | 0.012                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.011                   | 0.011                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.011                   | 0.011                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.011                   | 0.011                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.010                   | 0.010                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.010                   | 0.010                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.010                   | 0.010                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.009                   | 0.009                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.009                   | 0.009                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.009                   | 0.009                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.008                   | 0.008                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.008                   | 0.008                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.008                   | 0.008                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.007                   | 0.007                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.007                   | 0.007                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.007                   | 0.007                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.007                   | 0.007                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                 | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 4.057          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 6.111                   | 6.111                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 6.008                   | 6.008                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 5.906                   | 5.906                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 5.803                   | 5.803                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 5.700                   | 5.700                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 5.598                   | 5.598                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 5.495                   | 5.495                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 5.392                   | 5.392                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 5.290                   | 5.290                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 5.187                   | 5.187                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 5.084                   | 5.084                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 4.981                   | 4.981                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 4.879                   | 4.879                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 4.776                   | 4.776                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 4.673                   | 4.673                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 4.571                   | 4.571                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 4.468                   | 4.468                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 4.365                   | 4.365                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 4.262                   | 4.262                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 4.160                   | 4.160                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 4.057                   | 4.057                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 3.954                   | 3.954                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 3.852                   | 3.852                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 3.749                   | 3.749                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 3.646                   | 3.646                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 3.543                   | 3.543                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 3.441                   | 3.441                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 3.338                   | 3.338                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 3.235                   | 3.235                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 3.133                   | 3.133                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 3.030                   | 3.030                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 2.927                   | 2.927                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 2.825                   | 2.825                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 2.722                   | 2.722                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 2.619                   | 2.619                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 2.516                   | 2.516                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 2.414                   | 2.414                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 2.311                   | 2.311                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 2.208                   | 2.208                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 2.106                   | 2.106                 |
| -20        | 0 ≧ * < 2.5        | 1           | 2.029                   | 2.029                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                      | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が10万円 | 3.604          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ * < 197.5  | 3.013       | 5.429                   | 5.429                 |
| 19         | 192.5 ≦ * < 192.5  | 2.962       | 5.338                   | 5.338                 |
| 18         | 187.5 ≦ * < 187.5  | 2.911       | 5.246                   | 5.246                 |
| 17         | 182.5 ≦ * < 182.5  | 2.861       | 5.155                   | 5.155                 |
| 16         | 177.5 ≦ * < 177.5  | 2.81        | 5.064                   | 5.064                 |
| 15         | 172.5 ≦ * < 172.5  | 2.76        | 4.973                   | 4.973                 |
| 14         | 167.5 ≦ * < 167.5  | 2.709       | 4.881                   | 4.881                 |
| 13         | 162.5 ≦ * < 162.5  | 2.658       | 4.790                   | 4.790                 |
| 12         | 157.5 ≦ * < 157.5  | 2.608       | 4.699                   | 4.699                 |
| 11         | 152.5 ≦ * < 152.5  | 2.557       | 4.608                   | 4.608                 |
| 10         | 147.5 ≦ * < 147.5  | 2.506       | 4.516                   | 4.516                 |
| 9          | 142.5 ≦ * < 142.5  | 2.456       | 4.425                   | 4.425                 |
| 8          | 137.5 ≦ * < 137.5  | 2.405       | 4.334                   | 4.334                 |
| 7          | 132.5 ≦ * < 132.5  | 2.354       | 4.243                   | 4.243                 |
| 6          | 127.5 ≦ * < 127.5  | 2.304       | 4.151                   | 4.151                 |
| 5          | 122.5 ≦ * < 122.5  | 2.253       | 4.060                   | 4.060                 |
| 4          | 117.5 ≦ * < 117.5  | 2.203       | 3.969                   | 3.969                 |
| 3          | 112.5 ≦ * < 112.5  | 2.152       | 3.878                   | 3.878                 |
| 2          | 107.5 ≦ * < 107.5  | 2.101       | 3.786                   | 3.786                 |
| 1          | 102.5 ≦ * < 102.5  | 2.051       | 3.695                   | 3.695                 |
| 0          | 97.5 ≦ * < 97.5    | 2           | 3.604                   | 3.604                 |
| -1         | 92.5 ≦ * < 92.5    | 1.949       | 3.513                   | 3.513                 |
| -2         | 87.5 ≦ * < 87.5    | 1.899       | 3.422                   | 3.422                 |
| -3         | 82.5 ≦ * < 82.5    | 1.848       | 3.330                   | 3.330                 |
| -4         | 77.5 ≦ * < 77.5    | 1.797       | 3.239                   | 3.239                 |
| -5         | 72.5 ≦ * < 72.5    | 1.747       | 3.148                   | 3.148                 |
| -6         | 67.5 ≦ * < 67.5    | 1.696       | 3.057                   | 3.057                 |
| -7         | 62.5 ≦ * < 62.5    | 1.646       | 2.965                   | 2.965                 |
| -8         | 57.5 ≦ * < 57.5    | 1.595       | 2.874                   | 2.874                 |
| -9         | 52.5 ≦ * < 52.5    | 1.544       | 2.783                   | 2.783                 |
| -10        | 47.5 ≦ * < 47.5    | 1.494       | 2.692                   | 2.692                 |
| -11        | 42.5 ≦ * < 42.5    | 1.443       | 2.600                   | 2.600                 |
| -12        | 37.5 ≦ * < 37.5    | 1.392       | 2.509                   | 2.509                 |
| -13        | 32.5 ≦ * < 32.5    | 1.342       | 2.418                   | 2.418                 |
| -14        | 27.5 ≦ * < 27.5    | 1.291       | 2.327                   | 2.327                 |
| -15        | 22.5 ≦ * < 22.5    | 1.241       | 2.235                   | 2.235                 |
| -16        | 17.5 ≦ * < 17.5    | 1.19        | 2.144                   | 2.144                 |
| -17        | 12.5 ≦ * < 12.5    | 1.139       | 2.053                   | 2.053                 |
| -18        | 7.5 ≦ * < 7.5      | 1.089       | 1.962                   | 1.962                 |
| -19        | 2.5 ≦ * < 2.5      | 1.038       | 1.870                   | 1.870                 |
| -20        | 0 ≦ * < 0          | 1           | 1.802                   | 1.802                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                      | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が20万円 | 2.999          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 4.517                   | 4.517                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 4.442                   | 4.442                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 4.366                   | 4.366                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 4.290                   | 4.290                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 4.214                   | 4.214                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 4.138                   | 4.138                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 4.062                   | 4.062                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 3.986                   | 3.986                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 3.910                   | 3.910                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 3.834                   | 3.834                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 3.758                   | 3.758                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 3.682                   | 3.682                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 3.606                   | 3.606                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 3.530                   | 3.530                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 3.455                   | 3.455                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 3.379                   | 3.379                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 3.303                   | 3.303                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 3.227                   | 3.227                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 3.151                   | 3.151                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 3.075                   | 3.075                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 2.999                   | 2.999                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 2.923                   | 2.923                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 2.847                   | 2.847                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 2.771                   | 2.771                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 2.695                   | 2.695                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 2.619                   | 2.619                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 2.543                   | 2.543                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 2.468                   | 2.468                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 2.392                   | 2.392                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 2.316                   | 2.316                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 2.240                   | 2.240                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 2.164                   | 2.164                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 2.088                   | 2.088                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 2.012                   | 2.012                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 1.936                   | 1.936                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 1.860                   | 1.860                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 1.784                   | 1.784                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 1.708                   | 1.708                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 1.632                   | 1.632                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 1.556                   | 1.556                 |
| -20        | 0 ≧ * < 0          | 1           | 1.500                   | 1.500                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                  | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.048          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.072                   | 0.072                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.071                   | 0.071                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.070                   | 0.070                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.069                   | 0.069                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.067                   | 0.067                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.066                   | 0.066                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.065                   | 0.065                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.064                   | 0.064                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.063                   | 0.063                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.061                   | 0.061                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.060                   | 0.060                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.059                   | 0.059                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.058                   | 0.058                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.057                   | 0.057                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.055                   | 0.055                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.054                   | 0.054                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.053                   | 0.053                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.052                   | 0.052                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.050                   | 0.050                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.049                   | 0.049                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.048                   | 0.048                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.047                   | 0.047                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.046                   | 0.046                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.044                   | 0.044                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.043                   | 0.043                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.042                   | 0.042                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.041                   | 0.041                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.039                   | 0.039                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.038                   | 0.038                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.037                   | 0.037                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.036                   | 0.036                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.035                   | 0.035                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.033                   | 0.033                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.032                   | 0.032                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.031                   | 0.031                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.030                   | 0.030                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.029                   | 0.029                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.027                   | 0.027                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.026                   | 0.026                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.025                   | 0.025                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.024                   | 0.024                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                       | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.043          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.065                   | 0.065                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.064                   | 0.064                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.063                   | 0.063                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.062                   | 0.062                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.060                   | 0.060                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.059                   | 0.059                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.058                   | 0.058                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.057                   | 0.057                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.056                   | 0.056                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.055                   | 0.055                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.054                   | 0.054                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.053                   | 0.053                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.052                   | 0.052                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.051                   | 0.051                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.050                   | 0.050                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.048                   | 0.048                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.047                   | 0.047                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.046                   | 0.046                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.045                   | 0.045                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.044                   | 0.044                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.043                   | 0.043                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.042                   | 0.042                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.041                   | 0.041                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.040                   | 0.040                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.039                   | 0.039                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.038                   | 0.038                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.036                   | 0.036                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.035                   | 0.035                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.034                   | 0.034                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.033                   | 0.033                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.032                   | 0.032                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.031                   | 0.031                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.030                   | 0.030                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.029                   | 0.029                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.028                   | 0.028                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.027                   | 0.027                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.026                   | 0.026                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.024                   | 0.024                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.023                   | 0.023                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.022                   | 0.022                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.022                   | 0.022                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                       | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設及び附帯施設に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.036          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.054                   | 0.054                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.053                   | 0.053                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.052                   | 0.052                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.051                   | 0.051                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.051                   | 0.051                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.050                   | 0.050                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.049                   | 0.049                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.048                   | 0.048                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.047                   | 0.047                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.046                   | 0.046                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.045                   | 0.045                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.044                   | 0.044                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.043                   | 0.043                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.042                   | 0.042                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.041                   | 0.041                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.041                   | 0.041                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.040                   | 0.040                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.039                   | 0.039                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.038                   | 0.038                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.037                   | 0.037                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.036                   | 0.036                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.035                   | 0.035                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.034                   | 0.034                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.033                   | 0.033                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.032                   | 0.032                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.031                   | 0.031                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.031                   | 0.031                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.030                   | 0.030                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.029                   | 0.029                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.028                   | 0.028                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.027                   | 0.027                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.026                   | 0.026                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.025                   | 0.025                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.024                   | 0.024                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.023                   | 0.023                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.022                   | 0.022                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.021                   | 0.021                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.021                   | 0.021                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.020                   | 0.020                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.019                   | 0.019                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.018                   | 0.018                 |
| 平均値        |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                     | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/施設内農作物有一般//小損害不填補の金額が3万円又は共済価額の20分の1 | 1.788          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 2.693                   | 2.693                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 2.648                   | 2.648                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 2.603                   | 2.603                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 2.558                   | 2.558                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 2.512                   | 2.512                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 2.467                   | 2.467                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 2.422                   | 2.422                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 2.376                   | 2.376                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 2.331                   | 2.331                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 2.286                   | 2.286                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 2.241                   | 2.241                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 2.195                   | 2.195                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 2.150                   | 2.150                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 2.105                   | 2.105                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 2.060                   | 2.060                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 2.014                   | 2.014                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 1.969                   | 1.969                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 1.924                   | 1.924                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 1.879                   | 1.879                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 1.833                   | 1.833                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 1.788                   | 1.788                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 1.743                   | 1.743                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 1.697                   | 1.697                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 1.652                   | 1.652                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 1.607                   | 1.607                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 1.562                   | 1.562                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 1.516                   | 1.516                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 1.471                   | 1.471                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 1.426                   | 1.426                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 1.381                   | 1.381                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 1.335                   | 1.335                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 1.290                   | 1.290                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 1.245                   | 1.245                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 1.200                   | 1.200                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 1.154                   | 1.154                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 1.109                   | 1.109                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 1.064                   | 1.064                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 1.018                   | 1.018                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.973                   | 0.973                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.928                   | 0.928                 |
| -20        | 0 ≧ * < 0          | 1           | 0.894                   | 0.894                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/施設内農作物有一般//小損害不填補の金額が10万円 | 1.352          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 2.037                   | 2.037                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 2.002                   | 2.002                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.968                   | 1.968                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.934                   | 1.934                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.900                   | 1.900                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.865                   | 1.865                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.831                   | 1.831                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.797                   | 1.797                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.763                   | 1.763                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.729                   | 1.729                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.694                   | 1.694                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.660                   | 1.660                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.626                   | 1.626                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.592                   | 1.592                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.557                   | 1.557                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.523                   | 1.523                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.489                   | 1.489                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 1.455                   | 1.455                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 1.420                   | 1.420                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 1.386                   | 1.386                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 1.352                   | 1.352                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 1.318                   | 1.318                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 1.284                   | 1.284                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 1.249                   | 1.249                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 1.215                   | 1.215                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 1.181                   | 1.181                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 1.147                   | 1.147                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 1.112                   | 1.112                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 1.078                   | 1.078                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 1.044                   | 1.044                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 1.010                   | 1.010                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.975                   | 0.975                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.941                   | 0.941                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.907                   | 0.907                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.873                   | 0.873                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.839                   | 0.839                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.804                   | 0.804                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.770                   | 0.770                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.736                   | 0.736                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.702                   | 0.702                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.676                   | 0.676                 |
|            |                    | 平均値<br>2.00 |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                          | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/施設内農作物有一般//小損害不填補の金額が20万円 | 0.988          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 1.488                   | 1.488                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 1.463                   | 1.463                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 1.438                   | 1.438                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 1.413                   | 1.413                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 1.388                   | 1.388                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 1.363                   | 1.363                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 1.338                   | 1.338                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 1.313                   | 1.313                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 1.288                   | 1.288                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 1.263                   | 1.263                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 1.238                   | 1.238                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 1.213                   | 1.213                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 1.188                   | 1.188                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 1.163                   | 1.163                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 1.138                   | 1.138                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 1.113                   | 1.113                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 1.088                   | 1.088                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 1.063                   | 1.063                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 1.038                   | 1.038                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 1.013                   | 1.013                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.988                   | 0.988                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.963                   | 0.963                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.938                   | 0.938                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.913                   | 0.913                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.888                   | 0.888                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.863                   | 0.863                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.838                   | 0.838                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.813                   | 0.813                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.788                   | 0.788                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.763                   | 0.763                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.738                   | 0.738                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.713                   | 0.713                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.688                   | 0.688                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.663                   | 0.663                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.638                   | 0.638                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.613                   | 0.613                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.588                   | 0.588                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.563                   | 0.563                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.538                   | 0.538                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.513                   | 0.513                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.494                   | 0.494                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                       | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/施設内農作物有事故除外//小損害不填補の金額が3万円又は共済価額の20分の1 | 0.886          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 1.335                   | 1.335                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 1.312                   | 1.312                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 1.290                   | 1.290                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 1.267                   | 1.267                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 1.245                   | 1.245                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 1.222                   | 1.222                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 1.200                   | 1.200                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 1.178                   | 1.178                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 1.155                   | 1.155                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 1.133                   | 1.133                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 1.110                   | 1.110                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 1.088                   | 1.088                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 1.065                   | 1.065                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 1.043                   | 1.043                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 1.021                   | 1.021                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.998                   | 0.998                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.976                   | 0.976                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.953                   | 0.953                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.931                   | 0.931                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.908                   | 0.908                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.886                   | 0.886                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.864                   | 0.864                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.841                   | 0.841                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.819                   | 0.819                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.796                   | 0.796                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.774                   | 0.774                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.751                   | 0.751                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.729                   | 0.729                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.707                   | 0.707                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.684                   | 0.684                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.662                   | 0.662                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.639                   | 0.639                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.617                   | 0.617                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.594                   | 0.594                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.572                   | 0.572                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.550                   | 0.550                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.527                   | 0.527                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.505                   | 0.505                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.482                   | 0.482                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.460                   | 0.460                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.443                   | 0.443                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                            | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/施設内農作物有事故除外//小損害不填補の金額が10万円 | 0.670          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 1.009                   | 1.009                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.992                   | 0.992                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.975                   | 0.975                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.958                   | 0.958                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.941                   | 0.941                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.924                   | 0.924                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.907                   | 0.907                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.891                   | 0.891                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.874                   | 0.874                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.857                   | 0.857                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.840                   | 0.840                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.823                   | 0.823                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.806                   | 0.806                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.789                   | 0.789                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.772                   | 0.772                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.755                   | 0.755                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.738                   | 0.738                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.721                   | 0.721                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.704                   | 0.704                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.687                   | 0.687                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.670                   | 0.670                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.653                   | 0.653                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.636                   | 0.636                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.619                   | 0.619                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.602                   | 0.602                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.585                   | 0.585                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.568                   | 0.568                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.551                   | 0.551                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.534                   | 0.534                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.517                   | 0.517                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.500                   | 0.500                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.483                   | 0.483                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.466                   | 0.466                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.449                   | 0.449                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.433                   | 0.433                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.416                   | 0.416                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.399                   | 0.399                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.382                   | 0.382                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.365                   | 0.365                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.348                   | 0.348                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.335                   | 0.335                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                            | 共済掛金標準率<br>(%) |
|-------------------------|----------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/施設内農作物有事故除外//小損害不填補の金額が20万円 | 0.489          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013    | 0.737                   | 0.737                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962    | 0.724                   | 0.724                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911    | 0.712                   | 0.712                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861    | 0.699                   | 0.699                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81     | 0.687                   | 0.687                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76     | 0.675                   | 0.675                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709    | 0.662                   | 0.662                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658    | 0.650                   | 0.650                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608    | 0.638                   | 0.638                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557    | 0.625                   | 0.625                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506    | 0.613                   | 0.613                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456    | 0.600                   | 0.600                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405    | 0.588                   | 0.588                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354    | 0.576                   | 0.576                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304    | 0.563                   | 0.563                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253    | 0.551                   | 0.551                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203    | 0.539                   | 0.539                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152    | 0.526                   | 0.526                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101    | 0.514                   | 0.514                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051    | 0.501                   | 0.501                 |
| 0          | 97.5 ≧ * < 102.5   | 2        | 0.489                   | 0.489                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949    | 0.477                   | 0.477                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899    | 0.464                   | 0.464                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848    | 0.452                   | 0.452                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797    | 0.439                   | 0.439                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747    | 0.427                   | 0.427                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696    | 0.415                   | 0.415                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646    | 0.402                   | 0.402                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595    | 0.390                   | 0.390                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544    | 0.378                   | 0.378                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494    | 0.365                   | 0.365                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443    | 0.353                   | 0.353                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392    | 0.340                   | 0.340                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342    | 0.328                   | 0.328                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291    | 0.316                   | 0.316                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241    | 0.303                   | 0.303                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19     | 0.291                   | 0.291                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139    | 0.279                   | 0.279                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089    | 0.266                   | 0.266                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038    | 0.254                   | 0.254                 |
| -20        | 0 ≧ * < 2.5        | 1        | 0.245                   | 0.245                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.097          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ * < 197.5  | 3.013       | 0.146                   | 0.146                 |
| 19         | 192.5 ≦ * < 192.5  | 2.962       | 0.144                   | 0.144                 |
| 18         | 187.5 ≦ * < 187.5  | 2.911       | 0.141                   | 0.141                 |
| 17         | 182.5 ≦ * < 182.5  | 2.861       | 0.139                   | 0.139                 |
| 16         | 177.5 ≦ * < 177.5  | 2.81        | 0.136                   | 0.136                 |
| 15         | 172.5 ≦ * < 172.5  | 2.76        | 0.134                   | 0.134                 |
| 14         | 167.5 ≦ * < 167.5  | 2.709       | 0.131                   | 0.131                 |
| 13         | 162.5 ≦ * < 162.5  | 2.658       | 0.129                   | 0.129                 |
| 12         | 157.5 ≦ * < 157.5  | 2.608       | 0.126                   | 0.126                 |
| 11         | 152.5 ≦ * < 152.5  | 2.557       | 0.124                   | 0.124                 |
| 10         | 147.5 ≦ * < 147.5  | 2.506       | 0.122                   | 0.122                 |
| 9          | 142.5 ≦ * < 142.5  | 2.456       | 0.119                   | 0.119                 |
| 8          | 137.5 ≦ * < 137.5  | 2.405       | 0.117                   | 0.117                 |
| 7          | 132.5 ≦ * < 132.5  | 2.354       | 0.114                   | 0.114                 |
| 6          | 127.5 ≦ * < 127.5  | 2.304       | 0.112                   | 0.112                 |
| 5          | 122.5 ≦ * < 122.5  | 2.253       | 0.109                   | 0.109                 |
| 4          | 117.5 ≦ * < 117.5  | 2.203       | 0.107                   | 0.107                 |
| 3          | 112.5 ≦ * < 112.5  | 2.152       | 0.104                   | 0.104                 |
| 2          | 107.5 ≦ * < 107.5  | 2.101       | 0.102                   | 0.102                 |
| 1          | 102.5 ≦ * < 102.5  | 2.051       | 0.099                   | 0.099                 |
| 0          | 97.5 ≦ * < 97.5    | 2           | 0.097                   | 0.097                 |
| -1         | 92.5 ≦ * < 92.5    | 1.949       | 0.095                   | 0.095                 |
| -2         | 87.5 ≦ * < 87.5    | 1.899       | 0.092                   | 0.092                 |
| -3         | 82.5 ≦ * < 82.5    | 1.848       | 0.090                   | 0.090                 |
| -4         | 77.5 ≦ * < 77.5    | 1.797       | 0.087                   | 0.087                 |
| -5         | 72.5 ≦ * < 72.5    | 1.747       | 0.085                   | 0.085                 |
| -6         | 67.5 ≦ * < 67.5    | 1.696       | 0.082                   | 0.082                 |
| -7         | 62.5 ≦ * < 62.5    | 1.646       | 0.080                   | 0.080                 |
| -8         | 57.5 ≦ * < 57.5    | 1.595       | 0.077                   | 0.077                 |
| -9         | 52.5 ≦ * < 52.5    | 1.544       | 0.075                   | 0.075                 |
| -10        | 47.5 ≦ * < 47.5    | 1.494       | 0.072                   | 0.072                 |
| -11        | 42.5 ≦ * < 42.5    | 1.443       | 0.070                   | 0.070                 |
| -12        | 37.5 ≦ * < 37.5    | 1.392       | 0.068                   | 0.068                 |
| -13        | 32.5 ≦ * < 32.5    | 1.342       | 0.065                   | 0.065                 |
| -14        | 27.5 ≦ * < 27.5    | 1.291       | 0.063                   | 0.063                 |
| -15        | 22.5 ≦ * < 22.5    | 1.241       | 0.060                   | 0.060                 |
| -16        | 17.5 ≦ * < 17.5    | 1.19        | 0.058                   | 0.058                 |
| -17        | 12.5 ≦ * < 12.5    | 1.139       | 0.055                   | 0.055                 |
| -18        | 7.5 ≦ * < 7.5      | 1.089       | 0.053                   | 0.053                 |
| -19        | 2.5 ≦ * < 2.5      | 1.038       | 0.050                   | 0.050                 |
| -20        | 0 ≦ * < 0          | 1           | 0.049                   | 0.049                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                     | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害不填補の金額が10万円 | 0.086          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.130                   | 0.130                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.127                   | 0.127                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.125                   | 0.125                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.123                   | 0.123                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.121                   | 0.121                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.119                   | 0.119                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.116                   | 0.116                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.114                   | 0.114                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.112                   | 0.112                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.110                   | 0.110                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.108                   | 0.108                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.106                   | 0.106                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.103                   | 0.103                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.101                   | 0.101                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.099                   | 0.099                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.097                   | 0.097                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.095                   | 0.095                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.093                   | 0.093                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.090                   | 0.090                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.088                   | 0.088                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.086                   | 0.086                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.084                   | 0.084                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.082                   | 0.082                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.079                   | 0.079                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.077                   | 0.077                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.075                   | 0.075                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.073                   | 0.073                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.071                   | 0.071                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.069                   | 0.069                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.066                   | 0.066                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.064                   | 0.064                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.062                   | 0.062                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.060                   | 0.060                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.058                   | 0.058                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.056                   | 0.056                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.053                   | 0.053                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.051                   | 0.051                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.049                   | 0.049                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.047                   | 0.047                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.045                   | 0.045                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.043                   | 0.043                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                     | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害不填補の金額が20万円 | 0.072          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.108                   | 0.108                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.107                   | 0.107                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.105                   | 0.105                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.103                   | 0.103                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.101                   | 0.101                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.099                   | 0.099                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.098                   | 0.098                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.096                   | 0.096                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.094                   | 0.094                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.092                   | 0.092                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.090                   | 0.090                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.088                   | 0.088                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.087                   | 0.087                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.085                   | 0.085                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.083                   | 0.083                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.081                   | 0.081                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.079                   | 0.079                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.077                   | 0.077                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.076                   | 0.076                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.074                   | 0.074                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.072                   | 0.072                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.070                   | 0.070                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.068                   | 0.068                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.067                   | 0.067                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.065                   | 0.065                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.063                   | 0.063                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.061                   | 0.061                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.059                   | 0.059                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.057                   | 0.057                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.056                   | 0.056                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.054                   | 0.054                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.052                   | 0.052                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.050                   | 0.050                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.048                   | 0.048                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.046                   | 0.046                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.045                   | 0.045                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.043                   | 0.043                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.041                   | 0.041                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.039                   | 0.039                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.037                   | 0.037                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.036                   | 0.036                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                 | 共済掛金標準率<br>(%) |
|-------------------------|-------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設撤去費用額に係るもの/未被覆期間/小損害不填補の金額が3万円又は共済価額の20分の1 | 0.005          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.008                   | 0.008                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.007                   | 0.007                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.007                   | 0.007                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.007                   | 0.007                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.007                   | 0.007                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.007                   | 0.007                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.007                   | 0.007                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.007                   | 0.007                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.007                   | 0.007                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.006                   | 0.006                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.006                   | 0.006                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.006                   | 0.006                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.006                   | 0.006                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.006                   | 0.006                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.006                   | 0.006                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.006                   | 0.006                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.006                   | 0.006                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.005                   | 0.005                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.005                   | 0.005                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.005                   | 0.005                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.005                   | 0.005                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.005                   | 0.005                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.005                   | 0.005                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.005                   | 0.005                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.004                   | 0.004                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.004                   | 0.004                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.004                   | 0.004                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.004                   | 0.004                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.004                   | 0.004                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.004                   | 0.004                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.004                   | 0.004                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.003                   | 0.003                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.003                   | 0.003                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.003                   | 0.003                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.003                   | 0.003                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.003                   | 0.003                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.003                   | 0.003                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                      | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設撤去費用額に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.004          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.006                   | 0.006                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.006                   | 0.006                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.006                   | 0.006                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.006                   | 0.006                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.006                   | 0.006                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.006                   | 0.006                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.005                   | 0.005                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.005                   | 0.005                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.005                   | 0.005                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.005                   | 0.005                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.005                   | 0.005                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.005                   | 0.005                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.005                   | 0.005                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.005                   | 0.005                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.005                   | 0.005                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.005                   | 0.005                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.004                   | 0.004                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.004                   | 0.004                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.004                   | 0.004                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.004                   | 0.004                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.004                   | 0.004                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.004                   | 0.004                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.004                   | 0.004                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.004                   | 0.004                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.004                   | 0.004                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.003                   | 0.003                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.003                   | 0.003                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.003                   | 0.003                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.003                   | 0.003                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.003                   | 0.003                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.003                   | 0.003                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.003                   | 0.003                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.003                   | 0.003                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |



## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                      | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設撤去費用額に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ *          | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≧ * < 197.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≧ * < 192.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≧ * < 187.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≧ * < 182.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≧ * < 177.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≧ * < 172.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≧ * < 167.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≧ * < 162.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≧ * < 157.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≧ * < 152.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≧ * < 147.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≧ * < 142.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≧ * < 137.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≧ * < 132.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≧ * < 127.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≧ * < 122.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≧ * < 117.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≧ * < 112.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≧ * < 107.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≧ * < 102.5   | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≧ * < 97.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≧ * < 92.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≧ * < 87.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≧ * < 82.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≧ * < 77.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 72.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 67.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≧ * < 62.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≧ * < 57.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≧ * < 52.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≧ * < 47.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≧ * < 42.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≧ * < 37.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≧ * < 32.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≧ * < 27.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 22.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 17.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 12.5     | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 7.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 2.5        | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                        | 共済掛金標準率<br>(%) |
|-------------------------|--------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設<br>復旧費用額に係るもの/被覆期間/小損害不填補の金額<br>が3万円又は共済価額の20分の1 | 1.729          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 2.604                   | 2.604                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 2.561                   | 2.561                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 2.517                   | 2.517                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 2.473                   | 2.473                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 2.429                   | 2.429                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 2.386                   | 2.386                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 2.342                   | 2.342                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 2.298                   | 2.298                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 2.254                   | 2.254                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 2.210                   | 2.210                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 2.167                   | 2.167                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 2.123                   | 2.123                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 2.079                   | 2.079                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 2.035                   | 2.035                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 1.992                   | 1.992                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 1.948                   | 1.948                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 1.904                   | 1.904                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 1.860                   | 1.860                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 1.817                   | 1.817                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 1.773                   | 1.773                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 1.729                   | 1.729                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 1.685                   | 1.685                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 1.641                   | 1.641                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 1.598                   | 1.598                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 1.554                   | 1.554                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 1.510                   | 1.510                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 1.466                   | 1.466                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 1.423                   | 1.423                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 1.379                   | 1.379                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 1.335                   | 1.335                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 1.291                   | 1.291                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 1.248                   | 1.248                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 1.204                   | 1.204                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 1.160                   | 1.160                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 1.116                   | 1.116                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 1.072                   | 1.072                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 1.029                   | 1.029                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.985                   | 0.985                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.941                   | 0.941                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.897                   | 0.897                 |
| -20        | 0 ≧ * < 0          | 1           | 0.865                   | 0.865                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                             | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設<br>復旧費用額に係るもの/被覆期間/小損害不填補の金額<br>が10万円 | 1.536          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 2.314                   | 2.314                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 2.275                   | 2.275                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 2.236                   | 2.236                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 2.197                   | 2.197                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 2.158                   | 2.158                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 2.119                   | 2.119                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 2.080                   | 2.080                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 2.042                   | 2.042                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 2.003                   | 2.003                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.964                   | 1.964                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.925                   | 1.925                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.886                   | 1.886                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.847                   | 1.847                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.808                   | 1.808                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.769                   | 1.769                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.730                   | 1.730                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.692                   | 1.692                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 1.653                   | 1.653                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 1.614                   | 1.614                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 1.575                   | 1.575                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 1.536                   | 1.536                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 1.497                   | 1.497                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 1.458                   | 1.458                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 1.419                   | 1.419                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 1.380                   | 1.380                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 1.342                   | 1.342                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 1.303                   | 1.303                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 1.264                   | 1.264                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 1.225                   | 1.225                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 1.186                   | 1.186                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 1.147                   | 1.147                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 1.108                   | 1.108                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 1.069                   | 1.069                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 1.030                   | 1.030                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.992                   | 0.992                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.953                   | 0.953                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.914                   | 0.914                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.875                   | 0.875                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.836                   | 0.836                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.797                   | 0.797                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.768                   | 0.768                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                             | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設<br>復旧費用額に係るもの/被覆期間/小損害不填補の金額<br>が20万円 | 1.278          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 1.925                   | 1.925                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 1.893                   | 1.893                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 1.860                   | 1.860                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 1.828                   | 1.828                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 1.796                   | 1.796                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 1.763                   | 1.763                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 1.731                   | 1.731                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 1.699                   | 1.699                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 1.666                   | 1.666                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 1.634                   | 1.634                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 1.602                   | 1.602                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 1.569                   | 1.569                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 1.537                   | 1.537                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 1.504                   | 1.504                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 1.472                   | 1.472                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 1.440                   | 1.440                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 1.407                   | 1.407                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 1.375                   | 1.375                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 1.343                   | 1.343                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 1.310                   | 1.310                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 1.278                   | 1.278                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 1.246                   | 1.246                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 1.213                   | 1.213                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 1.181                   | 1.181                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 1.149                   | 1.149                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 1.116                   | 1.116                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 1.084                   | 1.084                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 1.052                   | 1.052                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 1.019                   | 1.019                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.987                   | 0.987                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.954                   | 0.954                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.922                   | 0.922                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.890                   | 0.890                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.857                   | 0.857                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.825                   | 0.825                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.793                   | 0.793                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.760                   | 0.760                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.728                   | 0.728                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.696                   | 0.696                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.663                   | 0.663                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.639                   | 0.639                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                                         | 共済掛金標準率<br>(%) |
|-------------------------|---------------------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設<br>復旧費用額に係るもの/未被覆期間/小損害不填補の金<br>額が3万円又は共済価額の20分の1 | 0.021          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≦ *          | 3.013       | 0.032                   | 0.032                 |
| 19         | 192.5 ≦ * < 197.5  | 2.962       | 0.031                   | 0.031                 |
| 18         | 187.5 ≦ * < 192.5  | 2.911       | 0.031                   | 0.031                 |
| 17         | 182.5 ≦ * < 187.5  | 2.861       | 0.030                   | 0.030                 |
| 16         | 177.5 ≦ * < 182.5  | 2.81        | 0.030                   | 0.030                 |
| 15         | 172.5 ≦ * < 177.5  | 2.76        | 0.029                   | 0.029                 |
| 14         | 167.5 ≦ * < 172.5  | 2.709       | 0.028                   | 0.028                 |
| 13         | 162.5 ≦ * < 167.5  | 2.658       | 0.028                   | 0.028                 |
| 12         | 157.5 ≦ * < 162.5  | 2.608       | 0.027                   | 0.027                 |
| 11         | 152.5 ≦ * < 157.5  | 2.557       | 0.027                   | 0.027                 |
| 10         | 147.5 ≦ * < 152.5  | 2.506       | 0.026                   | 0.026                 |
| 9          | 142.5 ≦ * < 147.5  | 2.456       | 0.026                   | 0.026                 |
| 8          | 137.5 ≦ * < 142.5  | 2.405       | 0.025                   | 0.025                 |
| 7          | 132.5 ≦ * < 137.5  | 2.354       | 0.025                   | 0.025                 |
| 6          | 127.5 ≦ * < 132.5  | 2.304       | 0.024                   | 0.024                 |
| 5          | 122.5 ≦ * < 127.5  | 2.253       | 0.024                   | 0.024                 |
| 4          | 117.5 ≦ * < 122.5  | 2.203       | 0.023                   | 0.023                 |
| 3          | 112.5 ≦ * < 117.5  | 2.152       | 0.023                   | 0.023                 |
| 2          | 107.5 ≦ * < 112.5  | 2.101       | 0.022                   | 0.022                 |
| 1          | 102.5 ≦ * < 107.5  | 2.051       | 0.022                   | 0.022                 |
| 0          | 97.5 ≦ * < 102.5   | 2           | 0.021                   | 0.021                 |
| -1         | 92.5 ≦ * < 97.5    | 1.949       | 0.020                   | 0.020                 |
| -2         | 87.5 ≦ * < 92.5    | 1.899       | 0.020                   | 0.020                 |
| -3         | 82.5 ≦ * < 87.5    | 1.848       | 0.019                   | 0.019                 |
| -4         | 77.5 ≦ * < 82.5    | 1.797       | 0.019                   | 0.019                 |
| -5         | 72.5 ≦ * < 77.5    | 1.747       | 0.018                   | 0.018                 |
| -6         | 67.5 ≦ * < 72.5    | 1.696       | 0.018                   | 0.018                 |
| -7         | 62.5 ≦ * < 67.5    | 1.646       | 0.017                   | 0.017                 |
| -8         | 57.5 ≦ * < 62.5    | 1.595       | 0.017                   | 0.017                 |
| -9         | 52.5 ≦ * < 57.5    | 1.544       | 0.016                   | 0.016                 |
| -10        | 47.5 ≦ * < 52.5    | 1.494       | 0.016                   | 0.016                 |
| -11        | 42.5 ≦ * < 47.5    | 1.443       | 0.015                   | 0.015                 |
| -12        | 37.5 ≦ * < 42.5    | 1.392       | 0.015                   | 0.015                 |
| -13        | 32.5 ≦ * < 37.5    | 1.342       | 0.014                   | 0.014                 |
| -14        | 27.5 ≦ * < 32.5    | 1.291       | 0.014                   | 0.014                 |
| -15        | 22.5 ≦ * < 27.5    | 1.241       | 0.013                   | 0.013                 |
| -16        | 17.5 ≦ * < 22.5    | 1.19        | 0.012                   | 0.012                 |
| -17        | 12.5 ≦ * < 17.5    | 1.139       | 0.012                   | 0.012                 |
| -18        | 7.5 ≦ * < 12.5     | 1.089       | 0.011                   | 0.011                 |
| -19        | 2.5 ≦ * < 7.5      | 1.038       | 0.011                   | 0.011                 |
| -20        | 0 ≦ * < 2.5        | 1           | 0.011                   | 0.011                 |
|            |                    | 平均値<br>2.00 |                         |                       |

## 【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設<br>復旧費用額に係るもの/未被覆期間/小損害不填補の金額が10万円 | 0.016          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数 | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|----------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013    | 0.024                   | 0.024                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962    | 0.024                   | 0.024                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911    | 0.023                   | 0.023                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861    | 0.023                   | 0.023                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81     | 0.022                   | 0.022                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76     | 0.022                   | 0.022                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709    | 0.022                   | 0.022                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658    | 0.021                   | 0.021                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608    | 0.021                   | 0.021                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557    | 0.020                   | 0.020                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506    | 0.020                   | 0.020                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456    | 0.020                   | 0.020                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405    | 0.019                   | 0.019                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354    | 0.019                   | 0.019                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304    | 0.018                   | 0.018                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253    | 0.018                   | 0.018                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203    | 0.018                   | 0.018                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152    | 0.017                   | 0.017                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101    | 0.017                   | 0.017                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051    | 0.016                   | 0.016                 |
| 0          | 97.5 ≧ * < 97.5    | 2        | 0.016                   | 0.016                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949    | 0.016                   | 0.016                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899    | 0.015                   | 0.015                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848    | 0.015                   | 0.015                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797    | 0.014                   | 0.014                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747    | 0.014                   | 0.014                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696    | 0.014                   | 0.014                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646    | 0.013                   | 0.013                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595    | 0.013                   | 0.013                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544    | 0.012                   | 0.012                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494    | 0.012                   | 0.012                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443    | 0.012                   | 0.012                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392    | 0.011                   | 0.011                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342    | 0.011                   | 0.011                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291    | 0.010                   | 0.010                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241    | 0.010                   | 0.010                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19     | 0.010                   | 0.010                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139    | 0.009                   | 0.009                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089    | 0.009                   | 0.009                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038    | 0.008                   | 0.008                 |
| -20        | 0 ≧ * < 0          | 1        | 0.008                   | 0.008                 |
|            |                    | 平均値      |                         |                       |
|            |                    | 2.00     |                         |                       |

【様式】

|       |     |
|-------|-----|
| 都道府県名 | 兵庫県 |
| 組合等名  | 豊岡市 |
| 地域名   |     |

| 共済目的<br>の種類             | 共済掛金区分等                                                          | 共済掛金標準率<br>(%) |
|-------------------------|------------------------------------------------------------------|----------------|
| プラスチック<br>ハウスⅦ類<br>(90) | プラスチックハウスⅦ類(多目的ネットハウス)/特定園芸施設<br>復旧費用額に係るもの/未被覆期間/小損害不填補の金額が20万円 | 0.003          |

| 危険段階<br>区分 | 平均損害率(*)の範囲<br>(%) | 危険<br>指数    | 危険段階別<br>基準共済掛金率<br>(%) | 危険段階別<br>共済掛金率<br>(%) |
|------------|--------------------|-------------|-------------------------|-----------------------|
| 20         | 197.5 ≧ * < 197.5  | 3.013       | 0.005                   | 0.005                 |
| 19         | 192.5 ≧ * < 192.5  | 2.962       | 0.004                   | 0.004                 |
| 18         | 187.5 ≧ * < 187.5  | 2.911       | 0.004                   | 0.004                 |
| 17         | 182.5 ≧ * < 182.5  | 2.861       | 0.004                   | 0.004                 |
| 16         | 177.5 ≧ * < 177.5  | 2.81        | 0.004                   | 0.004                 |
| 15         | 172.5 ≧ * < 172.5  | 2.76        | 0.004                   | 0.004                 |
| 14         | 167.5 ≧ * < 167.5  | 2.709       | 0.004                   | 0.004                 |
| 13         | 162.5 ≧ * < 162.5  | 2.658       | 0.004                   | 0.004                 |
| 12         | 157.5 ≧ * < 157.5  | 2.608       | 0.004                   | 0.004                 |
| 11         | 152.5 ≧ * < 152.5  | 2.557       | 0.004                   | 0.004                 |
| 10         | 147.5 ≧ * < 147.5  | 2.506       | 0.004                   | 0.004                 |
| 9          | 142.5 ≧ * < 142.5  | 2.456       | 0.004                   | 0.004                 |
| 8          | 137.5 ≧ * < 137.5  | 2.405       | 0.004                   | 0.004                 |
| 7          | 132.5 ≧ * < 132.5  | 2.354       | 0.004                   | 0.004                 |
| 6          | 127.5 ≧ * < 127.5  | 2.304       | 0.003                   | 0.003                 |
| 5          | 122.5 ≧ * < 122.5  | 2.253       | 0.003                   | 0.003                 |
| 4          | 117.5 ≧ * < 117.5  | 2.203       | 0.003                   | 0.003                 |
| 3          | 112.5 ≧ * < 112.5  | 2.152       | 0.003                   | 0.003                 |
| 2          | 107.5 ≧ * < 107.5  | 2.101       | 0.003                   | 0.003                 |
| 1          | 102.5 ≧ * < 102.5  | 2.051       | 0.003                   | 0.003                 |
| 0          | 97.5 ≧ * < 97.5    | 2           | 0.003                   | 0.003                 |
| -1         | 92.5 ≧ * < 92.5    | 1.949       | 0.003                   | 0.003                 |
| -2         | 87.5 ≧ * < 87.5    | 1.899       | 0.003                   | 0.003                 |
| -3         | 82.5 ≧ * < 82.5    | 1.848       | 0.003                   | 0.003                 |
| -4         | 77.5 ≧ * < 77.5    | 1.797       | 0.003                   | 0.003                 |
| -5         | 72.5 ≧ * < 72.5    | 1.747       | 0.003                   | 0.003                 |
| -6         | 67.5 ≧ * < 67.5    | 1.696       | 0.003                   | 0.003                 |
| -7         | 62.5 ≧ * < 62.5    | 1.646       | 0.002                   | 0.002                 |
| -8         | 57.5 ≧ * < 57.5    | 1.595       | 0.002                   | 0.002                 |
| -9         | 52.5 ≧ * < 52.5    | 1.544       | 0.002                   | 0.002                 |
| -10        | 47.5 ≧ * < 47.5    | 1.494       | 0.002                   | 0.002                 |
| -11        | 42.5 ≧ * < 42.5    | 1.443       | 0.002                   | 0.002                 |
| -12        | 37.5 ≧ * < 37.5    | 1.392       | 0.002                   | 0.002                 |
| -13        | 32.5 ≧ * < 32.5    | 1.342       | 0.002                   | 0.002                 |
| -14        | 27.5 ≧ * < 27.5    | 1.291       | 0.002                   | 0.002                 |
| -15        | 22.5 ≧ * < 22.5    | 1.241       | 0.002                   | 0.002                 |
| -16        | 17.5 ≧ * < 17.5    | 1.19        | 0.002                   | 0.002                 |
| -17        | 12.5 ≧ * < 12.5    | 1.139       | 0.002                   | 0.002                 |
| -18        | 7.5 ≧ * < 7.5      | 1.089       | 0.002                   | 0.002                 |
| -19        | 2.5 ≧ * < 2.5      | 1.038       | 0.002                   | 0.002                 |
| -20        | 0 ≧ * < 0          | 1           | 0.002                   | 0.002                 |
|            |                    | 平均値<br>2.00 |                         |                       |